Index to Volumes 32, 33 and 34

(1952, 1953 and 1954)

NOTE: The volume year is in *italic* type. Page numbers of symposium and clinic titles are in **boldface** type.

SYMPOSIA

1952

February (Chicago)	RECENT ADVANCES IN SURGERY
April (New York)	BASIC SCIENCES IN SURGICAL PRACTICE
June (Lahey Clinic)	ORTHOPEDIC SURGERY AND NEUROSURGERY
August (Mayo Clinic)	SOME ASPECTS OF SURGERY OF THE ENDOCRINE GLANDS
October (Johns Hopkins)	1. PEDIATRICS
(Scott and White Clinic)	2. GASTROINTESTINAL SURGERY
December (Philadelphia)	SAFEGUARDS IN SURGICAL DIAGNOSIS

1953

February (Chicago)	OBSTETRICS AND GYNECOLOGY
April (New York)	SURGERY AND CANCER
June (Lahey Clinic)	SURGICAL LESIONS OF THE NECK AND UPPER MEDIASTINUM
August (Ochsner Clinic)	1. VASCULAR SURGERY
(Wayne University)	2. SURGERY OF TRAUMA
October (Nationwide)	AMBULANT SURGERY
December (Philadelphia)	ORTHOPEDIC SURGERY

1954

February (Chicago)	GASTROINTESTINAL SURGERY
April (New York)	NEW TECHNIQUES IN SURGERY: RATIONALE AND METHODS
June (Lahey Clinic)	SURGICAL PROCEDURES ON AGED AND POOR RISK PATIENTS
August (Toronto)	1. THORACIC SURGERY
(Nationwide)	2. NEUROLOGICAL SURGERY
October (Pacific Coast)	TOTAL CARE OF THE SURGICAL PATIENT
December (Philadelphia)	OBSTETRICS AND GYNECOLOGY

ABDOMEN, acute surgical conditions, in aged and poor risk patient, *1954:* June, **745–759**
emergencies, and unrelated urologic disease, *1952:* Dec., 1701
requiring immediate operation, *1954:* Feb., **27–52**
examination, in pain of female genital origin, *1952:* Dec., 1718
in uterine cancer, *1952:* Dec., 1733

Abdomen, incisions, *1952:* April, 557
injuries, *1954:* Feb., 28
management, immediate, *1954:* Oct., 1460
nonpenetrating, *1953:* Aug., **1179–1186**
anesthesia for, *1953:* Oct., 1501
diagnosis and early care in, *1953:* Oct., **1497–1503**

Abdomen, injuries, nonpenetrating, exploration and repair, *1953:* Oct., 1500
preliminary measures, *1953:* Oct., 1500
time of operation, *1953:* Oct., 1500
ward care, *1953:* Oct., 1502
lesions in right upper quadrant, diagnosis, *1952:* Dec., 1699
masses in, complicating pregnancy, *1952:* Dec., 1712
diagnosis, *1952:* Dec., 1707
pain, and tenderness in obstetrical patients, *1952:* Dec., 1710
intractable, relief of, *1954:* Feb., **269–275**
of female genital origin, *1952:* Dec., **1717–1727.** See also under *Pain.*
surgery of, anesthesia for, *1952:* Oct., **1539–1545;** *1954:* Feb., **17–26**
parenteral fluids and electrolytes in, *1954:* Feb., **3–16**
symposium on, *1952:* Oct., **1425–1545;** *1954:* Feb., **1–285**
wall of, surgical anatomy, *1952:* April, **545–574**
x-ray film in urological trauma, *1953:* Oct., 1485
Abdominothoracic operations, combined, in treatment of surgical abdominal lesions, *1954:* Feb., **95–112**
Abduction of thumb after procedures in first web space, *1953:* Oct., 1307
Abductor pollicis longus in stenosing tenovaginitis, *1953:* Oct., 1321, 1326
Ablatio placentae. See *Abruptio placentae.*
Abortion, *1952:* Dec., 1724
etiology, *1953:* Feb., 5
mechanism, *1953:* Feb., 4
threatened, *1953:* Feb., **1–15**
prognosis based on pregnanediol determinations, *1953:* Feb., 7, 11
Abruptio placentae, *1954:* Dec., 1529
cesarean section in, *1953:* Feb., 111
diagnosis, *1954:* Dec., 1530
etiology, *1954:* Dec., 1530
in hypertensive disease in pregnancy, *1953:* Feb., 30
incidence, *1954:* Dec., 1529
prognosis, *1954:* Dec., 1531
symptoms, *1954:* Dec., 1530
treatment, *1954:* Dec., 1531
types, *1954:* Dec., 1529
Abscess. See also under names of organs.
perianal, *1953:* Oct., 1400
pericholecystic, *1954:* Feb., 163
peridiverticular, with fistula formation, *1952:* Feb., 95
pilonidal, *1952:* Aug., 1251, 1253
subphrenic, following biliary tract surgery, *1954:* Oct., 1388
Abscess, tubo-ovarian, intraperitoneal rupture, *1952:* Dec., 1722
Acetabulum, diagnostic roentgen view, *1953:* Dec., **1565–1569**
fracture, malunited, with traumatic dislocation of hip, *1953:* Dec., **1551–1557**
Achalasis, signs and symptoms, *1952:* Dec., 1652
Achromycin in surgical infections, *1954:* Oct., 1308
Acid burns, of esophagus, *1954:* April, 344
of eye, *1953:* Aug., 1107
Acidity, gastric, in carcinoma of stomach, *1952:* April, 594, Oct., 1429
Acidosis in gastrointestinal surgery, *1954:* Feb., 15
Acromioclavicular joint, subluxations, *1953:* Oct., 1354
ACTH, in crush injuries of hand, *1954:* April, **363–374**
in hemolytic states, *1954:* Feb., 129
in wound healing, *1952:* April, 435
physiologic effects, *1952:* April, 350, 353
properties calling for extreme care in use, *1954:* Oct., 1215
use and abuse in surgery, *1952:* Aug., **1105–1107**
uses in general surgery, *1954:* Oct., **1201–1218**
contraindications, *1954:* Oct., 1215
Actinomycosis of cervical lymph nodes, *1953:* June, 708
Adamantinoma, *1952:* Aug., 1168
Adaptation syndrome, general, *1953:* Oct., 1418
Addison's disease, surgery in, anesthesia for, *1952:* Aug., 1110
Adenitis, tuberculous, cervical, *1953:* June, 708
roentgen treatment, *1953:* June, 710
Adenocarcinoma, infiltrating, atypical, *1953:* Oct., 1395
polypoid adenoma sheltering, *1953:* Oct., 1396
Adenoma, chromophobe, stroke-like syndrome in, *1954:* June, 650
discrete, versus multinodular goiter, *1952:* Dec., 1618
of rectum and rectosigmoid, surgical management, *1954:* April, **561–565**
parathyroid, *1952:* Aug., 1034; *1953:* June, **723–737**
in mediastinum, *1953:* April, 421
pathologic diagnosis, *1952:* Aug., 1044, 1046
polypoid, sheltering adenocarcinoma, *1953:* Oct., 1396
Adenomatosis, *1952:* Dec., 1804
of colon, polypoid, total colectomy for, one-stage, *1954:* April, **509–522**

Adhesions, intestinal obstruction due to, *1954:* June, 731
peritoneal, postoperative, prevention, *1952:* June, **903–908**
Adrenal cortex, lesions, *1952:* Aug., 1054
physiology, *1952:* April, **347–357**
role in shock, *1953:* Aug., 1140
Adrenal glands, anatomy, *1952:* Aug., **1133–1137**
anomalies, *1952:* Aug., 1137
diseases, surgery in, anesthesia for, *1952:* Aug., 1110
lesions, *1952:* Aug., **1053–1064**
tumor, cortical, combined abdominothoracic operation in, *1954:* Feb., 96
Adrenal insufficiency, potential, in colonic and rectal surgery, *1954:* Oct., 1427
surgery for, cortisone and hydrocortisone in, *1954:* Oct., 1206
Adrenal medulla, lesions, *1952:* Aug., 1061
Adrenalectomy, bilateral, cortisone and hydrocortisone in, *1954:* Oct., 1206, 1207
in carcinoma of breast, *1953:* April, 320
Adrenocortical steroids, chemical structure, *1952:* April, 349
metabolic effects, *1952:* April, 350
Adrenogenital syndrome, *1952:* Aug., 1054; *1954:* Dec., 1621
surgical treatment, ACTH, cortisone and hydrocortisone in, *1954:* Oct., 1207
Afibrinogenemia, diagnosis, *1954:* Dec., 1604
laboratory studies, *1954:* Dec., 1605
management, *1954:* Dec., **1601–1613**
Age, as contraindication to mitral commissurotomy, *1952:* Dec., 1814
of patient, relation of bone neoplasms, *1952:* Dec., 1749
Aged persons, pre- and postoperative care, *1954:* Oct., **1473–1477**
surgical procedures on, symposium on, *1954:* June, **587–863**
Air, importance in gastrointestinal distention, *1952:* Feb., **71–80**
Air embolism, venous or pulmonary, *1954:* Oct., 1274
Alevaire in abdominal surgery, *1954:* Feb., 24
Alkali burns of esophagus, *1954:* April, 344
Alkalosis in gastrointestinal surgery, *1954:* Feb., 15
Allis sign in hip dysplasia, *1953:* Dec., 1636
Alpha-tocopherol, clotting and, *1952:* April, 382
Aluminum gels in urinary tract calculi, *1952:* Feb., 308, 317
Ambulation, early, in wound healing, *1952:* April, 434
of injured patient, criteria for, *1953:* Aug., **1059–1068**
Ammonium chloride, in electrolyte deficiency, *1952:* Feb., 27
in gastrointestinal surgery, *1954:* Feb., 15
Amniotic fluid, embolism due to, *1954:* Oct., 1273
Ampulla of Vater, carcinoma, *1953:* April, 486
Amputation, in peripheral vascular disease, *1952:* Feb., 272
of fingers, traumatic, *1953:* Aug., 1087
Amylase, serum, in biliary-pancreatic cancer, *1953:* April, 466
Anal canal, reconstructed, care of, *1953:* Oct., 1403
Analgesia, caudal, continuous, in obstetrics, *1953:* Feb., 42
Anastomosis, primary, in diverticulitis of colon, *1952:* Feb., 106
splenorenal, for esophageal varices, *1953:* Aug., 978
vascular, *1952:* April, 532
Androblastoma, *1953:* Feb., 305
Androgen therapy, in carcinoma of breast, *1953:* April, 319; *1954:* Oct., 1330
in dysfunctional bleeding, *1953:* Feb., 190
Anectine in abdominal surgery, *1954:* Feb., 19
Anel's operation, *1953:* Aug., 948
Anemia, hemolytic, acquired, splenectomy in, *1954:* Feb., 128
splenectomy for, ACTH, cortisone and hydrocortisone in, *1954:* Oct., 1210
sickle cell, in differential diagnosis of hematogenous osteomyelitis, *1953:* Dec., 1671
Anesthesia, curare in, *1952:* Feb., 329
cyclopropane, *1952:* Feb., 325
in abdominal surgery, *1954:* Feb., 18
in surgery of trauma, *1953:* Aug., 1212
effect on renal function, *1952:* April, 620
endotracheal, in neck surgery, *1953:* June, 857
in trauma, *1953:* Aug., 1209
ether, *1952:* Feb., 327
in abdominal surgery, *1954:* Feb., 17
for abdominal injuries, nonpenetrating, *1953:* Oct., 1501
for abdominal surgery, *1954:* Feb., **17–26**
for anorectal infection, *1953:* Oct., 1401
for arteriography, *1953:* June, 862
for biliary tract operations, *1954:* Oct., 1382

Anesthesia, for cardiac surgery, *1952:* April, **655–665**
for cardiovascular surgery, *1954:* Aug., 1015
for cesarean section, *1953:* Feb., 119
for colon surgery, *1954:* Feb., 221, Oct., 1427
for encephalography and arteriography, *1952:* June, **811–816**
for esophageal operations, *1954:* Aug., 1014
for esophagoscopy, *1953:* June, 860
for finger tip injuries, *1953:* Oct., 1311
for gastrointestinal surgery, *1952:* Oct., **1539–1545**
for laryngectomy, *1953:* June, 861
for laryngoscopy, *1953:* June, 860
for ligation of internal carotid artery, *1953:* June, 862
for mitral commissurotomy, *1952:* Dec., 1819
for mitral stenosis surgery, *1954:* Aug., 882, 1015
for poor risk patient, *1954:* Oct., **1249–1263**
for prostatectomy, *1952:* Feb., 301
for pulmonary resection, *1952:* April, 510
for radical surgery for head and neck cancer, *1953:* April, 335
for reduction of intertrochanteric fractures, *1953:* Dec., 1561
for repair of diaphragmatic hernia, *1954:* Aug., 1014
for surgery, of neck, *1953:* June, **847–855**
of trauma, *1953:* Aug., **1207–1214**
for thoracic surgery, *1954:* Aug., **1007–1018**
for thyroidectomy, *1953:* June, 765
for tracheotomy, *1953:* June, 861
general, in physical examination of head and neck, *1952:* Dec., 1606
physiologic aspects, *1952:* April, **645–654**
in endocrine diseases, *1952:* Aug., **1109–1114**
in obstetrics, *1952:* Dec., 1709; *1954:* Dec., **1551–1560**
deaths from, evaluation, *1954:* Dec., 1551
management of normal case, *1954:* Dec., 1552
special problems, *1954:* Dec., 1554
in presence of multiple injuries, *1952:* April, 674
intravenous, in surgery of trauma, *1953:* Aug., 1212
management, in elderly patient, *1954:* June, 619
pentothal sodium, *1952:* Feb., 327
positive pressure, gastric distention in, *1952:* Feb., 75
present status, *1952:* Feb., **325–333**
Anesthesia, regional, in obstetrics, present status, *1953:* Feb., **41–75**
in surgery of trauma, *1953:* Aug., 1213
saddle block, for cesarean section, *1953:* Feb., 73
in obstetrics, *1953:* Feb., 42, 43
benefits and dangers to fetus, *1953:* Feb., 46, 47
spinal, *1952:* Feb., 331
continuous, for cesarean section, *1953:* Feb., 70, 72
in abdominal surgery, *1954:* Feb., 19
in obstetrics, *1953:* Feb., **41–75**
in surgery of trauma, *1953:* Aug., 1211
topical, in physical examination of head and neck, *1952:* Dec., 1605
Anesthesiologist, role, in prevention of postoperative pulmonary complications, *1954:* Oct., 1369
Anesthetics, hepatotoxic potential, *1952:* April, 600
Aneurysm, arterial, *1952:* Dec., 1566
intracranial, management, *1953:* Aug., **1003–1021**
peripheral, treatment, *1953:* Aug., **945–951**
surgical, *1952:* June, **955–960**
arteriovenous, *1952:* Dec., 1566
cirsoid, of neck, *1953:* June, **717–721**
of brain, *1952:* Dec., 1582
carotid-cavernous, *1952:* Dec., 1567
false, *1953:* Aug., 1160
in carotid canal, *1952:* Dec., 1571
intracranial, angiography in, *1952:* Feb., 218, April, 497; *1954:* Aug., 1051
cerebrospinal fluid findings, *1952:* Dec., 1571
clinical picture, *1952:* Dec., 1568
diagnosis, *1953:* Aug., 1005
differential diagnosis, *1952:* Dec., 1577
head pain in, *1952:* June, 769
pathology, *1952:* Dec., 1566
roentgenographic findings, *1952:* Dec., 1572
ruptured, treatment, *1954:* Aug., **1063–1075**
surgical diagnosis and treatment, *1952:* Dec., **1565–1583**
treatment, *1953:* Aug., **1003–1021**
mediastinal, *1952:* Dec., 1690
of carotid in carotid canal, *1952:* Dec., 1581
of great vessels, treatment by wiring, *1953:* Aug., **1049–1055**
of intracranial portion of internal carotid artery, *1952:* Dec., 1581
popliteal, surgical treatment, *1952:* June, **955–960**
racemose, *1952:* Dec., 1566
treatment, principles, *1952:* April, 540

Aneurysm, venous, of brain, *1952:* Dec., 1572
Aneurysmorrhaphy, *1952:* June, **955–960**
Angiography, carotid, *1952:* Feb., 218, April, 494; *1953:* Aug., 1006
cerebral, *1952:* Feb., 217, April, 494
in diagnosis of intracranial lesions, *1954:* Aug., **1051–1062**
recent advances, *1952:* Feb., 217
in intracranial aneurysms, *1953:* Aug., 1006
vertebral, *1953:* Aug., 1008
percutaneous, technique and value, *1952:* June, **801–810**
Angiolymphoma of mediastinum, *1954:* Aug., 976
Angioma, cerebral, angiography in, *1952:* April, 497
Ankle joint, epiphyseal injury at, *1953:* Dec., **1611–1621**
complications, *1953:* Dec., 1616
diagnosis, *1953:* Dec., 1615
pathology, *1953:* Dec., 1612
treatment, *1953:* Dec., 1616
of deformity, *1953:* Dec., 1617
Anomalies, congenital, accessory bones, and osteochondritis in feet of 850 children, *1953:* Dec., **1643–1666**
of foot. See under *Foot.*
proctologic, *1953:* Oct., 1406
Anorectum, infection of, *1953:* Oct., 1399
anesthesia in, *1953:* Oct., 1401
surgery of, postoperative convalescent management, *1953:* Oct., 1401
pre- and postoperative management, *1954:* Feb., 255
problems and techniques in, *1954:* Feb., **241–267**
surgical spaces, *1954:* Feb., 253
Anoscopy, *1953:* Oct., 1394
Anoxia, fetal, in delivery by saddle block anesthesia, *1953:* Feb., 59
Antepartum hemorrhage, *1954:* Dec., **1523–1533**
Antibiotics. See also individual drugs, as *Penicillin*, etc.
choice of, *1952:* April, 395
dosages, adequate, *1952:* April, 399
in brain abscess, *1952:* Feb., 225
in cellulitis, *1952:* Oct., 1272
in lymphangitis, *1953:* Oct., 1272
in osteomyelitis, hematogenous, *1953:* Dec., 1672
in postphlebitic syndrome, *1953:* Oct., 1240
in radical surgery of head and neck, *1953:* April, 344
in surgical infections, *1952:* April, **387–403**; *1954:* Oct., 1302
minor, criteria for selection and employment, *1953:* Oct., 1262
Antibiotics, in surgical infections, minor, doses recommended, *1953:* Oct., 1266
in thoracic surgery, open, *1952:* April, 519
in urinary infections, *1952:* Feb., 311
in wounds, *1952:* April, 437
prophylactic use, *1952:* April, 400
sensitivity reactions, *1954:* June, 615, Oct., 1302
use, in surgery of aged, *1954:* June, **609–618**
laboratory services and, *1952:* April, 396, 397
Anticoagulants, *1952:* April, 372
hemorrhage due to, management, *1952:* April, 379
in postphlebitic syndrome, *1953:* Oct., 1241
in surgery, *1952:* April, **369–386**
use, during antibiotic therapy, *1952:* April, 380
indications and contraindications, *1952:* April, 381
length of time for, *1952:* April, 378
long-term, *1952:* April, 382
Antipyretic agents, ACTH and corticoids as, *1954:* Oct., 1213
Antisepsis, intestinal, preoperative, *1954:* Oct., 1425
Antithyroid drugs, in hyperthyroidism, *1952:* Feb., 156, Aug., 982
in hyperthyroidism, preoperative, *1952:* Feb., 158; *1953:* June, 758; *1954:* Oct., 1360, 1361
Anus, abscess, surgical treatment, *1954:* Feb., 251
ectopic, vaginal, *1954:* Dec., 1625
fissure, *1953:* Oct., 1400
excision of, *1954:* Feb., 249
fistula, pathogenesis, *1954:* Feb., 252
surgical treatment, *1954:* Feb., 251
imperforate, *1952:* Feb., 87; *1953:* Oct., 1406
infection, *1954:* Feb., 241
injuries, treatment, *1953:* Aug., **1193–1206**
stenosis of, partial, *1953:* Oct., 1407
Aorta, arch of, anomalies, *1952:* Oct., **1321–1325**
double, surgery, *1952:* Feb., 252
coarctation, *1952:* Oct., **1313–1321**
diagnostic features, *1952:* Oct., 1315
operation for, anesthesia in, *1952:* April, 661
surgical treatment, *1952:* Feb., 249, Oct., 1318
present status, *1954:* Aug., 904
results, *1952:* Oct., 1320
terminal, arteriosclerotic occlusion, surgical treatment, *1954:* April, **403–414**
transposition with pulmonary artery, congenital, *1952:* Oct., 1292

Aortography, translumbar, *1954:* April, 405
Apicolysis in tuberculosis, *1954:* Aug., 938
Apophysitis of os calcis, *1953:* Oct., 1381
Apoplexy, brain tumor simulating, *1954:* June, **643–654**
uteroplacental. See *Abruptio placentae.*
Appendicitis, acute, *1954:* Feb., 34
in aged, *1954:* June, 747
in pregnancy, diagnosis, *1952:* Dec., 1710
Appendix, carcinoids, *1954:* Feb., 188
carcinoma, *1952:* Oct., 1520
mucocele, *1954:* Feb., 189
Arachnoido-ureterostomy for nonobstructive hydrocephalus, *1952:* Oct., 1355
Arachnoid-peritoneoscopy for hydrocephalus, *1954:* Aug., 1031
Arachnoid-ureteral shunt for hydrocephalus, *1954:* Aug., 1029, 1030
Arachno-peritoneostomy for nonobstructive hydrocephalus, *1952:* Oct., 1354
Arnold-Chiari malformation, *1952:* Oct., 1332, 1333; *1953:* June, **847–855**
treatment, *1954:* Aug., 1033
surgical, *1952:* Oct., 1340
Arrhenoblastoma of ovary, *1953:* Feb., 285, 296
Arteriectomy in arteriosclerosis obliterans, *1952:* Feb., 268
Arteriography, anesthesia for, *1952:* June, **811–816**; *1953:* June, 862
in diagnosis, of aneurysm of intracranial arteries, *1952:* Dec., 1572
of subarachnoid hemorrhage, *1952:* Dec., 1595
of carotid system, percutaneous method, *1952:* Dec., 1574
Arteriosclerosis, cerebral, angiography in, *1954:* Aug., 1054
foot infections in, enzymatic-surgical treatment, *1954:* April, **415–421**
in diabetic, *1952:* Feb., 273
large vessel, diffuse, *1952:* Feb., 265
segmental, *1952:* Feb., 264
small vessel, diffuse, *1952:* Feb., 264
Arteriosclerosis obliterans, *1952:* Feb., 263
sympathectomy, *1954:* Aug., 1177
treatment, *1952:* Feb., 267
Arteriosclerotic occlusion of terminal aorta, iliac and femoral arteries, surgical treatment, *1954:* April, **403–414**
Arteriosclerotic ulcers, *1954:* June, 825
Arteriovenous malformations, cerebral, angiography in, *1954:* Aug., 1052
Arteritis, temporal, head pain in, *1952:* June, 768
Artery(ies), anastomosis, techniques, *1953:* Aug., 1154
grafts, in arteriosclerotic occlusion, *1954:* April, 411
in radical head and neck surgery, *1953:* April, 346
indications and techniques, *1953:* Aug., **1039–1048**
great, transposition of, congenital, *1952:* Oct., 1292
surgical treatment, *1952:* Oct., 1294
injuries, surgical treatment, *1953:* Aug., **1151–1164**
large, aneurysms of, treatment by wiring, *1953:* Aug., **1049–1055**
ligations, in portal hypertension, *1953:* Aug., 985
prophylactic, in radical head and neck surgery, *1953:* April, 343
occlusion, acute traumatic, treatment, *1953:* Aug., 1156
of abdominal wall, *1952:* April, 565
peripheral, disease of, in polycythemia vera, *1953:* Aug., 1024
surgical procedures in, *1953:* Aug., **953–965**
injuries of, *1953:* Aug., 964
severance, partial closure of, *1953:* Aug., 1153
Arthritis, degenerative, of hip in aged, treatment, *1954:* June, **829–837**
septic, primary, in differential diagnosis of hematogenous osteomyelitis, *1953:* Dec., 1669
test, irritation, topical, *1953:* Oct., 1418, 1419
tuberculous, in differential diagnosis of hematogenous osteomyelitis, *1953:* Dec., 1670
Arthropathy, diabetic, *1953:* Dec., **1759–1763**
clinical manifestations, *1953:* Dec., 1760
prognosis, *1953:* Dec., 1760
treatment, *1953:* Dec., 1760
Arthroplasty, of hip, prosthetic, Eicher, *1954:* June, 834
Judet, *1954:* June, 831
preoperative preparation, ACTH, cortisone and hydrocortisone in, *1954:* Oct., 1210
Ascites complicating portal hypertension, *1953:* Aug., 986
Aspiration, of stomach contents, preanesthetic, in trauma, *1953:* Aug., 1208
peritoneal, in intestinal obstruction, *1952:* April, 635
Aspiration biopsy. See under *Biopsy.*
Aspiration curettage in diagnosis of uterine cancer, *1952:* Dec., 1739
Asthma in elderly patient, preparation for surgery, *1954:* June, 629
surgical risk in, *1954:* June, **627–633**

Astrocytoma of brain, in childhood, *1952:* Oct., 1365, 1368
stroke-like syndrome in, *1954:* June, 644
Atelectasis, postoperative, pathogenesis, *1954:* Oct., 1365
Atrial fibrillation as contraindication to mitral commissurotomy, *1952:* Dec., 1818
Atrium, laceration, *1952:* Dec., 1833
Atropine, preoperative, for mitral commissurotomy, *1952:* Dec., 1819
Aureomycin, in abortion, *1952:* Dec., 1724
in carbuncles, *1953:* Oct., 1275
in furuncles, *1953:* Oct., 1275
in intraperitoneal rupture of tuboovarian abscess, *1952:* Dec., 1722
in salpingo-oophoritis, *1952:* Dec., 1722
in surgical infections, *1952:* April, 392; *1954:* Oct., 1308
in urinary infections, *1952:* Feb., 312
preoperative, for mitral commissurotomy, *1952:* Dec., 1819
Auscultation in mitral stenosis, *1954:* Aug., 879
Avulsion of blood vessels, treatment, *1953:* Aug., 1159
Azochloramid in wounds, *1952:* April, 436

BACILLUS pyocyaneus infections in radical surgery of head and neck, *1953:* April, 344
Bacitracin, in bites, human, *1953:* Oct., 1272
in carbuncles, *1953:* Oct., 1275
in furuncles, *1953:* Oct., 1275
in paronychia, *1953:* Oct., 1269
in surgery of aged, *1954:* June, 613
in surgical infections, *1952:* April, 391; *1954:* Oct., 1307
Back pain, low, pantopaque myelography in, *1952:* June, **695–703**
Bands, obstructing, in intestine, *1952:* Oct., 1460
Bankart lesion, *1953:* Dec., 1704
Bankart's operation, modified, for recurrent dislocation of shoulder, *1952:* June, 723
Banti's syndrome, *1953:* Aug., 979
Basilar artery, aneurysms, *1953:* Aug., 1018
Basilar impression, *1953:* June, **847–855**
Belching, *1952:* Feb., 76
Bennett's fracture, *1953:* Oct., 1305
Berylliosis, histopathologic techniques in, *1952:* Aug., 1239
Bile ducts. See also *Common ducts* and *Hepatic duct.*
extrahepatic, carcinoma, *1953:* April, **479–492**
injuries, in infant and child, *1953:* Aug., **1187–1191**
Biliary colic, *1954:* Feb., 159
Biliary tract, carcinoma of, diagnosis, *1953:* April, **461–478**
injuries in infant and child, *1953:* Aug., **1187–1191**
operations on, anesthesia for, *1954:* Oct., 1382
complications of, *1954:* Feb., **159–181**; Oct., 1387
pre- and postoperative management, *1954:* Oct., **1375–1390**
Biliary-pancreatic cancer, diagnosis, *1953:* April, **461–478**
Biopsy, aspiration, in lung cancer, *1952:* Dec., 1667; *1954:* Aug., 923
in tumors of mediastinum, *1954:* Aug., 962
of parotid tumors, *1952:* Feb., 183
cervical, histologic aspects, *1952:* Dec., 1737
in abnormal bleeding, *1953:* Feb., 186
in uterine cancer, *1952:* Dec., 1736; *1953:* April, 545
quadrant, *1954:* Dec., **1653–1656**
technique, *1954:* Dec., 1653
when to biopsy, *1954:* Dec., 1654
endometrial, in sterility, *1953:* Feb., 179
in bone tumor, *1952:* Dec., 1749
in carcinoma, *1952:* Feb., 196
of head and neck, *1953:* April, 334
in cervical lymph node enlargements, *1953:* June, 706
in office proctology, *1953:* Oct., 1399
muscle, in periarteritis nodosa, *1952:* Aug., **1225–1233**
of breast, in carcinoma, *1952:* Feb., 214
of larynx, in carcinoma, *1952:* Dec., 1640
operative, of spleen, *1953:* Oct., 496
sigmoid, bowel injury at, *1953:* Aug., 1200
sponge, in uterine cancer, *1952:* Dec., 1740
Bites, human, *1953:* Oct., 1270
Bladder, carcinoma, *1953:* April, **501–515**
treatment, surgical, *1952:* Feb., 304
diseases, management, *1952:* Feb., **299–309**
dysfunction, following resection of rectum, *1954:* Oct., 1431
exstrophy, treatment, *1952:* Feb., 318
fistula, connecting with colon, *1952:* June, **909–916**
neck, vesicovaginal fistulas involving, *1954:* April, **293–302**
neurogenic, treatment, *1952:* Feb., 309
papillomas, *1953:* April, 502
treatment, *1953:* April, 504
tumors, surgical treatment, *1952:* Feb., 304
Blalock-Taussig operation for tetralogy of Fallot, *1952:* Feb., 256

Blastomycosis, pulmonary, tubercle of, *1952:* Aug., 1244
Bleeding. See *Hemorrhage.*
Blood, cells, effects of adrenal activity on, *1952:* April, 353
cholesterol level, in diffuse goiter, *1952:* Dec., 1626
clotting of, abnormalities, late, *1954:* Dec., 1604
biochemical factors in, *1953:* Oct., 1230
chemistry of, *1954:* Dec., 1601
complications in pregnancy, *1954:* Dec., 1602
intravenous, types, *1953:* Aug., 994
mechanism, *1952:* April, 369
physical-chemical factors in, *1953:* Oct., 1232
venous, pathologic, *1953:* Oct., 1230
clinical factors producing, *1952:* April, 371
iodine, protein-bound, determination in diffuse goiter, *1952:* Dec., 1626
occult, in stools in gastric cancer, *1952:* April, 594
studies, in differential diagnosis of genitourinary conditions, *1952:* Dec., 1697
preoperative, in patients with intrathoracic carcinoma, *1952:* Dec., 1794
transfusions. See *Transfusions.*
typing and cross matching in urological trauma, *1953:* Oct., 1480
volume, deficient, in surgical patients, recognition of, *1952:* Dec., **1791–1797**
determinations, in poor risk patients, value, *1954:* June, **605–608**
interpretation, *1952:* Dec., 1793
Blood vessels, anastomosis, techniques, *1953:* Aug., 1154
grafts, *1952:* April, 537
indications and techniques, *1953:* Aug., **1039–1048**
injuries, surgical treatment, *1953:* Aug., **1151–1164**
intra-abdominal, rupture of, *1954:* Feb., 50
ligation, principles, *1952:* April, 531
modificability of, *1952:* April, 528
of abdominal wall, *1952:* April, 555, 565
of neck, palpation, *1952:* Dec., 1613
prostheses, *1952:* April, 538
severance, partial, closure of, *1953:* Aug., 1153
surgery of, symposium on, *1953:* Aug., **943–1055**
wounds of, closure, *1952:* April, 531, 532
Body composition, relationship to changes in weight during pregnancy, *1954:* Dec., **1535–1544**
Body temperatures, basal, in ovulation timing, *1953:* Feb., 173
Body water, total, changes in, during pregnancy, *1954:* Dec., 1538
Boils. See *Furuncles.*
Bone(s), accessory, congenital anomalies, and osteochondritis in feet of 850 children, *1953:* Dec., **1643–1666**
of foot, *1953:* Oct., 1377, Dec., 1647. See also under *Foot.*
defects of, and recurrent dislocation of shoulder, *1953:* Dec., 1703
diseases, metabolic, *1953:* Dec., 1750
metastatic, patterns of, and their implications, *1954:* June, **859–863**
facial, pain in, *1952:* Dec., 1603
fibrous dysplasia, hyperparathyroidism and, differentiation, *1952:* Aug., 1024
formation and development, *1953:* Dec., 1745
grafts, in radical head and neck surgery, *1953:* April, 341
in surgery of face, *1954:* April, **375–401**
types and functions, *1953:* Aug., 1166
lesions, benign, *1952:* Dec., 1757
and malignant, differentiation, *1952:* Dec., 1750
in hyperparathyroidism, roentgen diagnosis, *1952:* Aug., **1017–1030**
metastatic, *1952:* Dec., 1754
rare types, *1952:* Dec., 1757
metabolism, *1953:* Dec., **1745–1757**
factors affecting, *1953:* Dec., 1749
kidney dysfunction and, *1953:* Dec., 1750
neoplasms, biopsy, *1952:* Dec., 1749
clinical history, *1952:* Dec., 1747
malignant, characteristics, *1952:* Dec., 1752
roentgen diagnosis, *1952:* Dec., **1745–1759**
Paget's disease, *1953:* Dec., 1755
transplantation, history of, *1954:* April, 376
Bone marrow embolism, *1954:* Oct., 1272
Bowel. See *Intestine.*
Bradycardia, fetal, in delivery by saddle block anesthesia, *1953:* Feb., 61, 64, 68
Brain, abscess of, angiography in, *1954:* Aug., 1057
head pain due to, *1952:* June, 764
aneurysm, angiography in, *1954:* Aug., 1051
arteriovenous, *1952:* Dec., 1582
management, *1953:* Aug., **1003–1021**
ruptured, treatment, *1954:* Aug., **1063–1075**
venous, *1952:* Dec., 1572
carcinoma, metastatic, stroke-like syndrome in, *1954:* June, 649

Brain, edema, following cardiac arrest, postoperative treatment, *1954:* Oct., 1262
injuries, acute, *1952:* April, **471–489**
pathology, *1952:* Dec., 1585
treatment, *1954:* Aug., **1077–1093**, Oct., **1349–1358**
immediate, *1954:* Oct., 1461
lesions, diagnosis, cerebral angiography in, *1954:* Aug., **1051–1062**
diagnostic aids, *1952:* Feb., 217
meningiomas, experiences with, *1954:* Aug., **1037–1049**
tumors, acute episodes in, *1954:* June, **643–654**
diagnosis, *1952:* Feb., 217, April, **491–503**
head pain due to, *1952:* June, 763
in childhood, *1952:* Oct., **1363–1370**
in differential diagnosis of intracranial aneurysm, *1952:* Dec., 1577
Breast, carcinoma, *1953:* April, **313–327**
biopsy in, *1952:* Feb., 214
bone metastasis in, *1954:* June, 860
collaboration of irradiation and surgery in, *1954:* Oct., 1345
localized, diagnosis, clinical error in, *1952:* Feb., **205–216**
pregnancy and, *1953:* April, 315
relation to cystic disease, *1953:* Oct., 1412
surgery of, present trends, *1952:* Feb., 198
radical, *1953:* April, 321
therapeutic alterations of steroid metabolism in, *1954:* Oct., 1328
with independent carcinoma of ovary, *1952:* Aug., **1093–1099**
x-ray therapy, *1953:* April, 318
cysts, *1953:* Oct., **1409–1416**
relationship to carcinoma, *1953:* Oct., 1412
examination in uterine cancer, *1952:* Dec., 1733
lymphatics of, *1953:* April, 323
Paget's disease, prognosis, *1954:* June, **773–783**
pigeon, *1952:* Oct., 1398
tumors, *1952:* Dec., 1714
Breech delivery, anesthetic management, *1954:* Dec., 1554
under saddle block anesthesia, *1953:* Feb., 55
Breech extraction, *1953:* Feb., 81
Breech presentation, as cause of stillbirths, *1954:* Dec., 1500, 1506
delivery of, *1953:* Feb., 80
frank, delivery of, *1953:* Feb., 84
in pregnancy and labor, *1953:* Feb., **77–85**
management, *1954:* Dec., 1588
Brenner tumor, *1953:* Feb., 291
Brock operation for tetralogy of Fallot, *1952:* Feb., 256
Bronchiectasis, pulmonary resection in, indications, *1952:* April, 509
Bronchogenic carcinoma, present challenge, *1954:* Aug., **911–930**
Bronchogenic cyst, *1954:* Aug., 972
Bronchopleural fistula following lung resection for tuberculosis, *1954:* Aug., 944
Bronchoscopy, during anesthesia in poor risk patient, *1954:* Oct., 1260
in carcinoma of lung, *1952:* Dec., 1666; *1954:* Aug., 923
suction, in thoracic surgery, *1954:* Aug., 1012
Brow presentations, management, *1953:* Feb., 139
Buerger's disease. See *Thromboangiitis obliterans.*
Buerger's postural exercises, *1953:* Aug., 959
Burns, infected, *1953:* Oct., 1276
of esophagus, corrosive, early management, *1954:* April, **343–351**
late treatment, *1954:* April, **353–361**
of eye, chemical, *1953:* Aug., 1107
pressure dressings in, *1952:* Feb., 336
severe, treatment, *1954:* Oct., **1313–1320**
treatment, *1952:* Feb., **335–340**
with particular reference to open method, *1953:* Aug., **1127–1133**
Bursitis, surgery of ACTH cortisone and hydrocortisone in, *1954:* Oct., 1210
trochanteric, noninfectious, *1952:* Aug., **1217–1224**

CALCANEAL bars, *1953:* Oct., 1379
Calcaneal spurs, *1953:* Oct., 1385
Calcaneovalgus deformity of foot, *1953:* Dec., 1741
Calcium utilization by living organisms, *1953:* Dec., 1747
Calcium chloride in cardiac arrest, *1954:* Oct., 1294
Calculi, biliary, cancer and, *1953:* April, 463, 485, 487, 489
intestinal obstruction due to, *1952:* Oct., 1461
diagnosis, *1952:* Dec., 1702
urinary tract, solvents and aluminum gels in, *1952:* Feb., 308, 317
Wharton's duct, *1953:* June, 671
Cancer. See *Carcinoma.*
Capsule, defects of, and recurrent dislocation of shoulder, *1953:* Dec., 1703
Carbohydrates, role in nutrition, *1954:* Oct., 1241
Carbuncles, *1953:* Oct., 1275
Carcinoids, of gastrointestinal tract, *1954:* Feb., 183
of stomach, *1953:* April, 434

Carcinoma, advanced, management, therapeutic alterations of steroid metabolism in, *1954:* Oct., **1321–1335**
biopsy in, *1952:* Feb., 196
bronchogenic, present challenge, *1954:* Aug., **911–930**
gastric. See under *Stomach.*
hormone therapy, *1954:* Oct., **1321–1335**
in adenomatous goiter, incidence and surgical treatment, *1953:* April, **351–360**
in leg ulcers, *1954:* June, 827
inflammatory disease and, *1953:* Oct., 1396
inoperable, management, *1952:* Feb., 201
intraoral, present status, *1954:* June, **663–672**
intrathoracic, preoperative weight loss and blood studies in patients with, *1952:* Dec., 1794
metastatic, and recurrent, management, *1952:* Feb., 201
in bone, patterns and their implications, *1954:* June, **859–863**
in cervical lymph modes, *1953:* June, 708, 711
of organs. See under name of *organ.*
pelvic, intensive detection program, value, *1953:* April, **525–539**
proctologic, recurrent, *1953:* Oct., 1403
treatment, *1953:* Oct., 1402
renal cell, apparently unilateral solitary pulmonary metastasis from, *1954:* June, **801–808**
surgery and irradiation in, collaborative role, *1954:* Oct., **1337–1348**
surgery of, present trends, *1952:* Feb., **195–204**
symposium on, *1953:* April, **311–592**
versus diverticulitis, report of 2 cases, *1952:* Aug., **1181–1183**
Cardiac arrest, cerebral edema following, treatment, *1954:* Oct., 1262
during surgery, *1954:* Oct., **1289–1298**
treatment, *1954:* Oct., 1291
in mitral valve surgery, *1954:* Aug., 896
Cardiac emergencies in operating room, management, *1954:* June, 602
Cardiac status of poor risk patient, evaluation, *1954:* June, **597–603**
Cardiovascular circulation, physiology, *1952:* April, 524
Cardiovascular surgery, anesthesia for, *1954:* Aug., 1015
general principles, *1952:* April, **523–543**
in infancy and childhood, present status, *1954:* Aug., **903–910**
Carotid artery, aneurysms, *1953:* Aug., 1013
external, ligation, technique, *1952:* Feb., 187
internal, aneurysm of intracranial portion, *1952:* Dec., 1581
ligation of, anesthesia for, *1953:* June, 862
nontraumatic thrombosis of, report of 25 cases, *1952:* June, **781–785**
ligation for intracranial aneurysm, *1954:* Aug., 1066
in intracranial aneurysm, *1953:* Aug., 1010
in subarachnoid hemorrhage, *1952:* Dec., 1596
Carotid body, palpation, *1952:* Dec., 1613
tumors, malignancy in, incidence, *1953:* June, 680
recognition and treatment, *1953:* June, **677–693**
Carotid sinus reaction in neck surgery, *1953:* June, 863
Carpal tunnel, median nerve compression in, syndrome of, *1954:* June, **853–857**
Cartilage, exostoses, roentgen diagnosis, *1952:* Dec., 1757
Castration, in carcinoma of breast, *1953:* April, 320; *1954:* Oct., 1330
in carcinoma of prostate, *1954:* Oct., 1332
Catheter, intermittent or indwelling, postoperative use, *1954:* Oct., 1450
Catheterization, in urological trauma, *1953:* Oct., 1486, 1487, 1489, 1492, 1493
postoperative, routine orders, *1954:* Oct., 1448
ureteral, preoperative, in colonic and rectal surgery, *1954:* Oct., 1426
Causalgia, sympathectomy in, *1954:* Aug., 1185
Cautery-knife excision of carcinoma of rectum, *1952:* Oct., 1492, 1494
Cecostomy, in carcinoma of colon, *1952:* Oct., 1478, 1482
in carcinoma of sigmoid colon, *1954:* April, 540
in colonic obstruction, *1954:* April, 556
Cecum, carcinoma, choice of operation, *1954:* Feb., 223
diverticulitis, acute, *1952:* Feb., 92
Cellulitis, *1953:* Oct., 1272
pelvic, *1952:* Dec., 1722
Cephalopelvic disproportion, cesarean section in, *1953:* Feb., 103
management, at labor, *1953:* Feb., 131
Cerebral artery, aneurysms, *1953:* Aug., 1016, 1017
Cerebrovascular disease, brain tumor simulating, *1954:* June, **643–654**

Cerebrum, concussion, *1952:* Dec., 1585
contusion, *1952:* Dec., 1586
laceration, *1952:* Dec., 1586
Cervicitis, chronic, *1953:* Feb., 219
Cervix uteri, abnormal, *1953:* Feb., **217–229**
adenoma, *1953:* Feb., 227
biopsy. See *Biopsy, cervical.*
carcinoma, *1953:* Feb., 227, **231–240**; *1954:* Dec., 1643
anatomic considerations, *1954:* Dec., 1671
biopsy in, *1953:* April, 545
collaboration of irradiation and surgery in, *1954:* Oct., 1347
cytologic smear in, *1953:* April, 544
significance, *1954:* June, **785–790**
diagnosis, early, *1953:* April, **541–548**
exenteration in, *1953:* Feb., 263, April, **585–592**; *1954:* April, 308, 311, 312
hemorrhage in late pregnancy due to, *1953:* Feb., 24
hormone therapy, *1954:* Oct., 1333
in situ, *1952:* Dec., 1737; *1953:* Feb., 259; *1954:* Dec., **1657–1670**
biopsy, *1954:* Dec., 1662
clinical appearance, *1954:* Dec., 1658
colposcopy, *1954:* Dec., 1658
cytologic smear, *1954:* Dec., 1659
diagnosis, sources of error, *1954:* Dec., 1666
incidence, *1954:* Dec., 1661
management, *1952:* Dec., 1742
trachelectomy, *1954:* Dec., 1664
intraepithelial, intensive detection program, value, *1953:* April, **525–539**
invasive, *1953:* Feb., 261
management, *1952:* Dec., 1741
preinvasive (in situ), *1953:* Feb., 259
radiation therapy, combined with surgery, *1954:* April, 317
preoperative, *1953:* April, 590
present status, *1954:* April, 304
radium treatment, *1953:* Feb., 188; *1954:* April, 304, 310, 312, 315
advances in control of, *1954:* Dec., **1671–1684**
radiation distribution, *1954:* Dec., 1673
surgery of, present trends, *1952:* Feb., 202
Cervix uteri, carcinoma, treatment, *1953:* Feb., 259
critical evaluation of various methods, *1954:* April, **303–322**
surgical limitations in, *1953:* Feb., **231–240**
program for, *1953:* April, **585–592**
unsuspected, diagnosed by microscopic examination after total hysterectomy, *1953:* April, **549–556**
carcinomimetic lesions, *1954:* Dec., 1668
dilatation, in desultory labor, *1953:* Feb., 130
examination, in elderly persons, *1954:* Dec., 1633
lesions, hemorrhage in late pregnancy due to, *1953:* Feb., 24
speculum examination, *1953:* Feb., **217–229**
treatment, in sterility, *1954:* Feb., 176
polyps, *1953:* Feb., 217
hemorrhage in late pregnancy due to, *1953:* Feb., 24
visualization in uterine cancer, *1952:* Dec., 1733
Cesarean section, anesthesia for, *1953:* Feb., 119
anesthetic management, *1954:* Dec., 1558
contraindications to, *1953:* Feb., 90
extraperitoneal, *1953:* Feb., 96
in desultory labor, *1953:* Feb., 131
indications for, *1953:* Feb., 87, 103
low or cervical, *1953:* Feb., 93, 116
mortality in, *1953:* Feb., 91, 120
perinatal, *1953:* Feb., 122
on dead or dying woman, *1953:* Feb., 98
Porro, *1953:* Feb., 96
present day evaluation, *1953:* Feb., **87–100, 101–123**
repeated, *1953:* Feb., 105
spinal anesthesia for, *1953:* Feb., 70, 72
sterilization with, *1953:* Feb., 98
Chancre of cervix, *1953:* Feb., 227
Chemotherapy, in brain abscess, *1952:* Feb., 225
in surgical infections, *1952:* April, **387–403**
Chest. See also *Thorax.*
funnel, *1952:* Oct., 1398
stove-in, *1954:* Aug., 953
surveys, mass, in early diagnosis of carcinoma of lung, *1954:* Aug., 924
Childbirth, natural, *1953:* Feb., 41
training for, *1953:* Feb., 163
Children, hematogenous osteomyelitis in, *1953:* Dec., **1667–1679**
malformed, place in family in relation to birth of other defective children, *1953:* Dec., 1629

Children, postoperative complications, *1954:* Oct., 1470
pre- and postoperative care, *1954:* Oct., **1463–1471**
surgery of, symposium on, *1952:* Oct., **1273–1424**
Chin, injuries, *1953:* Aug., 1104
Chloramphenicol. See *Chloromycetin.*
Chloromycetin, in surgical infections, *1952:* April, 392; *1954:* Oct., 1309
sensitivity reactions, *1954:* June, 616
in urinary infections, *1952:* Feb., 312
Chlortetracycline. See *Aureomycin.*
Cholangiography, operating room, *1954:* Feb., **151–158**
operative, as diagnostic aid in biliary-pancreatic cancer, *1953:* April, 472
Cholecystectomy, complications, prevention, *1954:* Feb., **159–181**
in acute cholecystitis, *1952:* Feb., 67; *1954:* Feb., 139
in chronic cholecystitis, *1954:* Feb., 141
persistence of symptoms after, *1954:* Feb., 148
pre- and postoperative management, *1954:* Oct., 1376, 1383
technical difficulties and hazards and their avoidance, *1952:* June, 841
versus cholecystostomy for acute cholecystitis, *1952:* June, 837
Cholecystitis, acute, *1952:* Feb., **63–69**, June, **837–845**; *1954:* Feb., 42, 137
cholecystectomy versus cholecystostomy for, *1952:* June, 837
in aged, *1954:* June, 748, **697–700**
preoperative preparation in, *1954:* Oct., 1380
chronic, *1954:* Feb., 141
Cholecystography, oral, in liver disease, *1952:* April, 605
role of stomach antrum in interpretation of radiographs, *1952:* June, **847–850**
Cholecystostomy, in acute cholecystitis, *1952:* Feb., 67
versus cholecystectomy, *1952:* June, 837
Cholecystostomy tube, care of, *1954:* Oct., 1387
Choledochostomy, technical details, *1954:* Feb., 168
Choledochotomy for exploration of common duct, *1954:* Feb., 144
Cholelithiasis, differential diagnosis, *1954:* Feb., 159
familial, predisposition, *1952:* Aug., **1177–1180**
Cholesterol, blood, in diffuse goiter, *1952:* Dec., 1626
Choline in liver disease, *1952:* April, 604
Chondroblastoma, roentgen diagnosis, *1952:* Dec., 1757
Chondroma, intrathoracic, *1953:* April, 430
Chondo-osteodystrophy, true, *1953:* Dec., **1765–1774**
Chondrosarcoma, intrathoracic, *1953:* April, 430
mediastinal, *1952:* Dec., 1690
of bone, *1952:* Dec., 1753
of chest wall in children, *1952:* Oct., 1409
of ilium simulating low grade osteomyelitis, *1953:* Dec., **1681–1691**
Chordomas, of bone, *1952:* Dec., 1757
of mediastinum, *1953:* April, 427
Chordotomy for visceral pain, *1954:* Feb., 274
Choriocarcinoma, *1954:* Dec., 1646
Chorioepitheliomatous elements in ovarian tumors, *1953:* Feb., 299
Chorionephithelioma, *1954:* Dec., 1646
Choroid plexectomy, for hydrocephalus, *1954:* Aug., 1029
for nonobstructive hydrocephalus, *1952:* Oct., 1354
Choroid plexus, adenoma, treatment, *1954:* Aug., 1033
Cirrhosis, of liver, alterations of circulation in, *1952:* April, 363
portal, surgery in, physiological basis, *1954:* Feb., **113–122**
Clamps in vascular surgery, *1952:* April, 532, 533
Claw toe, *1953:* Oct., 1519
Clearance tests, renal, *1952:* April, 617
Clot formation, Quick's formula, *1953:* Oct., 1231
Clotting, blood. See *Blood, clotting.*
Clubfoot, *1953:* Oct., 1373
Coarctation of aorta. See under *Aorta.*
Colectomy. See *Colon, resection.*
Colic, biliary, *1954:* Feb., 159
Colitis, ulcerative, chronic, *1953:* Oct., 1405
pre- and postoperative management, *1954:* Oct., 1420
preoperative preparation, ACTH, cortisone and hydrocortisone in, *1954:* Oct., 1208
surgical management, *1954:* Feb., **199–207**
total colectomy for, one-stage, *1954:* April, **509–522**
Collapse, sudden, in obstetrical patient, *1952:* Dec., 1714
Collapse therapy in tuberculosis, *1954:* Aug., 935
Colles' fracture. See *Fracture(s).*
Colon, adenoma, *1952:* Oct., 1512
adenomatosis, polypoid, total colectomy for, one-stage, *1955:* April, **509–522**
carcinoma, *1952:* Oct., 1514; *1953:* April, **443–451**
choice of operation, *1954:* Feb., **221–230**
diverticulitis simulating or coexistent with, *1952:* Feb., 98

Colon, carcinoma, intraepithelial, intensive detection program, value, *1953:* April, **525–539**
metastasis in, *1952:* Oct., 1517; *1953:* April, 447
obstruction in, *1954:* June, 730
acute, diagnosis and management, *1954:* April, **551–559**
operations in, choice of, *1952:* Oct., **1475–1483**
one-stage segmental resection with end-to-end anastomosis, *1953:* April, **453–460**
operative procedures, *1953:* April, 448
polyps and, *1953:* April, 443
pre- and postoperative management, *1954:* Oct., 1420
preoperative preparation and anesthesia, *1954:* Feb., 221
primary, multiple, *1952:* Aug., **1197–1202**
surgery of, present trends, *1952:* Feb., 199
sigmoid, surgical treatment, *1954:* April, **537–549**
splenic flexure, extension of operation in, *1954:* April, **523–535**
diverticulitis, and diverticulosis, *1954:* Feb., **209–220**
complications, surgical management, *1952:* Feb., **91–109**
in aged, *1954:* June, **737–743**, 751
pre- and postoperative management, *1954:* Oct., 1420
obstructions, acute malignant, choice of operations for, *1952:* Oct., **1475–1483**
neoplastic, acute, diagnosis and management, *1954:* April, **551–559**
polyps, *1952:* June, **923–935**
management, *1952:* Dec., **1799–1806**
removal in prophylaxis of cancer, *1953:* April, 443
preparation for operation, *1954:* Oct., 1424
resection, anterior, with primary anastomosis, *1952:* Oct., 1488
extended, in carcinoma of splenic flexure, *1954:* April, **523–535**
for diverticulitis, *1952:* Feb., 103
in carcinoma of sigmoid, *1954:* April, 542
in ulcerative colitis, *1954:* Feb., 205
segmental, for polyps, *1952:* June, 934
total, one-stage, *1954:* April, **509–522**
roentgen examination, double contrast, technique, *1952:* Oct., **1531–1537**
surgery of, pre- and postoperative management, *1954:* Oct., **1419–1434**
Colostomy, care of, *1953:* Oct., 1402
double-barreled, in diverticulitis of colon, *1952:* Feb., 103
Colostomy, ileotransverse, in carcinoma of colon, *1952:* Oct., 1479
transverse, in carcinoma of colon, *1952:* Oct., 1480
in colonic obstruction, *1954:* April, 556
in diverticulitis of colon, *1952:* Feb., 103, 105
Colotomy for benign polyp of colon, *1952:* June, 933
Colposcope in diagnosis of uterine cancer, *1952:* Dec., 1740
Colposcopy in carcinoma in situ, *1954:* Dec., 1658
Colpotomy, posterior, operative procedures performed through, *1953:* Feb., 198
Commissurotomy, mitral, *1954:* Aug., **875–902**
anesthesia in, *1952:* April, 663; Dec., 1819
contraindications, *1952:* Dec., 1814
preoperative preparation, *1952:* Dec., 1819
selection of cases for, *1952:* Dec., 1813
technique, *1952:* Dec., 1820
Common duct, carcinoma, *1953:* April, 486
diagnosis, *1953:* April, 473
drainage, *1954:* Feb., 146
exploration, for stone at cholecystectomy, *1952:* June, 843
indications and technique, *1954:* Feb., 141
injury in gallbladder surgery, *1954:* Feb., 147
obstruction, effects on liver, *1952:* April, 607
operative injuries, *1954:* Oct., 1389
stones in, surgical removal, *1954:* Feb., 167
Communicating artery, aneurysms, *1953:* Aug., 1015, 1017
Compound F, chemical structure, *1952:* April, 349
Compression injuries, nerve, *1953:* April, 597
Compression stenosis of esophagus, *1952:* Dec., 1647
Conception, products of, displaced, *1952:* Dec., 1711
Concussion, cerebral, *1952:* Dec., 1585
Condyloma acuminatum, *1954:* Dec., 1618
Cone biopsy in uterine cancer, *1952:* Dec., 1736
Contusion, cerebral, *1952:* Dec., 1586
nerve, *1953:* April, 598
of eye, *1953:* Aug., 1110
Cooper's ligament operation for inguinal hernia, *1952:* Feb., 152
Cornea, lacerations, *1953:* Aug., 1109
Coronary disease, surgical risk in, *1954:* June, 600

Corpus luteum, cysts of ovary, *1953:* Feb., 280
hemorrhagic, *1954:* Feb., 50
rupture, *1952:* Dec., 1720
Corticoids, antiphlogistic, effect on acquired topical resistance, *1953:* Oct., 1440
Corticotropin. See *ACTH*.
Cortisone, in hemolytic states, *1954:* Feb., 129
preoperative, in colonic and rectal surgery, *1954:* Oct., 1427
properties calling for extreme care in use, *1954:* Oct., 1215
use and abuse, in surgery, *1952:* Aug., **1105–1107**
uses in general surgery, *1954:* Oct., **1201–1218**
contraindications, *1954:* Oct., 1215
Cotton fibers, embolism from, *1954:* Oct., 1273
Cough as symptom of lung cancer, *1952:* Dec., 1664
Craniocerebral injuries, management, *1954:* Oct., **1349–1358**
immediate, *1954:* Oct., 1461
Cranioschisis, *1952:* Oct., 1328
Cranium, trauma, *1952:* Dec., 1585
care of unconscious patient, *1952:* Dec., 1593
indications for operation, *1952:* Dec., 1593
treatment, *1954:* Aug., **1077–1093**
Cranium bifidum, congenital defects associated with, plastic repair, *1952:* Oct., **1327–1345**
problem of hydrocephalus in, *1952:* Oct., 1331
Crush injuries of hand, ACTH in, *1954:* April, **363–374**
Crysticillin, preoperative, for mitral commissurotomy, *1952:* Dec., 1819
Cuff, musculotendinous. See *Rotator cuff*.
Culdoscopy in sterility, *1953:* Feb., 178
Cumopyrin, *1952:* April, 378
Curare, in abdominal surgery, *1954:* Feb., 19
in anesthesia, *1952:* Feb., 329
in obstetrics, *1954:* Dec., 1560
Curettage, and dilatation, in diagnosis of uterine cancer, *1952:* Dec., 1738
histologic aspects, *1952:* Dec., 1739
Cushing's syndrome, *1952:* Aug., 1055
surgery in, anesthesia for, *1952:* Aug., 1111
surgical treatment, ACTH, cortisone and hydrocortisone in, *1954:* Oct., 1207
treatment, *1952:* Aug., 1056
Cyclopropane anesthesia. See under *Anesthesia*.
Cyst(s), branchial, clinical aspects and treatment, *1953:* June, **627–632**
embryology and pathology, *1953:* June, **619–625**
bronchogenic, *1953:* April, 420, 426, June, 832
bronchogenic, *1954:* Aug., 972
dental, root-end, *1953:* Aug., 1164
dermoid, of neck and upper mediastinum, *1953:* April, 422, June, **645–651**, 828
of ovary, *1953:* Feb., 283
enteric, of mediastinum, *1953:* June, 834
epidermal, of neck, *1953:* June, **645–651**
follicular, dentigerous, *1952:* Aug., 1166
hydatid, of liver, *1952:* June, **899–902**
mediastinal, *1952:* Dec., 1686; *1954:* Aug., 965
paratracheal, *1954:* Aug., 971
pilonidal, *1952:* Aug., **1247–1259**
pleuropericardial, of mediastinum, *1953:* April, 424
sebaceous, *1953:* Oct., 1276
of neck, *1953:* June, **645–651**
springwater, *1954:* Aug., 971
teratoid, *1952:* Dec., 1679
thyroglossal, *1952:* Aug., 1129, Dec., 1634; *1953:* June, **633–644**
Cystadenocarcinoma of ovary, serous, prognosis, *1953:* April, 573
review of 127 cases, *1953:* April, **557–584**
surgical treatment, *1953:* April, 567
Cystadenoma of ovary, *1953:* Feb., 281, 282
Cystectomy, for bladder tumors, *1952:* Feb., 305, 307
radical, and pelvic exenteration for carcinoma of bladder, *1953:* April, 510
simple, for carcinoma of bladder, *1953:* April, 506
Cystic duct, carcinoma, *1953:* April, 486
stones in, surgical removal, *1954:* Feb., 167
Cystogram, retrograde, in urological trauma, *1953:* Oct., 1489
Cystography in differential diagnosis of genitourinary conditions, *1952:* Dec., 1697
Cystoscopy, in differential diagnosis of genitourinary conditions, *1952:* Dec., 1698
in urinary tract obstruction in children, *1952:* Oct., 1378, 1384
in urological trauma, *1953:* Oct., 1492
preoperative, in colonic and rectal surgery, *1954:* Oct., 1426
rectal injury at, *1953:* Aug., 1200
Cytosmear, cervical, in abnormal bleeding, *1953:* Feb., 186

DACRYOCYSTITIS, *1954:* June, **655–661**
Débridement, *1952:* April, 675
enzymatic, of wounds, *1952:* April, 440
with surgery in chronic infections of feet, *1952:* April, **405–417**
Decompression, in carcinoma of colon, *1952:* Oct., 1478
in intestinal obstruction, *1952:* Oct., 1453; *1954:* Oct., 1415
Decortication, pleural, in tuberculosis, *1954:* Aug., 946
Defibrillation in cardiac arrest, *1954:* Oct., 1292
Deformities of chest wall, *1952:* Oct., 1397
Dehydration, due to electrolyte loss, *1952:* April, 623
fluid replacement in, *1952:* April, 462
in gastrointestinal surgery, *1954:* Feb., 5
postoperative, *1954:* April, 326, 334
Demerol, in breech delivery, *1954:* Dec., 1554
in obstetrics, *1954:* Dec., 1553
Dental disease as cause of oral pain, *1952:* Dec., 1603
Dermoid cysts of mediastinum, *1954:* Aug., 965
Dextran, as plasma expander, *1954:* Oct., 1227
in shock, *1953:* Aug., 1146
Dextrose for parenteral nutrition, *1954:* Oct., 1245
Diabetes, as cause of stillbirths, *1954:* Dec., 1501
in pregnancy, cesarean section in, *1953:* Feb., 113
mellitus, arteriosclerosis in, *1952:* Feb., 273
foot infections in enzymatic-surgical treatment, *1954:* April, **415–421**
management of surgical patient in, *1954:* Oct., **1265–1270**
surgery in, anesthesia for, *1952:* Aug., 1109
Diagnosis, surgical, in cancer of head and neck, *1952:* Dec., **1599–1616**
safeguards in, symposium on, *1952:* Dec., **1563–1797**
Diaphragm, abnormalities, in infants and children, *1952:* Oct., 1412
eventration of, "localized," *1952:* Oct., 1421
true, *1952:* Oct., 1423
frank defects, herniations through, surgical treatment, *1952:* Oct., 1417
hernia. See under *Hernia*.
rupture, *1954:* Aug., 957
Diathesis, hemorrhagic, control, in portal hypertension, *1953:* Aug., 979
Dickson high geometric osteotomy, *1953:* Dec., 1722
Dicumarol, action and uses, *1952:* April, 375
hemorrhage due to, management, *1952:* April, 379
Diet, in hypertensive disease in pregnancy, *1953:* Feb., 31
in liver disease, *1952:* April, 601
in pregnancy, *1953:* Feb., 157
postoperative, in radical head and neck surgery, *1953:* April, 344
Diethylstilbestrol, in carcinoma of breast, *1954:* Oct., 1330
in carcinoma of prostate, *1954:* Oct., 1332
in osteoporosis, *1953:* Dec., 1754
Digestive apparatus in injuries of spinal cord and cauda equina, *1954:* Feb., **259–268**
Digitalis, prophylactic use, in surgery of aged, *1954:* Oct., 1476
Dihydrostreptomycin in urinary infections, *1952:* Feb., 313
Diiodofluorescein in diagnosis of radioactive tumors, *1952:* April, 499
Dilatation, and curettage, in diagnosis of uterine cancer, *1952:* Dec., 1738
Diodrast, in roentgenography of intracranial aneurysm, *1952:* Dec., 1573
sensitivity to, *1953:* June, 864
Diseases, systemic, pain in, *1952:* Dec., 1604
urologic, and abdominal emergency, *1952:* Dec., 1701
Dislocation, scapulohumeral, *1953:* Oct., 1349
anterior, acute, clinical features, *1953:* Oct., 1352
pathology of, *1953:* Oct., 1351
mechanism of production of, *1953:* Oct., 1350
treatment, *1953:* Oct., 1352
Distention, gastrointestinal, importance of air in, *1952:* Feb., **71–80**
Diverticulitis, *1953:* Oct., 1405
of colon, *1954:* Feb., **209–220**
complications, surgical management, *1952:* Feb., **91–109**
in aged, *1954:* June, **737–743, 751**
pre- and postoperative management, *1954:* Oct., 1420
versus carcinoma, report of 2 cases, *1952:* Aug., **1181–1183**
Diverticulosis, jejunal, clinical study of 87 cases, *1952:* Aug., **1185–1196**
of colon, *1954:* Feb., **209–220**
Diverticulum, duodenal, *1952:* June, 883
epiphrenic, *1952:* Dec., 1650
Meckel's, bleeding, *1952:* Oct., 1465
carcinoids of, *1954:* Feb., 186
inflamed, *1952:* Oct., 1463
obstruction due to, *1952:* Oct., 1462
midesophageal, *1952:* Dec., 1650
of esophagus, *1952:* Dec., 1649; *1953:* June, **813–826**

Diverticulum, of esophagus, two-stage operation for, *1953:* June, 817, 822
pharyngeal, symptoms, *1952:* Dec., 1649
pharyngoesophageal, *1952:* Dec., 1649
urethral, in children, *1952:* Oct., 1372, 1380
Dosimeter, scintillation, *1954:* Dec., 1678
Drainage, duodenal, in liver disease, *1952:* April, 605
in biliary tract surgery, *1954:* Oct., 1385
in open thoracic surgery, *1952:* April, 519
operations for pulmonary tuberculosis, *1954:* Aug., 934
Draping of patient in radical head and neck surgery, *1953:* April, 337, 339
Drug reaction, ACTH, cortisone and hydrocortisone in, *1954:* Oct., 1212
Ductus arteriosus, patent, *1952:* Oct., **1299–1312**
diagnostic features, *1952:* Oct., 1301
surgical treatment, *1952:* Feb., 247, Oct., **1299–1312**
anesthesia in, *1952:* April, 658
present status, *1954:* Aug., 904
results, *1952:* Oct., 1307
Dührssen's incisions in desultory labor, *1953:* Feb., 130.
Duodenitis, chronic cicatrizing, *1952:* June, 885
Duodenum, aberrant pancreas of, *1952:* June, 877
carcinoids, *1954:* Feb., 184
carcinoma, *1952:* June, 896
diverticulum, *1952:* June, 883
drainage in liver disease, *1952:* April, 605
leiomyoma, *1952:* Feb., 113, 114
lesions, uncommon, surgical treatment, *1952:* June, **877–898**
lipoma, *1952:* June, 892
lymphoma, malignant, *1952:* June, 893
obstruction in infants and children, *1952:* Feb., 83
operations, complications, *1954:* Oct., 1399
pre- and postoperative management in, *1954:* Oct., **1391–1402**
polyps, *1952:* June, 889
tuberculosis, *1952:* June, 887
ulcer of. See *Peptic ulcer*.
Dupuytren's contracture, surgical management, *1952:* Feb., **233–245**
Dysgerminoma, *1953:* Feb., 290
Dysmenorrhea, primary, *1952:* Dec., 1720
Dysplasia, fibrous, of bone, hyperparathyroidism and, differentiation, *1952:* Aug., 1024
Dystocia, bony outlet, management, *1954:* Dec., 1586
cervical, management, *1954:* Dec., 1586
clinical management, *1954:* Dec., **1579–1589**
clinical mensuration, *1954:* Dec., 1562
contraction criteria, *1954:* Dec., 1567
detection of, modern, *1954:* Dec., **1561–1578**
procedure, methods of, *1954:* Dec., 1561
midpelvic plane, management, *1954:* Dec., 1585
pelvic inlet, management, *1954:* Dec., 1584
roentgen mensuration, *1954:* Dec., 1567

Ear(s), injuries, *1953:* Aug., 1100
Edema, postoperative, in thyroid surgery, *1953:* June, 868, 871
Effusion, pleural, as symptom of lung cancer, *1952:* Dec., 1666
synovial, traumatic, *1952:* Dec., 1773
Efocaine in abdominal surgery, *1954:* Feb., 24
Eicher prosthetic arthroplasty of hip, *1954:* June, 834
Elbow pain, persistent, radiohumeral synovitis as cause of, *1953:* Oct., **1363–1371**
Electrodiagnostic procedures, in cervical disk herniations, *1952:* Dec., 1787
in lumbar disk herniations, *1952:* Dec., 1781
Electroencephalography, diagnostic value, *1952:* Feb., 224, April, 492
in diagnosis of intracranial aneurysm, *1952:* Dec., 1577
Electrolyte(s), estimation of amounts needed in depleted patients, *1952:* Feb., 18
in gastrointestinal surgery, *1954:* Feb., **3–16**
in surgery, *1952:* Feb, **3–28**, April, **445–469**; *1954:* Oct., **1231–1237**
loss, effects before onset of shock, *1952:* April, 623
metabolism of, *1952:* Feb., 4
postoperative disturbances, clinical approach, *1954:* April, **323–342**
requirements, *1952:* Feb., 18, 22, April, 452
in elderly patients, *1954:* June, **587–593**, Oct, 1476
Electromyography, diagnostic value, *1952:* Feb., 225
Embolectomy, technical considerations, *1953:* Aug., 963
Emboli, fibrin, *1954:* Dec., 1602
Embolism, *1954:* Oct., **1271–1287**
air, venous or pulmonary, *1954:* Oct., 1274

Embolism, arterial, peripheral, surgical treatment, *1952:* Feb., 277
treatment, *1953:* Aug., 962
bone marrow, *1954:* Oct., 1272
fat, *1954:* Oct., 1271
from amniotic fluid, *1954:* Oct., 1273
from cotton fibers, *1954:* Oct., 1273
mesenteric, *1954:* Feb., 49
post-transfusion, *1954:* Feb., 284
pulmonary, physiology of, *1954:* Oct., 1276
postoperative, in aged, *1954:* June, **839–845**
prevention and treatment, *1954:* Oct., 1279
vena cava ligation in, *1953:* Aug., 969
treatment, principles, *1952:* April, 540
tumor, *1954:* Oct., 1275
Embolization, arterial, as contraindication to mitral commissurotomy, *1952:* Dec., 1818
Emergency, abdominal, and unrelated urologic disease, *1952:* Dec., 1701
surgical, of female genital origin, recognition and management, *1952:* Dec., 1719
Empyema of gallbladder, *1954:* Feb., 161
Encephalocele, *1952:* Oct., 1327, 1329, 1330
plastic repair, *1952:* Oct., 1341
results of surgery, *1952:* Oct., 1334
Encephalography, anesthesia for, *1952:* June, **811–816**
Enchondromas, roentgen diagnosis, *1952:* Dec., 1757
Endo-aneurysmorrhaphy, Matas', *1953:* Aug., 948
Endocarditis, bacterial, subacute, as contraindication to mitral commissurotomy, *1952:* Dec., 1816
Endocrine factors in sterility, *1953:* Feb., 180
Endocrine glands, anatomy, *1952:* Aug., **1115–1140**
diseases, anesthesia in, *1952:* Aug., **1109–1114**
surgery of, symposium on, *1952:* Aug., **981–1140**
Endometrioma of ovary, *1953:* Feb., 290
Endometriosis, *1952:* Dec., 1723
Endometrium, biopsy. See *Biopsy, endometrial.*
carcinoma, *1954:* June, **791–799,** Dec., 1645, **1685–1695**
age of patients, *1954:* Dec., 1690
diagnosis, *1954:* Dec., 1688
extent of disease, *1954:* Dec., 1690
pathology, *1954:* Dec., 1687
surgery of, present trends, *1952:* Feb., 203
symptomatology, *1954:* Dec., 1687
treatment, *1954:* Dec., 1688
type, *1954:* Dec., 1690
Endosalpingioma, *1953:* April, 557, 578
Endothelioma, of bone, *1952:* Dec., 1752
of spleen, *1953:* April, 493, 495
Endothracheal tube, use, in anesthesia in poor risk patient, *1954:* Oct., 1258
in thoracic surgery, *1954:* Aug., 1009
Enema tip, rectal injury by, *1953:* Aug., 1200
Enteritis, acute, *1952:* Oct., 1463
regional, *1952:* Oct., 1464
preoperative preparation, ACTH, cortisone and hydrocortisone in, *1954:* Oct., 1208
Enterostomy, care of patient after, *1954:* Oct., 1432
Enzymatic-surgical treatment of chronic infections of feet in diabetic and arteriosclerotic patients, *1954:* April, **415–421**
Enzymes in bone metabolism, *1953:* Dec., 1749
Ependymoma of spinal cord, *1954:* Aug., 1115
Epidermoid cysts of mediastinum, *1954:* Aug., 965
Epidural hematoma, treatment, *1954:* Aug., 1086
Epilepsy, focal, surgical treatment in conditions other than brain tumor, *1952:* June, **771–779**
treatment, recent advances, *1952:* Feb., 230
Epinephrine in cardiac arrest, *1954:* Oct., 1294
Epiphyseal injury at ankle joint, *1953:* Dec., **1611–1621**. See also *Ankle Joint.*
Epithelioma of jaws, *1952:* Aug., 1161
Epulis, *1952:* Aug., 1160
Equinovalgus deformity of foot, *1953:* Dec., 1741
Ergotrate in labor, *1954:* Dec., 1595
Erysipeloid, *1953:* Oct., 1272
Erythromycin in surgical infections, *1954:* Oct., 1310
Esophagectomy with replacement, *1954:* Aug., **979–995**
Esophagitis, corrosive, *1954:* April, 346
Esophagoduodenostomy, after total gastrectomy, *1954:* April, **441–456, 457–471**
postgastrectomy syndrome and, *1954:* April, **457–471**
technique, *1954:* April, 444
vs. esophagojejunostomy for restoring continuity after gastrectomy, *1954:* April, 463
Esophagogastric junction, carcinoma, combined abdominothoracic operation in, *1954:* Feb., 102
Esophagogastrostomy, for carcinoma, of lower thoracic esophagus, *1954:* Aug., 984
of midthoracic esophagus, *1954:* Aug., 987

Esophagojejunostomy, *1952:* Oct., 1436, 1437
intrathoracic, *1954:* Aug., 989
subcutaneous, *1954:* Aug., 991
substernal, *1954:* Aug., 992
Esophagoplasty, by polythene tube, *1954:* Aug., 990, 991
colonic, *1954:* Aug., 990
extrathoracic, *1954:* Aug., 990
Esophagoscopy, anesthesia for, *1953:* June, 860
Esophagus, atresia, *1952:* Dec., 1646
benign lesions, surgical treatment, *1954:* Aug., **979–995**
burns, corrosive, early management, *1954:* April, **343–351**
late treatment, *1954:* April, **353–361**
carcinoma, *1953:* April, **389–400;** *1954:* Feb., **53–61**
primary, *1953:* April, 390
surgical treatment, *1954:* Aug., **979–995**
and end results, *1953:* April, **389–400**
dilation, in corrosive burns, *1954:* April, 349
diverticula. See under *Diverticulum.*
growths, involving mediastinum, *1953:* April, 426, 427
hiatus, herniations through, surgical treatment, *1952:* Oct., 1420
injuries, *1954:* Aug., 956
lesions, benign, diagnosis, *1952:* Dec., **1645–1656**
operations, anesthesia for, *1954:* Aug., 1014
perforation, *1952:* Dec., 1647
reconstruction, *1954:* Aug., **979–995**
rupture, spontaneous, *1952:* Dec., 1648
"short," *1952:* Oct., 1420
congenital, *1952:* Dec., 1646
stenosis, *1952:* Dec., 1646, 1647
strictures, caustic, antethoracic jejunal substitution operation, technique, *1954:* April, 356
dilatations in, *1954:* April, 349
late treatment, *1954:* April, **353–361**
tumors, benign, *1952:* Dec., 1654
varices, *1952:* Dec., 1653
bleeding, *1954:* Feb., 114
in portal hypertension, suture of, *1953:* Aug., 980
vascular rings, congenital, *1952:* Dec., 1646
webbing of, *1952:* Dec., 1647
congenital, *1952:* Dec., 1646
Estradiol benzoate in osteoporosis, *1953:* Dec., 1754
Estradiol dipropionate in osteoporosis, *1953:* Dec., 1754
Estrogen therapy, in carcinoma of breast, *1953:* April, 319; *1954:* Oct., 1330
Estrogen therapy, in carcinoma of prostate, *1954:* Oct., 1332
in dysfunctional bleeding, *1953:* Feb., 190
restriction on, in prevention of carcinoma of uterus, *1953:* Feb., 252
Ether anesthesia. See under *Anesthesia.*
Euphoretic agents, ACTH and corticoids as, *1954:* Oct., 1213
Evans test of blood volume, *1952:* Dec., 1791
Ewing's sarcoma in differential diagnosis of hematogenous osteomyelitis, *1953:* Dec., 1671
Ewing's tumor, *1952:* Dec., 1752
Examination(s), cytologic, of gastric sediment in cancer, *1952:* April, 595, Oct., 1429
special, in differential diagnosis of genitourinary conditions, *1952:* Dec., 1696
Exenteration operation, for bladder cancer, *1953:* April, 510, 513
for cervical cancer, *1953:* Feb., 263, April, **585–592;** *1954:* April, 308, 311, 312
Exercises, in pregnancy, *1953:* Feb., 164
postural, Buerger's, *1953:* Aug., 959
Exophthalmos, malignant, after thyroid surgery, *1953:* June, 876
surgical treatment, *1952:* Aug., **991–1003**
Exostosectomy, simple, for hallux valgus, *1952:* June, 736
Exostoses, cartilaginous, roentgen diagnosis, *1952:* Dec., 1757
subungual, *1953:* Oct., 1521
Exstrophy of bladder, *1952:* Feb., 318
Extension injuries of cervical spine, *1953:* Dec., 1592
Extensor pollicis brevis in stenosing tenovaginitis, *1953:* Oct., 1321, 1326
Extracellular fluid, changes in, during pregnancy, *1954:* Dec., 1538
Extremity, lower, varicose veins, management, *1952:* June, **961–971**
Exudate, fluid, role in acquired topical resistance, *1953:* Oct., 1430
Eye, burns, chemical, *1953:* Aug., 1107
foreign body in, *1953:* Aug., 1106
injuries, *1953:* Aug., **1105–1114**
Eyebrows, injuries, *1953:* Aug., 1111
Eyelids, injuries, *1953:* Aug., 1100, 1111

Face, bones of, pain in, *1952:* Dec., 1603
injuries, disfiguring, of exposed parts, *1953:* Aug., **1095–1104**
neuralgic pain in, *1952:* June, 765, 766
pain, role of nerve of Wrisberg in, *1954:* Jan., **847–851**
presentations, management, *1953:* Feb., 138
saddle block anesthesia in, *1953:* Feb., 56

Face, surgery of, bone grafts in, *1954:* April, **375–401**
Fallopian tube, carcinoma, *1954:* Dec., 1648
Fallot, tetralogy of. See *Tetralogy of Fallot.*
Fascia, lumbodorsal, surgical anatomy, *1952:* April, 560
of abdominal wall, surgical anatomy, *1952:* April, 547, 548
reinforcements, in repair of inguinal hernia, *1952:* Feb., 151
removal, in Dupuytren's contracture, *1952:* Feb., 234
transversalis, surgical anatomy, *1952:* April, 561
Fat(s), metabolism, disturbances, *1953:* Dec., 1749
role in nutrition, *1954:* Oct., 1241
Fat embolism, *1954:* Oct., 1271
Fat layer, subserous, of abdominal wall, *1952:* April, 564
Feeding tube, naso-esophageal, *1953:* April, 346
Feet. See *Foot.*
Femoral artery, arteriosclerotic occlusion, surgical treatment, *1954:* April, **403–414**
Femoral hernia, repair, in aged, *1954:* June, 769
Femoral vein, ligation, in thromboembolic disease, *1954:* Oct., 1280
Fetal distress as cause of stillbirths, *1954:* Dec., 1501
Fetus, complications of hypertensive disease involving, *1953:* Feb., 31
excessive size, management in labor, *1954:* Dec., 1587
indications for cesarean section, *1953:* Feb., 115
malformations, management in labor, *1954:* Dec., 1587
management in labor, *1954:* Dec., 1587
prophylactic, *1954:* Dec., 1586
Fetopelvic disproportion, saddle block anesthesia and, *1953:* Feb., 48
Fever as diagnostic problem in obstetrical patients, *1952:* Dec., 1712
Fibrin emboli, *1954:* Dec., 1602
Fibroblastoma, perineurial, *1954:* Aug., 1168, 1170
Fibroids, of cervix, hemorrhage in late pregnancy due to, *1953:* Feb., 24
of stomach, *1953:* April, 440
of uterus. See under *Uterus.*
Fibroma, mediastinal, *1952:* Dec., 1690; *1953:* April, 427, June, 841; *1954:* Aug., 972
of intestine, *1954:* Feb., 195
of ovary, *1953:* Feb., 281
of stomach, *1953:* April, 434
Fibromyomas of uterus. See *Uterus, fibroids.*
Fibrosarcoma, of bone, *1952:* Dec., 1752
of radial nerve, *1954:* Aug., 1170
Filters for x-ray visualization of placenta, *1953:* Oct., 1463
Finger(s), amputations, traumatic, *1953:* Aug., 1087
mallet (baseball), *1953:* Oct., 1306
metacarpals, fractures, simple, *1953:* Oct., 1302
tip, amputation *1953:* Oct., 1313
avulsion of soft tissues, *1953:* Oct., 1312
fractures, compound, *1953:* Oct., 1313
injuries, *1953:* Oct., **1311–1316**
anesthesia, *1953:* Oct., 1311
trigger, *1953:* Oct., 1328
First aid for cervical spine injuries, *1953:* Dec., 1571
Fissure, anal, *1953:* Oct., 1400
excision of, *1954:* Feb., 249
Fistula, anal, pathogenesis, *1954:* Feb., 252
surgical treatment, *1954:* Feb., 251
arteriovenous, congenital, *1952:* April, 540
traumatic, treatment, *1953:* Aug., 1160
biliary, postoperative, *1954:* Feb., 175, 177
branchial, clinical aspects and treatment, *1953:* June, **627–632**
bronchopleural, following lung resection for tuberculosis, *1954:* Aug., 944
carotid-cavernous, *1952:* Dec., 1571
colovesical, *1952:* June, **909–916**
cranionasal, traumatic, surgical management, *1953:* Aug., **1115–1125**
esophagobronchial, *1952:* Dec., 1647
fecal, in diverticulitis of colon, *1952:* Feb., 95
salivary, following surgery of parotid, *1952:* Feb., 191
thyroglossal, *1952:* Aug., 1129, Dec., 1634
vesicovaginal, involving bladder neck and upper urethra, surgical management, *1954:* April, **293–302**
postoperative, *1954:* Oct., 1444
Fistulotomy, technique, *1954:* Feb., 254, 255
Fixation, pin, pull-out, in treatment of fractures and orthopedic disorders, *1953:* Dec., **1597–1610**
Flatfoot, acquired, *1953:* Oct., 1381
congenital, *1953:* Oct., 1377
spastic or rigid, *1953:* Dec., 1645
Flexion injuries of cervical spine, *1953:* Dec., 1589
Flexor digitorum in stenosing tenovaginitis, *1953:* Oct., 1324
Flexor pollicis longus in stenosing tenovaginitis, *1953:* Oct., 1323, 1327
Fluid(s), administration, in open thoracic surgery, *1952:* April, 519
balance, in diagnosis of intestinal obstruction, *1954:* Oct., 1411

Fluid(s), balance, in elderly patients, *1954:* June, **587–593**, Oct., 1476
in surgery, *1952:* Feb., **3–28**, April, **445–469**; *1954:* Oct., **1231–1237**
restoration in hematogenous osteomyelitis, *1953:* Dec., 1672
body, internal shifts, *1952:* April, 455
losses, dynamic, *1952:* April, 455
normal volumes and concentrations, *1952:* April, 447
extracellular, changes in, during pregnancy, *1954:* Dec., 1538
parenteral, in gastrointestinal surgery, *1954:* Feb., **3–16**
in surgery, *1952:* April, 465
postoperative, clinical approach, *1954:* April, **323–342**
requirements, following colonic and rectal surgery, *1954:* Oct., 1430
Fluorescein in diagnosis of intracranial tumors, *1952:* April, 499
Fluoroscopy in mitral stenosis, *1954:* Aug., 881
Foot, anomalies, congenital *1953:* Dec., 1655
analysis, *1953:* Dec., 1656
bones of, accessory, *1953:* Oct., 1377, Dec., 1647
ages of patients with, *1953:* Dec., 1651
type, *1953:* Dec., 1651
calcaneovalgus deformity, *1953:* Dec., 1741
circulatory disturbances, *1953:* Oct., 1391
diagnoses, analyses, *1953:* Dec., 1645
primary, *1953:* Dec., 1644
statistics, *1953:* Dec., 1644
disorders, acquired, *1953:* Oct., 1379
congenital, *1953:* Oct., 1373
hosiery and, *1953:* Oct., 1391
orthopedic management, *1953:* Oct., **1373–1391**
equinovalgus deformity, *1953:* Dec., 1741
infections, chronic, enzymatic-surgical treatment in diabetic and arteriosclerotic patients, *1954:* April, **415–421**
involving bones and joints, streptokinase-streptodornase in, *1952:* April, **405–417**
inflammatory conditions, *1953:* Oct., 1390
neoplasms, *1953:* Oct., 1391
osteochondritis, *1953:* Dec., 1656
trauma to, *1953:* Oct., 1389
valgus deformity, *1953:* Dec., 1740
valgus, paralytic, tendon transplantation in treatment of, *1953:* Dec., **1737–1743**
Forceps, cotton sponge, in hemorrhage control in removal of rectal adenomas, *1954:* April, 563
Forceps deliveries under saddle block anesthesia, *1953:* Feb., 50, 51
Forehead, injuries, *1953:* Aug., 1100
Foreign body, in eye, *1953:* Aug., 1106
in heart or pericardium, *1954:* Aug., 958
in rectum, *1953:* Aug., 1193
Fracture(s), Bennett's, *1953:* Oct., 1305
Colles', surgical pitfall, *1952:* June, **727–732**
compound, treatment, *1953:* Dec., 1604
intertrochanteric, anesthesia for, *1953:* Dec., 1561
complications, *1953:* Dec., 1563
general condition of patient, *1953:* Dec., 1650
morbidity, *1953:* Dec., 1559
mortality, *1953:* Dec., 1559
operation, technique, *1953:* Dec., 1561
postoperative care, *1953:* Dec., 1563
reduction, *1953:* Dec., 1561
treatment by open reduction and nailing under direct vision, *1953:* Dec., **1559–1564**
types, *1953:* Dec., 1560
of metacarpal head, *1953:* Oct., 1304
open, *1952:* April, 675
pull-out pin fixation in treatment of, *1953:* Dec., **1597–1610**
splinting of, *1952:* April, 668
treatment, definitive, *1952:* April, 673
Fracture-dislocations, of cervical spine, *1953:* Dec., **1587–1595**. See also under *Spine, cervical.*
Freiberg's disease, *1953:* Oct., 1380
Frostbite, treatment, *1953:* Aug., 1158
Fructose for parenteral nutrition, *1954:* Oct., 1246
Fulguration, in carcinoma of bladder, *1953:* April, 505
of rectal polyps, *1952:* June, 930, 931
Fungicides in postphlebitic syndrome, *1953:* Oct., 1240
Funnel chest, *1952:* Oct., 1398
Furniss clamp in transthoracic gastrectomy, *1952:* Oct., 1431, 1433
Furuncles, *1953:* Oct., 1275

GALLBLADDER, carcinoma, *1953:* April, 465, 468, **479–486**
gallstones and, *1953:* April, 463, 485
empyema, *1954:* Feb., 161
injuries, in infant and child, *1953:* Aug., **1187–1191**
surgery, dangers in, *1954:* Feb., 146
pre- and postoperative management, *1954:* Oct., **1375–1390**
special problems in, *1954:* Feb., **137–149**
Gallstones. See also *Cholelithiasis.*
carcinoma of gallbladder and, *1953:* April, 463, 485
differential diagnosis, *1954:* Feb., 159
Ganglioneuroma, of chest wall in children, *1952:* Oct., 1405
of mediastinum, *1953:* June, 839; *1954:* Aug., 969

Gantrisin, in surgical infections, *1954:* Oct., 1301
in urinary infections, *1952:* Feb., 312
G-A-S. See *General adaptation syndrome.*
Gastrectomy, Bilbroth II-Polya-Hofmeister, modified, *1952:* Feb., 47
for anastomotic ulcer, *1952:* Feb., 39, 40
for duodenal ulcer, *1954:* Feb., 92
status of, *1952:* Oct., **1439–1444**
for gastric ulcer, *1954:* Feb., 91
for peptic ulcer, development, history of, *1954:* Feb., 70
rationale and general principles, *1952:* April, 579
status of, *1952:* Oct., **1439–1444**
Hofmeister, modified, roentgen study of function after, *1952:* June, **829–835**
subtotal, for duodenal ulcer, management of difficult stump, *1954:* April, **473–493**
removal of ulcer in, *1952:* June, **817–827**
technique, *1954:* April, 479
for gastric carcinoma, *1952:* Oct., 1431
postoperative care, *1954:* Oct., 1396
total, clinical sequelae, *1954:* April, 458
esophagoduodenostomy after, *1954:* April, **441–456, 457–471**
for gastric carcinoma, *1952:* Oct., 1433
physiological alterations after, *1954:* April, 458
postoperative care, *1954:* Oct., 1398
Gastric See also *Stomach.*
acid, determinations, in anastomotic ulcer, *1952:* Feb., 37
in carcinoma of stomach, *1952:* April, 594, Oct., 1429
sediment, cytologic examination, in cancer, *1952:* April, 595
suction, preoperative, in colonic and rectal surgery, *1954:* Oct., 1426
Gastroduodenal surgery, pre- and postoperative management in, *1954:* Oct., **1391–1402**
Gastroenterostomy, for peptic ulcer, history of, *1954:* Feb., 71
rationale and general principles, *1952:* April, 577
postoperative care, *1954:* Oct., 1398
with vagotomy for duodenal ulcer, *1954:* Feb., 92
Gastrointestinal surgery, anesthesia in, *1952:* Oct., **1539–1545**
symposium on, *1952:* Oct., **1425–1545**; *1954:* Feb., **1–285**
technique in, recent advances, with case reports, *1952:* Feb., **47–62**
Gastrointestinal tract, leiomyoma, *1952:* Feb., **111–122**
obstructive lesions, in infants and children, *1952:* Feb., **81–89**
palpation, *1952:* Dec., 1613
tumors, benign and potentially malignant, *1954:* Feb., **183–198**
benign, incidence, *1952:* Feb., 117
Gastroscopy, in anastomotic ulcer, *1952:* Feb., 38
in benign tumors of stomach, *1953:* April, 436
in carcinoma of stomach, *1952:* April, 594, Oct., 1428
Gaucher's disease, osseous, report of case with pathologic fracture of left humerus, *1952:* Aug., **1141–1147**
Gelatin, as plasma expander, *1954:* Oct., 1228
in shock, *1953:* Aug., 1146
General adaptation syndrome, *1953:* Oct., 1418
Genital folds, external, fusion of, *1954:* Dec., 1623
Genital tract, female, neoplasms, *1954:* Dec., 1620
Genitalia, external, inspection in uterine cancer, *1952:* Dec., 1733
female, trauma to, *1954:* Dec., 1619
Genitourinary conditions, surgical diagnosis, *1952:* Dec., **1695–1708**
Geriatric gynecology, *1954:* Dec., **1627–1637**
German measles, cervical lymph node enlargement in, *1953:* June, 707
Ghon tubercle, *1952:* Aug., 1243
Gingivae, carcinoma, present status, *1954:* June, **663–672**
Gingivitis, hypertrophic, *1952:* Aug., 1160
Glioma, of brain, in childhood, *1952:* Oct., 1364, 1367
stroke-like syndrome in, *1954:* June, 643
of spinal cord, *1954:* Aug., 1115, 1124
Glomerulonephritis, diagnosis, *1952:* Dec., 1703
Glossodynia, pain of, *1952:* Dec., 1604
Glucose requirements, *1952:* April, 453
of elderly patients, *1954:* June, 592
Gluteus, medius, peritendinitis calcarea of, *1952:* Aug., 1220
minimus, peritendinitis calcarea of, *1952:* Aug., 1221
Goiter, adenomatous, *1953:* June, 741
carcinoma in, incidence and surgical treatment, *1953:* April, **351–360**
multiple, with single firm nodule, management, *1953:* June, 786
with hyperthyroidism, in elderly, *1954:* June, 674
surgery in, mortality rates, *1952:* Aug., 986
diffuse, *1952:* Dec., 1624
exophthalmic. See *Hyperthyroidism.*

Goiter, intrathoracic, *1953:* April, 419, June, **773–779**, 831
surgical management, *1953:* June, 775
multinodular, versus discrete adenoma, *1952:* Dec., 1618
nodular, intrathoracic growth, *1952:* Dec., 1621
laboratory and other tests, *1952:* Dec., 1621
malignant change, *1952:* Dec., 1624
pathologic considerations, *1952:* Dec., 1617
symptoms and signs, *1952:* Dec., 1620
toxicity, *1952:* Dec., 1623
nontoxic, diffuse, *1952:* Dec., 1624
nodular, preoperative preparation, *1954:* Oct., 1359
toxic, diffuse, *1952:* Dec., 1625
preoperative preparation, *1954:* Oct., 1360
types in thyroid cancers, *1952:* Dec., 1628
Gout, *1953:* Oct., 1387
Grafts, arterial, in arteriosclerotic occlusion, *1954:* April, 413
blood vessel. See under *Blood vessel.*
bone. See under *Bone(s).*
iliac, in ununited fractures of tibia, *1953:* Aug., **1165–1169**
skin. See *Skin grafts.*
venous, in vascular surgery, *1952:* Feb., 269
Granuloma, diagnosis, limitations of histopathologic techniques in, *1952:* Aug., **1235–1245**
lipoid, histopathologic techniques in, *1952:* Aug., 1240
talc, *1952:* Aug., 1238
Granuloma membrane, role in acquired topical resistance, *1953:* Oct., 1430
Granuloma pouch, resistance to aggression and injury, *1953:* Oct., 1425
technique, *1953:* Oct., 1419
experimental study with, *1953:* Oct., **1417–1446**
Granulosa cell tumor of ovary, *1953:* Feb., 286, 297
Graves' disease. See *Hyperthyroidism.*
Groin, hernia in, repair in aged patient, *1954:* June, 765
Gross procedure, modified, for coarctation of aorta, *1952:* Feb., 252
Gums, epulis of, *1952:* Aug., 1160
hemangioma of, *1952:* Aug., 1161
Gunshot wounds of rectum, *1953:* Aug., 1196
Gynandroblastoma, *1953:* Feb., 304
Gynecography in sterility, *1953:* Feb., 177
Gynecologic examination, in aged persons, *1954:* Dec., 1628
in infants and young girls, *1954:* Dec., 1615
Gynecologic examination, in sterility, *1954:* Dec., 1713
Gynecologic problems in infants and prepubertal girls, *1954:* Dec., **1615–1626**
Gynecologic surgery, vaginal approach in, *1953:* Feb., **193–207**
Gynecology, and obstetrics, symposium on, *1954:* Dec., **1493–1717**
geriatric, *1954:* Dec., **1627–1637**
symposium on, *1953:* Feb., **1–305**

Haas osteotomy, *1953:* Dec., 1721
Hallux rigidus, *1953:* Oct., 1386, 1517
Hallux valgus, *1953:* Oct., 1386, 1511
operative treatment, *1952:* June, **733–745**
Hallux varus, *1953:* Oct., 1518
Hamartoma of mediastinum, *1953:* June, 841
Hammer toes, *1953:* Oct., 1389, 1518
Hand, anatomy and physiology, *1953:* Aug., 1082
crush injuries, ACTH in, *1954:* April, **363–374**
fractures, *1953:* Oct., 1300
open, *1953:* Aug., 1085
immobilization after surgery, *1953:* Oct., 1306
incisions, *1953:* Aug., 1085
infections, surgical, *1953:* Oct., 1268
injuries, *1953:* Aug., **1081–1094**
joint surgery, *1953:* Oct., 1306
management of conditions requiring immobilization, *1953:* Oct., **1297–1309**
operations, technical considerations, *1953:* Oct., 1292
soft tissue injury, *1953:* Aug., 1085
wounds, composite, requiring immobilization, *1953:* Oct., 1298
compound, avulsed, *1953:* Oct., 1286
classification, *1953:* Oct., 1283
incised, *1953:* Oct., 1283
septic, *1953:* Oct., 1291
time factor, methods of repair and results in 744 cases, *1953:* Oct., 1282
treatment, *1953:* Oct., 1285, 1287, 1290
crushing, *1953:* Oct., 1289
factors in treatment, *1953:* Oct., 1294
history in, *1953:* Oct., 1279
prevention of tetanus, *1953:* Oct., 1293
treatment, postoperative, *1953:* Oct., 1293
predefinitive, *1953:* Oct., 1280
Harelip, surgical techniques in, *1952:* Feb., **165–174**
Hashimoto's struma, *1952:* Dec., 1633
Head, carcinoma of, radical surgery in, changing trends, *1953:* April, **329–350**

Head, carcinoma of, roentgen examination, value of, *1952:* Dec., 1613
surgical diagnosis, *1952:* Dec., **1599–1616**
types, *1952:* Dec., 1599
injuries, acute, *1952:* April, **471–489**
management, *1954:* Oct., **1349–1358**
immediate, *1954:* Oct., 1461
pain, differential diagnosis, *1952:* Dec., 1603
intractable, lobotomy for, *1952:* June, 769
neurosurgical aspects, *1952:* June, **763–770**
physical examination, *1952:* Dec., 1604
Headache, history in, *1952:* Aug., 1152
in chronic sinusitis, *1952:* Aug., 1151, 1152
neurosurgical aspects, *1952:* June, **763–770**
post-traumatic, *1952:* June, 769
Health, parental, in congenital malformations, *1953:* Dec., 1628
Heart, defects, congenital, causing diminished blood supply to lung, *1952:* Feb., 254
disease, acquired, surgical treatment, *1952:* Feb., 258
congenital, surgery of, present status, *1954:* Aug., **903–910**
surgical risk in, *1954:* June, 598
with cyanosis, surgical treatment, *1952:* Oct., **1273–1297**
in frequency, cesarean section in, *1953:* Feb., 113
management of surgical patient in, *1954:* Oct., **1265–1270**
rheumatic, surgical risk in, *1954:* June, 599
enlargement, as contraindication to mitral commissurotomy, *1952:* Dec., 1817
failure, in hypertensive disease in pregnancy, *1953:* Feb., 30
persistent, as contraindication to mitral commissurotomy, *1952:* Dec., 1817
foreign bodies in, *1954:* Aug., 958
gallop rhythm, as contraindication to mitral commissurotomy, *1952:* Dec., 1818
injuries, *1954:* Aug., 957
physiologic studies for mitral commissurotomy, *1952:* Dec., 1818
surgery, anesthesia in, *1952:* April, **655–665;** *1954:* Aug., 1015
recent advances, *1952:* Feb., **247–261**
valve lesions, multiple, as contraindication to mitral commisurotomy, *1952:* Dec., 1816
wounds, closure of, principles, *1952:* April, 538
penetrating, *1953:* Aug., 1161
Hemangioma, of bone, *1952:* Dec., 1757
of brain, stroke-like syndrome in, *1954:* June, 645
of gums, *1952:* Aug., 1161
of neck, *1953:* June, 799
treatment, *1953:* June, 802
Hemarthrosis, traumatic, *1952:* Dec., 1774
Hematoma, cerebral, angiography in, *1954:* Aug., 1058
epidural, treatment, *1954:* Aug., 1086
intracerebral, treatment, *1954:* Aug., 1091
subdural, *1952:* Dec., 1588
angiography in, *1952:* April, 498
chronic, *1952:* June, **791–799,** Dec., 1590
head pain due to, *1952:* June, 765
diagnosis, *1952:* Dec., 1591
operation for, *1952:* Dec., 1591
subacute, *1952:* Dec., 1589
treatment, *1954:* Aug., 1089
surgical treatment, *1953:* Aug., 1156
Hematuria, diagnosis, *1952:* Dec., 1704
Hemodialysis with artificial kidney in uremia, *1954:* April, **423–440**
Hemolytic reactions to blood transfusions, *1954:* Feb., 278
Hemolytic states, splenectomy for, ACTH, cortisone and hydrocortisone in, *1954:* Oct., 1210
Hemoptysis as symptom of lung cancer, *1952:* Dec., 1665
Hemorrhage, accidental, of pregnancy. See *Abruptio placentae.*
antepartum, *1954:* Dec., **1523–1533**
arrest, in multiple injuries, *1952:* April, 669
associated with vulvovaginitis, *1954:* Dec., 1618
cerebral, in hypertensive disease in pregnancy, *1953:* Feb., 30
control, in prostatectomy, *1952:* Feb., 300
fetal, in utero, *1953:* Feb., 25
from uterine fibroids, *1953:* Feb., 210
gastrointestinal, *1954:* Feb., 49, 51
control in portal hypertension, *1953:* Aug., 978
in diagnosis of uterine cancer, *1952:* Dec., 1730
in gallbladder surgery, *1954:* Feb., 146
in peptic ulcer, preoperative management, *1954:* Oct., 1394
in pregnancy, anesthetic management, *1954:* Dec., 1558
late, *1953:* Feb., **17–26**
intestinal, *1952:* Oct., 1464
massive, acute, in peptic ulcer, *1954:* June, **701–710**
meningeal, middle, *1952:* Dec., 1586
diagnosis, *1952:* Dec., 1587
operation for, *1952:* Dec., 1588
postoperative, in biliary tract surgery, *1954:* Feb., 176, Oct., 1388

Hemorrhage, postoperative, in gastrointestinal surgery, *1954:* Feb., 51, Oct., 1400
in thyroid surgery, *1953:* June, 869
postpartum, care at delivery in prevention of, *1954:* Dec., 1593
care during labor in prevention of, *1954:* Dec., 1592
due to injury, *1954:* Dec., 1598
late, *1954:* Dec., 1598
prenatal care in prevention of, *1954:* Dec., 1592
prevention, *1954:* Dec., 1592
and treatment, *1954:* Dec., **1591–1599**
treatment, *1954:* Dec., 1596
after second stage, *1954:* Dec. 1596
after third stage, *1954:* Dec., 1597
premenopausal, abnormal, etiologic diagnosis, *1953:* Feb., 183
management, *1953:* Feb., **183–192**
subarachnoid, *1952:* Dec., 1594
diagnosis, *1952:* Dec., 1595
management, *1952:* Dec., 1595; *1954:* Aug., 1064
vaginal, in obstetrical patients, *1952:* Dec., 1713
Hemorrhagic diathesis, control, in portal hypertension, *1953:* Aug., 979
Hemorrhoidal disease, *1954:* Feb., 242
acute attack, *1954:* Feb., 244
Hemorrhoidectomy, ligature-excision type, technique, *1954:* Feb., 245
technique, *1952:* April, **677–686**
Hemorrhoids, *1953:* Oct., 1400; *1954:* Feb., 242
external, thrombotic, *1953:* Oct., 1401
excision of, *1954:* Feb., 243
Hemothorax in chest injuries, *1954:* Aug., 954
Henle-Coenen sign, *1952:* June, 958
Heparin, action and uses, *1952:* April, 372
administration, methods of, *1952:* April, 373
hemorrhage due to, management, *1952:* April, 379
Hepatic artery, hemodynamics of, *1952:* April, 609
injury in gallbladder surgery, *1954:* Feb., 147
ligation, in portal cirrhosis, *1954:* Feb., 121
Hepatitis, serum, *1952:* April, 610
viral, post-transfusion, *1954:* Feb., 282
Hernia, diaphragmatic, *1954:* Aug., 957
abdominal repair combined with cholecystectomy, *1954:* Feb., 108
diagnosis, *1952:* Oct., 1413; *1953:* Oct., 1506
in infancy and childhood, *1954:* Aug., **997–1005**
Hernia, diaphragmatic, produced by indirect violence, *1953:* Oct., **1505–1509**
repair, anesthesia for, *1954:* Aug., 1014
treatment, *1953:* Oct., 1506
surgical, *1952:* Oct., 1417, 1420
hiatal, *1952:* Dec., 1650
phrenic nerve operations for, *1953:* June, 930
symptoms, *1952:* Dec., 1651
in poor risk patient, surgical management, *1954:* June, **761–771**
inguinal, surgery of, recent advances, *1952:* Feb., **135–153**
intestinal, causing obstruction, *1952:* Oct., 1460
strangulated, intestinal obstruction due to, *1954:* June, 731
Herniations, of cervical, lumbar or thoracic disk. See *Intervertebral disk.*
through esophageal hiatus, surgical treatment, *1952:* Oct., 1420
through frank defects in diaphragm, surgical treatment, *1952:* Oct., 1417
Hernioplasty, femoral, in aged, *1954:* June, 769
inguinal, in aged, *1954:* June, 765
primary, study of 1375 cases, *1954:* April, **567–579**
technique, *1954:* April, 569
Hiatus hernia. See *Hernia, hiatal.*
Hiccups, intractable, phrenic nerve operations for, *1953:* June, 927
Hip, arthritis, degenerative, in aged, treatment, *1954:* June, **829–837**
arthroplasty, Eicher, *1954:* June, 834
Judet, *1954:* June, 831
dislocation, congenital, unreduced, *1953:* Dec., 1724
traumatic, with malunited fracture of acetabulum, *1953:* Dec., **1551–1557**
dysplasia, in infant, clinical examination, *1953:* Dec., 1634
recognition and treatment, *1953:* Dec., **1633–1641**
roentgen findings, *1953:* Dec., 1636
treatment, *1953:* Dec., 1638
function, *1953:* Dec., 1722
Hirschsprung's disease, *1952:* Feb., 85
Histamine stimulation of gastric secretion, *1952:* Feb., 37
Histopathologic techniques in diagnosis of granulomas, limitations in, *1952:* Aug., **1235–1245**
History, in differential diagnosis of genitourinary conditions, *1952:* Dec., 1696
menstrual, in diagnosis of abdominal pain of female genital origin, *1952:* Dec., 1717
Hodgkin's disease, of mediastinum, *1953:* April, 423; *1954:* Aug., 975

Hodgkin's disease, of neck, *1953:* June, 699
of spleen, *1953:* April, 494
Hofmeister resection, modified, roentgen study of function after, *1952:* June, **829–835**
Hormone(s), role in bone metabolism, *1953:* Dec., 1748
treatment, of advanced cancer, *1954:* Oct., **1321–1335**
of carcinoma of breast, *1953:* April, 319
Hosiery and foot disorders, *1953:* Oct., 1391
Humerus, fractures, in osseous Gaucher's disease, *1952:* Aug., **1141–1147**
supracondylar, in children, complications, early treatment, *1952:* June, 758
management, *1952:* June, **747–762**
fracture-dislocations implicating greater tuberosity, *1953:* Oct., 1359
head of, fractures, impacted, *1953:* Oct., 1367
surgical neck, fractures, *1953:* Oct., 1358
upper end, fractures and fracture-dislocations, *1953:* Oct., 1355
treatment, *1953:* Oct., 1357
Hürthle cell adenocarcinoma of thyroid, *1953:* April, 372, 383
Hydradenitis, suppurative, *1953:* Oct., 1276
Hydrocephalus, *1952:* Oct., **1347–1361**
nonobstructive, surgical treatment, *1952:* Oct., 1353
obstructive, surgical treatment, *1952:* Oct., 1351
problem of, in spina bifida and cranium bifidum, *1952:* Oct., 1331
surgical therapy, clinical status of survivors, *1952:* Oct., 1356
recent advances, *1952:* Feb., 226, 318
treatment, *1954:* Aug., **1021–1035**
Hydrocortisone, properties calling for extreme care in use, *1954:* Oct., 1215
uses in general surgery, *1954:* Oct., **1201–1218**
contraindications, *1954:* Oct., 1215
17-Hydroxycorticosterone, chemical structure, *1952:* April, 349
Hygroma, cystic, of mediastinum, *1953:* April, 420
of neck, *1953:* June, **653–654**
Hymen, inperforate, *1954:* Dec., 1624
Hypernephroma, apparently unilateral solitary pulmonary metastasis from, *1954:* June, **801–808**
treatment, *1952:* Feb., 313
Hyperparathyroidism, primary, *1953:* June, **723–737**, Dec., 1750
pathologic diagnosis, *1952:* Aug., **1043–1052**
surgical treatment, *1953:* June, 731
roentgen diagnosis, *1952:* Aug., **1017–1030**
secondary, *1953:* Dec., 1751
surgical treatment, *1952:* Aug., **1031–1042**
Hypersplenism, concept of, *1954:* Feb., 123
secondary, splenectomy in, *1954:* Feb., 135
Hypertension, essential, and pregnancy, *1953:* Feb., **27–33**
treatment, *1953:* Feb., 31
portal, *1952:* April, **359–368**
arterial ligations in, *1953:* Aug., 985
ascites complicating, *1953:* Aug., 986
portacaval shunt in, *1952:* April, 366, 367; *1953:* Aug., 982
surgical treatment, *1953:* Aug., **975–991**
physiological basis, *1954:* Feb., **113–122**
with acute hemorrhage, treatment, *1953:* Aug., 979
surgical risk in, *1954:* June, 600
Hyperthyroidism, *1952:* Dec., 1625; *1953:* Dec., 1755
in elderly patient, *1954:* June, **673–680**
malignant exophthalmos in, surgical treatment, *1952:* Aug., **991–1003**
primary, *1952:* Dec., 1625; *1953:* June, 739
secondary, *1952:* Dec., 1623
subtotal thyroidectomy for, preparation of patient, *1953:* June, **757–763**
surgeon in, role of, *1952:* Aug., **981–989**
surgery in, mortality rates, *1952:* Aug., 984
thyroidectomy for, *1952:* Feb., 162
preparation of patient, *1954:* Oct., **1359–1362**
treatment, *1952:* Feb., **155–164**
Hypokalemia in gastrointestinal surgery, *1954:* Feb., 715
Hypoparathyroidism, postoperative, in thyroid surgery, *1953:* June, 875
Hypophysis. See *Pituitary gland.*
Hypotensive technique in abdominal surgery, *1954:* Feb., 23
Hypothermia for surgery of mitral stenosis, *1954:* Aug., 890
Hypothyroidism, postoperative, in thyroid surgery, *1953:* June, 874
Hypoxia, during anesthesia, *1952:* April, 648
postoperative, prevention in poor risk patient, *1954:* Oct., 1261

Hysterectomy, cesarean, *1953:* Feb., 96, 117
for dysfunctional bleeding, *1953:* Feb., 191
for endometrial carcinoma, results, *1954:* June, 796
in prevention of carcinoma of uterus, *1953:* Feb., 252
radical, in carcinoma of cervix, *1954:* April, 308, 311, 312
total, unsuspected cervical cancer diagnosed by microscopic examination after, *1953:* April, **549–556**
vaginal, *1953:* Feb., 202
technique for, *1954:* Dec., **1697–1710**
Hysterosalpingography, in diagnosis of uterine cancer, *1952:* Dec., 1740
in sterility, *1953:* Feb., 177; *1954:* Dec., 1713

ICTERUS. See *Jaundice.*
Iliac artery, arteriosclerotic occlusion, surgical treatment, *1954:* April, **403–414**
Ileostomy, care of, *1953:* Oct., 1405; *1954:* Oct., 1432
dysfunction and obstruction, *1954:* Oct., 1433
in ulcerative colitis, *1954:* Feb., 204
Ileum, carcinoids, *1954:* Feb., 185
Ileus, adynamic, *1954:* Feb., 49
neurogenic, *1952:* April, 636
Ilium, chondrosarcoma simulating low grade osteomyelitis, *1953:* Dec., **1681–1691**
Immobilization, hand wounds requiring, *1953:* Oct., 1298
in hematogenous osteomyelitis, *1953:* Dec., 1673
of hand after surgery, *1953:* Oct., 1306
Impalement injuries of anus, *1953:* Aug., 1202
Incisions, abdominal *1952:* April, 557
abdominothoracic, usefulness, *1953:* Oct., **1447–1455**
for radical head and neck surgery, *1953:* April, 340
Infant, hip dysplasia in, recognition and treatment, *1953:* Dec., **1633–1641**
postoperative complications in, *1954:* Oct., 1470
pre- and postoperative care, *1954:* Oct., **1463–1471**
Infarction, placental, *1952:* Dec., 1726
Infection(s), anorectal. See under *Anorectum.*
chronic, of feet involving bones and joints, streptokinase-streptodornase in, *1952:* April, **405–417**
of hand. See under *Hand.*
of pulp space, *1953:* Oct., 1269
of tendon sheath, *1953:* Oct., 1270
pilonidal, *1953:* Oct., 1277
Infection(s), postoperative, in radical head and neck surgery, prevention, *1953:* April, 344
soft tissue, treatment, *1952:* April, 440
subcuticular, *1953:* Oct., 1270
surgical, minor, diagnosis, *1953:* Oct., 1261
treatment, *1953:* Oct., **1261–1278**
prevention and treatment, *1954:* Oct., **1299–1311**
tendon sheath, *1953:* Oct., 1270
urinary tract, postoperative, *1954:* Oct., 1450
wound. See under *Wound.*
Infertility. See *Sterility.*
Inflammation as manifestation of topical stress, *1953:* Oct., 1418
Inflammatory disease, cancer and, *1953:* Oct., 1396
pelvic, *1953:* Feb., **269–277**
Inflation injuries of anus, *1953:* Aug., 1202
Inguinal hernioplasty. See *Hernioplasty, inguinal.*
Injection treatment of varicose veins, *1952:* Feb., 289
Injuries, abdominal, *1954:* Feb., 28
ambulation after, criteria for, *1953:* Aug., **1059–1068**
cranial. See *Cranium, trauma.*
craniocerebral, acute, *1952:* April, **471–489**
treatment, *1954:* Aug., **1077–1093**, Oct., **1349–1358**
crush, of hand, ACTH in, *1954:* April, **363–374**
multiple, care of, *1952:* April, **667–676**
care of patient with, *1954:* Oct., **1455–1462**
operative, of urinary tract, *1954:* Oct., 1435
peripheral nerve, *1954:* Aug., **1147–1165**
preanesthetic medication, *1953:* Aug., 1210
spinal cord, *1954:* Aug., **1131–1146**
and cauda equina, digestive apparatus in, *1954:* Feb., **259–268**
surgery in, anesthesia for, *1953:* Aug., **1207–1214**
symposium on, *1953:* Aug., **1057–1214**
thoracic, *1954:* Aug., **951–958**
urological. See *Urological trauma.*
Inlet arrest, management, *1953:* Feb., 134
Insemination, artificial, *1954:* Dec., 1715
Insulin test in anastomotic ulcer, *1952:* Feb., 38
Intertrochanteric fractures. See under *Fractures.*

Intervetebral disks, cervical, herniations, *1954:* Aug., 1095
diagnosis, *1952:* Dec., 1785
differential diagnosis, *1952:* Dec., 1787
neurologic changes, *1952:* Dec., 1786
roentgenologic signs, *1952:* Dec., 1786
treatment, *1952:* Dec., 1788
lumbar, herniations, *1954:* Aug., 1105
diagnosis, *1952:* Dec., 1777
differential diagnosis, *1952:* Dec., 1781
neurologic changes, *1952:* Dec., 1779
roentgenologic signs, *1952:* Dec., 1779
treatment, *1952:* Dec., 1784
ruptured, removal versus conservative treatment, *1953:* Dec., 1546
treatment, nonoperative, results of, *1953:* Dec., **1545–1549**
ruptured, *1952:* Dec., **1777–1790;** 1954: Aug., **1095–1112**
thoracic, herniations, *1952:* Dec., 1789; *1954:* Aug., 1103
Intestine(s), anastomosis, care of patient after, *1954:* Oct., 1431
antisepsis, preoperative, *1954:* Oct., 1425
cleansing, preoperative, *1954:* Oct., 1424
distention, importance of air in, *1952:* Feb., **75–79**
hemorrhage, *1952:* Oct., 1464
large, adenocarcinoma, *1952:* Oct., 1514
mucinous, *1952:* Oct., 1523
adenomatosis, diffuse, *1952:* Oct., 1512
carcinoma, multiple primary, *1952:* Oct., **1499–1510**
tumors, *1952:* Oct., **1511–1529**
malrotation, *1952:* Feb., 83
obstruction, *1952:* April, **629–644,** Oct., **1445–1456,** 1458; *1954:* Feb., 44
acute, diagnosis and management, *1954:* Oct., **1403–1418**
fundamental mechanisms, *1954:* Oct., 1403
in aged, *1954:* June **729–735,** 750, 756
treatment, *1952:* April, 636, Oct., 1541
small, duplication of, *1952:* Oct., 1465
lesions, *1952:* Oct., **1457–1473**
obstruction, mechanical, *1952:* Oct., **1445–1456,** 1458
radiographic findings, *1952:* Oct., 1449
Intestine(s), small, tumors, hemorrhage due to, *1952:* Oct., 1464
obstruction due to, *1952:* Oct., 1461
tumors, benign, *1954:* Feb., 192
Intimectomy, *1952:* Feb., 271
Intracaine, in premature labor, *1954:* Dec., 1556
in toxemia of pregnancy, *1954:* Dec., 1558
Intracranial artery, arteriography in diagnosis of, *1952:* Dec., 1572
Intubation in intestinal obstruction, *1952:* April, 639
Intussuception, *1952:* Feb., 84, Oct., 1461
bleeding due to, *1952:* Oct., 1465
in aged patient, *1954:* June, 753, 758
Iodine, blood, protein-bound, determination in diffuse goiter, *1952:* Dec., 1626
in toxic goiter, preoperative, *1954:* Oct., 1361
radioactive, in diagnosis of intracranial tumors, *1952:* April, 499
in hyperthyroidism, *1952:* Feb., 158, Aug., 983
Iodopyracet in roentgenography of intracranial aneurysm, *1952:* Dec., 1573
Ionization measurement devices in radium therapy of cervical cancer, *1954:* Dec., 1677
Irradiation. See *Roentgen* and *Radium.*
Irritation arthritis test, topical, *1953:* Oct., 1418, 1419
Islet-cell tumors of pancreas, *1952:* Aug., **1079–1086**
Isodose determinations in radium therapy of cervical cancer, *1954:* Dec., 1674
Isotopes, radioactive, in diagnosis, of intracranial aneurysm, *1952:* Dec., 1577
of intracranial lesions, *1952:* Feb., 223, April, 499

JAUNDICE, hemolytic, congenital, splenectomy in, *1954:* Feb., 126
medical and surgical, differential diagnosis, *1952:* April, 606
postoperative, in biliary tract surgery, *1954:* Feb., 177
preoperative preparation in, *1954:* Oct., 1378
Jaws, carcinoma, *1952:* Aug., 1161
pain of, *1952:* June, 768
cyst, follicular, *1952:* Aug., 1165
hemorrhagic, *1952:* Aug., 1167
tumors, benign and malignant, *1952:* Aug., **1159–1175**
Jejunum, diverticulosis, clinical study of 87 cases, *1952:* Aug., **1185–1196**
leiomyoma, *1952:* Feb., 116; *1954:* Feb., 194

Jejunum, obstruction in, in infants and children, *1952:* Feb.,83
ulcer, management, *1952:* Feb., **35–45**
Joint, acromioclavicular, subluxations of, *1953;* Oct., 1354
aspiration in hematogenous osteomyelitis, *1953:* Dec., 1672
Judet prosthetic arthoplasty of hip, *1954:* June, 831

KELLER operation for hallux valgus, *1952:* June, 744
Keratosis in differential diagnosis of carcinoma of larynx, *1952:* Dec., 1639
Kidney, artificial, role in treatment of uremia, *1954:* April, **423–440**
calculi, in primary hyperparathyroidism, *1953:* June, 728
carcinoma, renal cell, apparently unilateral solitary pulmonary metastasis from, *1954:* June, **801–808**
clearance tests, *1952:* April, 617
disease, management of surgical patient in, *1954:* Oct., **1265–1270**
dysfunction, in relation to bone metabolism, *1953:* Dec., 1750
failure, acute, *1952:* April, 624
postoperative, *1954:* Oct., 1452
function, in surgery, *1952:* April, **617–627**
injuries, *1953:* Aug., **1171–1178**
associated injuries, *1953:* Oct., 1474
surgical, *1954:* Oct., 1435
tumors, treatment, *1952:* Feb., 313
Knee, buckling, *1952:* Dec., 1774
functional mechanism, *1952:* Dec., 1769
lesions, *1952:* Dec., 1769
diagnosis, *1952:* Dec., **1761–1776**
osteoarthritis, patellectomy for, results, *1953:* Dec., **1731–1736**
swelling following injury, *1952:* Dec., 1773
Kohler's disease, *1953:* Oct., 1379
Kraurosis vulvae, *1954:* Dec., 1630

LABIA, agglutination, *1954:* Dec., 1623
Labor, abnormal, conduct of, *1953:* Feb., **125–140**
active forces, anomalies of, *1954:* Dec., 1579
management, *1954:* Dec., 1580
prophylactic, *1954:* Dec., 1579
breech presentation in, *1953:* Feb., **77–85**
conduct of, in tuberculous patient, *1953:* Feb., 38
desultory, management, *1953:* Feb., 127
induction of, elective, *1954:* Dec., **1545–1550**
as cause of stillbirths, *1954:* Dec., 1501, 1508
management, *1954:* Dec., 1549
results, *1954:* Dec., 1550
Labor, induction of, selection of patients, *1954:* Dec., 1546
technique, *1954:* Dec., 1548
normal, previous, as criterion in elective induction of labor, *1954:* Dec., 1547
pain relief in, recent trends, *1953:* Feb., 41
passive forces, anomalies of, *1954:* Dec., 1584
management, *1954:* Dec., 1584
premature, anesthetic management, *1954:* Dec., 1555
prevention of injury, *1954:* Dec., 1593
prolonged, as cause of stillbirths, *1954:* Dec., 1499, 1505
regional anesthesia for, *1953:* Feb., **41–75**
second stage, management, *1954:* Dec., 1594
third stage, management, *1954:* Dec., 1594
Laboratory examinations in abdominal pain of female genital origin, *1952:* Dec., 1718
Laboratory procedures in diagnosis of bone neoplasms, *1952:* Dec., 1749
Laboratory tests in hematogenous osteomyelitis, *1953:* Dec., 1672
Laceration, cerebral, *1952:* Dec., 1586
of atrium, *1952:* Dec., 1833
of blood vessels, treatment, *1953:* Aug., 1153, 1158
of cervix, *1953:* Feb., 222
of cornea, *1953:* Aug., 1109
of nerves, *1953:* April, 600
Laparotrachelotomy, *1953:* Feb., 93, 116
Laryngectomy, anesthesia for, *1953:* June, 861
radical, for cancer, *1953:* April, 330, June, 807
Laryngocele, *1953:* June, 798
report of 2 cases and surgical treatment, *1952:* June, **945–954**
Laryngofissure for carcinoma of larynx, *1953:* June, 807
Laryngoscopy, anesthesia for, *1953:* June, 860
Larynx, carcinoma, biopsy in, *1952:* Dec., 1640
collaboration of irradiation and surgery in, *1954:* Oct., 1345
diagnosis, *1952:* Dec., **1637–1643**
over-all results and trends in treatment, *1953:* June, **805–812**
radical surgery for, *1953:* April, **329–350**
roentgen examination, *1952:* Dec., 1614
edema, after thyroid surgery, *1953:* June, 871
lesions, carcinomatous, *1952:* Dec., 1600
Leadbetter osteotomy, *1953:* Dec., 1721

Leg, postphlebitic, patient with, *1953:* Oct., **1229–1244**
ulcers, chronic, in aged, *1954;* June, **823–827**
Leiomyoma, of gastrointestinal tract, *1952:* Feb., **111–122**
of jejunum, *1954:* Feb., 194
of stomach, *1953:* April, 434, 435
Leiomyosarcoma of intestine, *1952:* Oct., 1525
Leishmaniasis, histopathology, *1952:* Aug., 1242
Leriche's syndrome, *1953:* Aug., 960
Lesions, intracranial, diagnostic aids, *1952:* Feb., 217
obstructive, gastrointestinal tract of infants and children, *1952:* Feb., **81–89**
Leukemia, lymphatic, neck glands in, *1953:* June, 709
radiation treatment, *1953:* June, 715
Leukoplakia of cervix, *1953:* Feb., 223
Leukorrhea in diagnosis of uterine cancer, *1952:* Dec., 1730
Leukotomy, frontal, value, *1952:* Feb., 228
transorbital, value, *1952:* Feb., 229
Lie, transverse, as cause of stillbirths, *1954:* Dec., 1500, 1507
management, *1954:* Dec., 1587
Ligament, cruciate, anterior, rupture of, *1952:* Dec., 1776
defects of, and recurrent dislocation of shoulder, *1953:* Dec., 1703
Ligation, arterial, prophylactic, in radical head and neck surgery, *1953:* April, 343
carotid, for intracranial aneurysm, *1953:* Aug., 1010; *1954:* Aug., 1066
of blood vessels, principles, *1952:* April, 531
of hepatic artery in portal cirrhosis, *1954:* Feb., 121
of inferior vena cava, indications and techniques, *1953:* Aug., **967–974**
of internal carotid artery, anesthesia for, *1953:* June, 862
of saphenous vein, *1952:* Feb., 290
of veins in thromboembolic disease, *1954:* Oct., 1280
Limb, bruised, surgical treatment, *1953:* Aug., 1154
Lip(s), injuries, *1953:* Aug., 1102
physical examination, *1952:* Dec., 1606
Lipase, serum, in biliary-pancreatic cancer, *1953:* April, 466
Lipoma, of duodenum, *1952;* June, 892
of mediastinum, *1952:* Dec., 1689; *1953:* April, 427, June, 841; *1954:* Aug., 972
of neck, *1953:* June, 793
of stomach, *1953:* April, 434; *1954:* Feb., 196
Liver, carcinoma, with pancreatic involvement, diagnosis, *1953:* April, **461–478**
circulation in, alterations in cirrhosis, *1952:* April, 363
in normal subject, *1952:* April, 361
cysts, hydatid, *1952:* June, **899–902**
extrahepatic circulation to, hemodynamics, *1952:* April, 609
injuries, in infant and child, *1953:* Aug., **1187–1191**
irreversible shock and, *1952:* April, 612
operations, pre- and postoperative management, *1954:* Oct., **1375–1390**
physiology of, surgical patient and, *1952:* April, **599–615**
Lobectomy, anesthesia for, *1954:* Aug., 1007
deep, for parotid tumor, technique, *1952:* Feb., 186
general principles, *1952:* April, **505–514**
Lobotomy, prefrontal, for intractable pain, *1952:* Feb., 229
in head, *1952:* June, 769
progress report of 64 patients, *1952:* June, **787–789**
value, *1952:* Feb., 228
Looser's syndrome, *1953:* Dec., 1753
Lorenz bifurcation osteotomy, *1953:* Dec., 1719
Lumbar puncture, in craniocerebral injuries, *1954:* Oct., 1352
in intracranial aneurysms, *1953:* Aug., 1005
in lumbar disk herniations, *1952:* Dec., 1780
Lung, abscess, removal, anesthesia for, *1954:* Aug., 1007
resection in, indications, *1952:* April, 509
carcinoma, biopsy, aspiration, *1952:* Dec., 1667
bone metastases in, *1954:* June, 861
bronchoscopy, *1952:* Dec., 1666
diagnosis, *1952:* Dec., **1657–1672;** *1954:* Aug., 916
inoperable, blood-borne metastasis, *1952:* Dec., 1670
extension to lymph nodes, *1952:* Dec., 1669
nerve paralysis, contiguous, *1952:* Dec., 1670
pleural metastasis, *1952:* Dec., 1669
tumor characteristics, *1952:* Dec., 1670
present challenge, *1954:* Aug., **911–930**
radical surgery for, *1953:* April, **401–414;** *1954:* Aug., 925
radiotherapy, *1954:* Aug., 926
resection in, indications, *1952:* April, 508

Lung, carcinoma, roentgenography, *1952:* Dec., 1658; *1954:* Aug., 919, 924
thoracotomy, exploratory, *1952:* Dec., 1668
complications, postoperative, prevention and treatment, *1954:* Oct., **1363–1373**
injuries, *1954:* Aug., 956
lymphatic drainage, *1953:* April, 402
resection, general principles, *1952:* April, **505–514**
in tuberculosis, *1954:* Aug., 940
tuberculosis. See *Tuberculosis, pulmonary.*
tumor, solitary, metastatic from renal cell carcinoma, *1954:* June, **801–808**
Lye burns, of esophagus, early management, *1954:* April, **343–351**
late treatment, *1954:* April, **353–361**
of eye, *1953:* Aug., 1107
Lymph nodes, cervical, enlargement, *1953:* June, **703–715**
hilar, growths in mediastinum, *1953:* April, 426
intrapulmonary, *1953:* April, 405
of parotid region, *1952:* Feb., 176
subcarinal, *1953:* April, 404
Lymph vessels of abdominal wall, *1952:* April, 565
Lymphadenitis, *1953:* Oct., 1273
mesenteric, *1952:* Oct., 1463
Lymphangioma, mediastinal, *1952:* Dec., 1690; *1953:* April, 420
Lymphangitis, *1953:* Oct., 1272
Lymphedema, leg- ulcers with, *1954:* June, 824
Lymphoblastoma of mediastinum, *1954:* Aug., 974
Lymphocytoma of neck, malignant, *1953:* June, 697
Lymphoma, of duodenum, malignant, *1952:* June, 893
of mediastinum, *1953:* June, 837
of neck, *1953:* June, 709
macrofollicular, *1953:* June, 695
of spinal cord, *1954:* Aug., 1114
Lymphosarcoma, of intestine, *1952:* Oct., 1525
of mediastinum, *1953:* April, 423
of neck, *1953:* June, 697
of spleen, *1953:* April, 493, 495
of stomach, *1952:* Feb., **117–133**
Lysol burns of esophagus, *1954:* April, 344

McMurray high oblique osteotomy, *1953:* Dec., 1721
McVay operation for inguinal hernia, *1952:* Feb., 152
McWhirter therapy in breast cancer, *1953:* April, 319
Magendie's foramen, atresia, treatment, *1954:* Aug., 1032
Magnesium carbonate in Paget's disease of bone, *1953:* Dec., 1756
Magnesium sulfate in toxemia of pregnancy, *1954:* Dec., 1558
Magnuson-Stack procedure in recurrent dislocation of shoulder, *1953:* Dec., 1707
Malaria, post-transfusion, *1954:* Feb., 283
Malformations, congenital, *1953:* Dec., **1623–1631**
advice regarding further reproduction, *1953:* Dec., 1631
birth order of defective child, *1953:* Dec., 1626
chief defect by body system, *1953:* Dec., 1625
defects in cutaneomusculoskeletal system, *1953:* Dec., 1625
duplication among brothers and sisters, *1953:* Dec., 1629
etiology, *1953:* Dec., 1630
frequency, *1953:* Dec., 1624
among brothers and sisters, *1953:* Dec., 1628
of reproduction and, *1953:* Dec., 1628
incidence, *1953:* Dec., 1624
maternal age and, *1953:* Dec., 1624
parental age differences and, *1953:* Dec., 1626
parental health and, *1953:* Dec., 1628
pregnancy and, *1953:* Dec., 1627
reproductive efficiency before and after conception, *1953:* Dec., 1627
sex ratio, *1953:* Dec., 1630
sites of, *1953:* Dec., 1624
Malignancy, metastatic to bone, patterns and their implications, *1954:* June, **859–863**
multiple, *1953:* Oct., 1398
Mallet finger, *1953:* Oct., 1306
Malunion in supracondylar fracture of humerus in children, *1952:* June, 760
Manipulation in frozen shoulder, *1953:* Dec., 1717
Marriage, early, versus late marriage in production of congenital defects, *1953:* Dec., 1625
Marsupialization of pilonidal cysts, *1952:* Aug., 1253
Masculinovoblastoma of ovary, *1953:* Feb., 285
Massage in postphlebitic syndrome, *1953:* Oct., 1241
Mastectomy, radical, in carcinoma of breast, *1953:* April, 321
Mastitis, plasma-cell, *1952:* Aug., 1241
Matas' aneurysmorrhaphy, *1952:* June, **955–960**
Matas' endo-aneurysmorrhaphy, *1953:* Aug., 948
Matson's anastomosis in postmeningitic hydrocephalus, *1952:* Feb., 227
Maxilla, injuries, *1953:* Aug., 1101

Meatotomy, ureteral, *1952:* Oct., 1380
Meckel's diverticulum. See under *Diverticulum.*
Median bar obstruction in children, *1952:* Oct., 1372
surgical treatment, *1952:* Oct., 1381
Median nerve, compression in carpal tunnel, syndrome of, *1954:* June, **853–857**
Mediastinum, aneurysm, *1952:* Dec., 1690
chondrosarcoma, *1952:* Dec., 1690
cysts, *1952:* Dec., 1686; *1954:* Aug., 965
pleuropericardial, *1953:* April, 424
fibromas, *1952:* Dec., 1690
flutter in open thoracic surgery, *1952:* April, 517
lesions treated surgically, *1952:* Dec., 1691
lipomas, *1952:* Dec., 1689
lymph nodes of, *1953:* April, 402
lymphangiomas, *1952:* Dec., 1690
myxomas, *1952:* Dec., 1690
tumors, *1954:* Aug., **959–978**
diagnosis, *1952:* Dec., **1673–1694**; *1954:* Aug., 961
and treatment, *1953:* April, **415–432**, June, **827–846**
lesions confused with, *1953:* June, 843
lymphatic lesions, *1952:* Dec., 1676
neurogenic, *1953:* June, 838
roentgenography, *1952:* Dec., 1674
surgical treatment, *1954:* Aug., 964
upper, lesions, diagnosis and treatment, *1953:* June, **827–846**
symposium on, *1953:* June, **619–931**
Medulloblastoma in child, *1952:* Oct., 1366
Megacolon, congenital, *1952:* Feb., 85
surgical treatment, *1952:* Aug., **1203–1216**
contrast of two methods, *1952:* June, **917–922**
Meig's syndrome, *1953:* Feb., 281
Melanoma, malignant, of skin, treatment, *1953:* April, **517–523**
of brain, metastatic, stroke-like syndrome in, *1954:* June, 648
Membrane(s), granuloma, role in acquired topical resistance, *1953:* Oct., 1430
granulomatous, resistance to topical irritation, *1953:* Oct., 1421
rupture of, in desultory labor, *1953:* Feb., 130
in elective induction of labor, *1954:* Dec., 1548
premature, as cause of stillbirths, *1954:* Dec., 1501
Meningioma, malignant, in child, *1952:* Oct., 1369
Meningiomia, of brain, experiences with, *1954:* Aug., **1037–1049**
of spinal cord, *1954:* Aug., 1114,1115, 1120
Meningitis in differential diagnosis of intracranial aneurysm, *1952:* Dec., 1579
Meningocele, *1952:* Oct., 1328, 1329, 1330
intrathoracic, *1953:* April, 430
plastic repair, *1952:* Oct., 1337
Meniscus, internal, tears of posterior segment, *1952:* Dec., 1774
Mental preparation of patient, for biliary tract operation, *1954:* Oct., 1376
for colonic and rectal surgery, *1954:* Oct., 1422
Meralgia paresthetica, *1953:* April, 600
Mercaptoimidazole in hyperthyroidism, *1952:* Feb., 156
Mesenteric embolism and thrombosis, *1954:* Feb., 49
Mesenteric thrombosis in aged, *1954:* June, 758
Metabolism, bone, *1953:* Dec., **1745–1757**
Metacarpals, finger, fractures, simple, *1953:* Oct., 1302
head, fracture of, *1953:* Oct., 1304
Metatarsalgia, *1953:* Oct., 1382
Metatarsus primus varus, *1952:* June, **733–745**
Metatarsus varus, *1953:* Oct., 1376
Methergine in labor, *1954:* Dec., 1595
Methionine in liver disease, *1952:* April, 604
Methopyranorin, *1952:* April, 378
Methyltestosterone in dysfunctional bleeding, *1953:* Feb., 190
Methylthiouracil in hyperthyroidism, *1952:* Feb., 156
Midpelvic arrest, management, *1953:* Feb., 135
Mikulicz resection in diverticulitis of colon, *1952:* Feb., 103
Milkman's syndrome, *1953:* Dec., 1753
Milliequivalent, definition, *1952:* April, 446
Mineral oil granuloma of lung, *1952:* Aug., 1240
Mitral valve, anatomic concepts, *1952:* Dec., 1807
insufficiency, classification, *1952:* Dec., 1836
diagnosis, *1952:* Dec., 1835
surgical correction, *1952:* Dec., 1837
physiologic concepts, *1952:* Dec., 1807
preoperative preparation for commissurotomy, *1952:* Dec., 1819
regurgitation, mitral valve surgery and, *1954:* Aug., 898
stenosis, classification, *1952:* Dec., 1814

Mitral valve, stenosis, surgery of, *1952:* Feb., 258, Dec., **1807–1844**
anesthesia in, *1952:* April, 663; *1954:* Aug., 882, 1015
hypothermia as adjunct, *1954:* Aug., 890
in older and poor risk patient, *1954:* June, **687–696**
influence on natural prognosis, *1954:* Aug., 900
results, *1954:* Aug., 893
technique, *1954:* Aug., 883
with and without surgery, *1954:* Aug., **875–902**
Minerals in bone formation and development, *1953:* Dec., 1747
Mitchell operation for hallux valgus, *1952:* June, 740
Mononucleosis, infectious, cervical lymph node enlargement in, *1953:* June, 707
Morcellation of uterus, intravaginal, *1953:* Feb., 203
Morphine, preanesthetic, in trauma, *1953:* Aug., 1210
in toxemia of pregnancy, *1954:* Dec., 1558
Morquio's disease. See *Chondro-osteodystrophy.*
Mortality, perinatal, responsibility of obstetrician in, *1953:* Feb., **141–152**
Mouth, carcinoma, pain of, *1952:* June, 768
present status, *1954:* June, **663–672**
surgery of, present trends, *1952:* Feb., 196
cysts, *1953:* June, 645
neurilemmoma, *1953:* June, 796, 797
palpation, bimanual, *1952:* Dec., 1608
Mucocele of appendix, *1954:* Feb., 189
Multiparity as criterion in elective induction of labor, *1954:* Dec., 1546
Muscle(s), biopsy in periarteritis nodosa, *1952:* Aug., **1225–1233**
defects of, and recurrent dislocation of shoulder, *1953:* Dec., 1704
of abdominal wall, surgical anatomy, *1952:* April, 549
Musculotendinous cuff. See *Rotator cuff.*
My-B-Den for postphlebitic ulcers, *1953:* Oct., 1237
Myelocele, *1952:* Oct., 1327, 1328, 1329
plastic repair, *1952:* Oct., 1337
results of surgery, *1952:* Oct., 1334
Myelography, in cervical disk herniations, *1952:* Dec., 1787
in lumbar disk herniations, *1952:* Dec., 1780
in ruptured intervertebral disks, *1954:* Aug., 1097, 1102, 1104, 1107
pantopaque, in low back and sciatic pain, indications and technique, *1952:* June, **695–703**
Myeloma, multiple, *1952:* Dec., 1755
of spinal cord, *1954:* Aug., 1114, 1122
Myelomeningocele, *1952:* Oct., 1327, 1329
plastic repair, *1952:* Oct., 1338
results of surgery, *1952:* Oct., 1334
Myocardial infarction in polycythemia vera, *1953:* Aug., 1026
Myositis ossificans in supracondylar fracture of humerus in children, *1952:* June, 759
Myxoma of mediastinum, *1952:* Dec., 1690
Myxoma peritonaei, *1954:* Feb., 190

NAIL, snail, *1953:* Oct., 1521
Nasal. See *Nose.*
Nasopharynx, roentgen examination in carcinoma, *1952:* Dec., 1614
Neck, arteriovenous aneurysms, cirsoid, *1953:* June, **717–721**
blood vessels, palpation, *1952:* Dec., 1613
boundaries, palpation, *1952:* Dec., 1610
carcinoma, radical surgery in, changing trends, *1953:* April, **329–350**
roentgen examination, value of, *1952:* Dec., 1613
surgical diagnosis, *1952:* Dec., **1599–1616**
cystic hygroma of, *1953:* June, **653–654**
cysts, dermoid, epidermal and sebaceous, *1953:* June, **645–651**
dissection, for carcinoma of thyroid, *1953:* June, **897–907**
hemangioma. See under *Hemangioma.*
glands, palpation, *1952:* Dec., 1612
lymphatic system, palpation, *1952:* Dec., 1610
lymph node enlargements, *1953:* June, **703–715**
lymphoma. See under *Lymphoma.*
muscle, palpation, *1952:* Dec., 1611
pain, differential diagnosis, *1952:* Dec., 1603
palpation, *1952:* Dec., 1610
bimanual, *1952:* Dec., 1608
physical examination, *1952:* Dec., 1604, 1609
skin and subcutaneous tissues, palpation, *1952:* Dec., 1610
surgery of, anesthesia for, *1953:* June, **847–855**
surgical lesions, symposium on, *1953:* June, **619–931**
teratomas, *1952:* Oct., **1389–1395**
tumors, lymphoid, *1953:* June, 709
primary malignant, *1953:* June, **695–701**
treatment, *1953:* June, 711
miscellaneous, *1953:* June, **793–804**
neurogenic, *1953:* June, 794
whip-lash injury, *1953:* Dec., 1580
Necrosis of fibroids, *1952:* Dec., 1711
Nembutal in premature labor, *1954:* Dec., 1556

Neomycin, in antiseptic preparation of bowel, *1954:* Oct., 1425
in surgical infections, *1952:* April, 392; *1954:* Oct., 1309
use, in surgery of aged, *1954:* June, 612
Neoplasms, adnexal, *1952:* Dec., 1723
of bone, roentgen diagnosis, *1952:* Dec., **1745–1759**. See also under *Bone*.
Nerve(s), facial, exposure and repair, technique, *1953:* June, **909–926**
injury, in surgery of parotid, *1952:* Feb., 179, 190; *1953:* June, 661
surgical anatomy, *1953:* June, 909
variable distribution, *1952:* Feb., 181
injury, in thyroid surgery, *1953:* June, 871
laryngeal, recurrent, identification, in thyroid surgery, *1953:* June, 770
paralysis of, surgical relief in, *1953:* June, **879–885**
preservation, in dissections for carcinoma of thyroid, *1953:* June, 789
median, compression in carpal tunnel, syndrome of, *1954:* June, **853–857**
palsy, tardy, *1953:* April, 600
of abdominal wall, *1952:* April, 555
paralysis, contiguous, in inoperable lung cancer, *1952:* Dec., 1670
in supracondylar fracture of humerus in children, *1952:* June, 759
peripheral, injuries, *1954:* Aug., **1147–1165**
tests in, *1953:* April, 601, 604
treatment, *1954:* Aug., **1150–1165**
current methods, *1953:* April, **593–606**
immediate, *1954:* Oct., 1461
tumors, *1954:* Aug., **1167–1172**
phrenic, cervical, operations on, *1953:* June, **927–931**
recurrent, thyroid gland and, relations, *1952:* Aug., 1127
repair in hand injuries, *1953:* Aug., 1087
structure of, *1954:* Aug., 1147
Wrisberg's, role in facial pain, *1954:* June, **847–851**
Nerve block, sympathetic, in postphlebitic syndrome, *1953:* Oct., 1241
Nervous system, sympathetic, surgery of, *1954:* Aug., **1173–1188**
Neuralgia, facial, atypical, *1952:* June, 766
trigeminal, *1952:* June, 765
Neurilemmoma, of mouth floor, *1953:* June, 796, 797
of stomach, *1953:* April, 434
Neurinoma of spinal cord, *1954:* Aug., 1115
Neuroblastoma of chest wall in children, *1952:* Oct., 1407
Neurofibroma, of chest wall in children, *1952:* Oct., 1405
of mediastinum, *1953:* June, 839; *1954:* Aug., 969
of neck, *1953:* June, 795
of peripheral nerves, *1954:* Aug., 1168, 1171, 1172
of spinal cord, *1954:* Aug., 1114, 1126
of stomach, *1953:* April, 434, 437
Neurofibromatosis of bone, *1952:* Dec., 1757
Neurological surgery, symposium on, *1954:* Aug., **1019–1188**
Neurology, diagnostic aids, *1952:* Feb., 217
Neuroma, interdigital, *1953:* Oct., 1387
Neuromusculotonic agents, ACTH and corticoids as, *1954:* Oct., 1213
Neurosurgery, diagnostic problems, *1952:* Dec., **1585–1597**
recent advances, *1952:* Feb., **217–232**
symposium on, *1952:* June, **695–816**
Neutropenia, splenic, primary, splenectomy in, *1954:* Feb., 133
Nitrogen balance, positive, attainment in surgical patient, *1954:* Oct., 1245
studies in pregnancy, *1954:* Dec., 1537
Nitrogen mustards in lymphoid tumors of neck, *1953:* June, 714
Norepinephrine in abdominal surgery, *1954:* Feb., 21
Nose, injuries, *1953:* Aug., 1101
Nosik's drainage in hydrocephalus, *1952:* Feb., 227
Nutrition, general, in burns, *1954:* Oct., 1318
in gastroduodenal surgery, *1954:* Oct., 1392
in intestinal obstruction, *1952:* April, 640
in surgical patient, *1952:* April, 601
in wound healing, *1952:* April, 432
Nutritional problems in surgery, *1954:* Oct., **1239–1248**

OBSTETRIC eduction in pregnancy, *1953:* Feb., 159
Obstetric examination in pregnancy, *1953:* Feb., 156
Obstetrician, responsibility, in perinatal mortality, *1953:* Feb., **141–152**
Obstetrics, and gynecology, symposium on, *1954:* Dec., **1493–1717**
modern, anesthesia in, *1954:* Dec., **1551–1560**. See also *Anesthesia in modern obstetrics*.
regional anesthesia in, present status, *1953:* Feb., **41–75**
surgical diagnostic problems, *1952:* Dec., **1709–1716**
symposium on, *1953:* Feb., **1–305**

Obturators in cleft palate defects, *1952:* Feb., 173
Odontoma of jaw, cystic, *1952:* Aug., 1165
solid, *1952:* Aug., 1171
Office proctology. See under *Proctology.*
Old age, pre- and postoperative care in, *1954:* Oct., **1473–1477**
surgical procedures in, symposium on, *1954:* June, **587–863**
Oophorectomy in carcinoma of breast, *1954:* Oct., 1330
Operative deliveries under saddle block anesthesia, *1953:* Feb., 48
Oral. See also *Mouth.*
cavity, carcinoma, *1952:* Dec., 1600
collaboration of surgery and irradiation in, *1954:* Oct., 1343
physical examination, *1952:* Dec., 1606
Orbit, bony, injuries, *1953:* Aug., 1113
Orchiectomy, for testicular tumors, *1952:* Aug., 1089
in carcinoma of prostate, *1954:* Oct., 1332
Orthodontic treatment in cleft palate defects, *1952:* Feb., 173
Orthopedic disorders, pull-out pin fixation in treatment of, *1953:* Dec., **1597–1610**
Orthopedic surgery, symposium on, *1952:* June, **695–816**; *1953:* Dec., **1543–1774**
Ortolani sign in hip dysplasia, *1953:* Dec., 1634
Os calcis, apophysitis, *1953:* Oct., 1381
Osteitis fibrosa cystica, *1953:* Dec., 1750
in primary hyperthyroidism, *1953:* June, 725
of jaw, *1952:* Aug., 1171
Osteoarthritis, of hip, in aged, treatment, *1954:* June, **829–837**
of knee, patellectomy for, results, *1953:* Dec., **1731–1736**
Osteochondritis, congenital anomalies and accessory bones in feet of 850 children, *1953:* Dec., **1643–1666**
of foot, *1953:* Dec., 1656
Osteochondritis dissecans, *1952:* June, **713–719**
Osteodystrophy, renal, hyperparathyroidism and, differentiation, *1952:* Aug., 1021
Osteoma, of jaw, *1952:* Aug., 1172
of neck, *1953:* June, 794
osteoid, roentgen diagnosis, *1952:* Dec., 1758
Osteomalacia, *1953:* Dec., 1752
hyperparathyroidism and, differentiation, *1952:* Aug., 1026
Osteomyelitis, hematogenous, clinical course, *1953:* Dec., 1676
diagnosis, differential, *1953:* Dec., 1669
in young children, *1953:* Dec., **1667–1679**
Osteomyelitis, hematogenous, symptomatology, *1953:* Dec., 1667
treatment, *1953:* Dec., 1671
low grade, chondrosarcoma of ilium simulating, *1953:* Dec., **1681–1691**
Osteoporosis, *1953:* Dec., 1753
hyperparathyroidism and, differentiation, *1952:* Aug., 1029
of spine in primary hyperparathyroidism, *1953:* June, 725, 727
Osteotomy, bifurcation, Lorenz, *1953:* Dec., 1719
geometric, high, Dickson, *1953:* Dec., 1722
Haas, *1953:* Dec., 1721
Leadbetter, *1953:* Dec., 1721
oblique, high, McMurray, *1953:* Dec., 1721
pelvic support, *1953:* Dec., **1719–1730**
mechanics, *1953:* Dec., 1723
operative technique, *1953:* Dec., 1726
Schanz, high, *1953:* Dec., 1721
subtrochanteric, low, Schanz, *1953:* Dec., 1719, 1720
Pauwels, *1953:* Dec., 1721
Ovalocytosis, splenectomy in, *1954:* Feb., 128
Ovary, Brenner tumor, *1953:* Feb., 290
carcinoma, *1953:* Feb., 283; *1954:* Dec., 1647
collaboration of irradiation and surgery in, *1954:* Oct., 1347
with independent carcinoma of breast, *1952:* Aug., **1093–1099**
cystadenocarcinoma, serous, prognosis, *1953:* April, 573
review of 127 cases, *1953:* April, **557–584**
surgical treatment, *1953:* April, 567
cystadenoma, *1953:* Feb., 281, 282
cysts, *1953:* Feb., 280, 281, 290
complicating pregnancy, *1952:* Dec., 1712
dermoid, *1953:* Feb., 283
necrosis of, *1952:* Dec., 1711
dysfunction, roentgen treatment, *1952:* Aug., **1101–1104**
dysgerminoma, *1953:* Feb., 290
examination, in elderly persons, *1954:* Dec., 1635
fibroma, *1953:* Feb., 281
lesions, diagnosis and removal, intravaginal, *1953:* Feb., 201
sarcoma, *1953:* Feb., 281
teratoma, *1953:* Feb., 284
tumors, *1953:* Feb., **279–293**
endocrine, *1953:* Feb., 285, **295–305**
hormone production by, *1953:* Feb., 302
malignancy of, *1953:* Feb., 303
feminizing, *1953:* Feb., 286, 297
masculinizing, *1953:* Feb., 285, 296
metastatic, *1953:* Feb., 290

Ovulation timing, *1953:* Feb., 173
determination in sterility, *1954:* Dec., 1714
Oxytetracycline. See *Terramycin.*

PACK, vascular, for postphlebitic syndrome, technique, *1953:* Oct., 1240
Paget's disease, of bone, *1953:* Dec., 1755
of breast, prognosis, *1954:* June, **773–783**
Pain, abdominal, acute, of female genital origin, *1952:* Dec., **1717–1727**
in obstetrical patients, *1952:* Dec., 1710
intractable, relief of, *1954:* Feb., **269–275**
as symptom of lung cancer, *1952:* Dec., 1665
cervicobrachial, *1952:* June, **705–712**
effect of ACTH on, *1952:* April, 355
facial, role of nerve of Wrisberg in, *1954:* June, **847–851**
head, and neck, as symptom of carcinoma, *1952:* Dec., 1602
differential diagnosis, *1952:* Dec., 1603
intractable, lobotomy for, *1952:* June, 769
neurosurgical aspects, *1952:* June, **763–770**
in biliary-pancreatic cancer, *1953:* April, 473
in diagnosis of uterine cancer, *1952:* Dec., 1730
in frozen shoulder, *1953:* Dec., 1715
intractable, prefrontal lobotomy for, *1952:* Feb., 229
progress report of 64 patients, *1952:* June, **787–789**
low back, pantopaque myelography in, *1952:* June, **695–703**
neurologic, *1952:* Dec., 1603
pathways, visceral, anatomy, *1954:* Feb., 271
psychogenic, *1952:* Dec., 1604
relief in labor, recent trends, *1953:* Feb., 41
sciatic, pantopaque myelography in, *1952:* June, **695–703**
Painful states, sympathectomy in, *1954:* Aug., 1185
Palate, adenocarcinoma, *1952:* Aug., 1164
carcinoma, present status, *1954:* June, **663–672**
cleft, surgical technique in, *1952:* Feb., 165, **171–174**
soft, roentgen examination in carcinoma, *1952:* Dec., 1614
Palmer test in anastomotic ulcer, *1952:* Feb., 38
Palsy. See also *Paralysis.*
ulnar, tardy, *1953:* April, 599
Pancreas, aberrant, of duodenum, *1952:* June, 877
of stomach wall, *1952:* June, **867–875**
annular, *1952:* June, 878
carcinoma, diagnosis, *1953:* April, **461–478**
cysts, *1952:* June, **851–856**
heterotopia, aberrant, *1954:* Feb., 188
tumors, islet-cell, *1952:* Aug., **1079–1086**
Pancreatic tissue, aberrant, in stomach, *1953:* April, 434
Pancreatitis, acute, in aged, *1954:* June, 748, 756
chronic and recurrent, after biliary tract surgery, *1954:* Feb., 180
carcinoma in relation to, *1953:* April, 463, 464
postoperative, in biliary tract surgery, *1954:* Oct., 1388
in gastroduodenal surgery, *1954:* Oct., 1400
Pancytopenia, splenic, splenectomy in, *1954:* Feb., 133
Pantopaque myelography in low back and sciatic pain, indications and technique, *1952:* June, **695–703**
Papanicolaou smear, in bleeding, abnormal, *1953:* Feb., 186
in diagnosis, of cervical cancer, *1953:* April, 544
of uterine cancer, *1952:* Dec., 1734
positive, significance of, *1954:* June, **785–790**
Papilloma, in differential diagnosis of carcinoma of larynx, *1952:* Dec., 1639
of bladder. See under *Bladder.*
Paraffin granuloma, *1952:* Aug., 1239
Paraffinoma, peritoneal, postoperative, *1952:* June, 905
Paralysis, infantile. See *Poliomyelitis.*
median, tardy, *1953:* April, 600
nerve, contiguous, in inoperable lung cancer, *1952:* Dec., 1670
in supracondylar fracture of humerus in children, *1952:* June, 759
recurrent laryngeal, surgical relief in, *1953:* June, **879–885**
ulnar, tardy, *1953:* April, 599
Paraplegics, care, recent advances, *1952:* Feb., 226
Parathormone in bone metabolism, *1953:* Dec., 1748
Parathyroid adenoma. See *Adenoma.*
Parathyroid glands, adenoma of, *1953:* June, **727–737**
anatomy, *1952:* Aug., 1122, 1131
surgical, *1952:* Aug., 1031
carcinoma, *1952:* Aug., 1037
pathologic diagnosis, *1952:* Aug., 1051
hyperactivity, pathologic diagnosis, *1952:* Aug., **1043–1052**

Parathyroid glands, hyperactivity, roentgen diagnosis, *1952:* Aug., **1017–1030**
surgical treatment, *1952:* Aug., **1031–1042**
hyperplasia, pathologic diagnosis, *1952:* Aug., 1047, 1049
primary or Wasserhelle, *1952:* Aug., 1036
palpation, *1952:* Dec., 1613
surgery, anesthesia for, *1952:* Aug., 1113
tumors, *1953:* June, 831
Parathyrotoxicosis, *1953:* Dec., 1750
Paratracheal cyst, *1954:* Aug., 971
Parenteral fluids, in gastrointestinal surgery, *1954:* Feb., **3–16**
in surgery, *1952:* April, 465
Parietes, thoracic, lesions, in infants and children, *1952:* Oct., **1397–1424**
Paritol, action and uses, *1952:* April, 374
Paronychia, *1953:* Oct., 1269
Parotid gland, palpation, *1952:* Dec., 1612
tumors, *1952:* Feb., **175–193**
mixed, *1953:* June, 655
radiation therapy, *1952:* Feb., 188, 192
Parotid region, anatomy, *1952:* Feb., 176, 179
Parotidectomy, radical, technique, *1952:* Feb., 187
simple, technique, *1952:* Feb., 183
total, technique, *1952:* Feb., 186
Patellectomy, complete, for osteoarthritis of knee, results, *1953:* Dec., **1731–1736**
technique, *1953:* Dec., 1733
Patient willingness as criterion in elective induction of labor, *1954:* Dec., 1547
Pauwels subtrochanteric osteotomy, *1953:* Dec., 1721
Pectus excavatum, *1952:* Oct., 1398
operation for, *1952:* Oct., 1400
Pediatric surgery, symposium on, *1952:* Oct., **1273–1424**
Pediatrics, pre- and postoperative care in, *1954:* Oct., **1463–1471**
Pedicle grafts. See *Skin grafts, pedicle.*
Pelvis, abscess, treatment, *1953:* Feb., 276
architecture, *1954:* Dec., 1573
carcinoma, clinical history, *1954:* Dec., 1641
cytologic studies, *1954:* Dec., 1643
evaluation as guide to treatment, *1954:* Dec., 1649
evaluation of patient with, *1954:* Dec., **1639–1652**
purpose and principles, *1954:* Dec., 1639
examination, *1954:* Dec., 1641
histologic studies, *1954:* Dec., 1643
Pelvis, carcinoma, intensive detection program, value, *1953:* April, **525–539**
plan of evaluation, *1954:* Dec., 1640
specific problems, *1954:* Dec., 1643
disporportion, lack of, as criterion in elective induction of labor, *1954:* Dec., 1547
examination, bimanual, in uterine cancer, *1952:* Dec., 1733
in aged persons, *1954:* Dec., 1629
in children and virgins, *1952:* Dec., 1734
in pain of female genital origin, *1952:* Dec., 1718
in pregnancy, *1952:* Dec., 1734
exenteration, for bladder cancer, *1953:* April, 510, 513
for cervical cancer, *1953:* Feb., 263, April, **585–592**
in carcinoma of rectum, *1952:* Oct., 1495
findings, as criterion in elective induction of labor, *1954:* Dec., 1547
inflammatory disease, *1953:* Feb., **269–277**
inlet, contraction criteria, *1954:* Dec., 1567
inlet dystocia, management, *1954:* Dec., 1584
midplane, contraction criteria, *1954:* Dec., 1572
outlet, contraction criteria, *1954:* Dec., 1573
pneumography in sterility, *1953:* Feb., 180
relaxation, test of, in uterine cancer, *1952:* Dec., 1733
types, correlation with clinical and x-ray findings, table, *1954:* Dec., 1563
variations, *1953:* Feb., 131, 132
Penicillin, in abortion, *1952:* Dec., 1724
in bites, human, *1953:* Oct., 1271
in carbuncles, *1953:* Oct., 1275
in cellulitis, *1953:* Oct., 1272
in furuncles, *1953:* Oct., 1275
in intraperitoneal rupture of tubo-ovarian abscess, *1952:* Dec., 1722
in lymphangitis, *1953:* Oct., 1272
in osteomyelitis, hematogenous, *1953:* Dec., 1672
in pelvic inflammatory disease, *1953:* Feb., 275
in salpingo-oophoritis, *1952:* Dec., 1722
in surgical infections, *1952:* April, 389; *1954:* Oct., 1306
in urinary infections, *1952:* Feb., 312
in wounds of hand, prophylactic, *1953:* Oct., 1293
prophylactic use, in surgery of aged, *1954:* June, 611, Oct., 1476
sensitivity reactions, *1954:* June, 615

Penis, carcinoma, collaboration of irradiation and surgery in, *1954:* Oct., 1345
Pentothal sodium anesthesia, *1952:* Feb., 327
in abdominal surgery, *1954:* Feb., 18
Peptic ulcer, acute massive hemorrhage in, *1954:* June, **701–710**
bleeding, *1954:* Feb., 81, 89
preoperative management, *1954:* Oct., 1394
chronic, surgical pathology, *1954:* April, 474
gastrectomy for, *1952:* April, 579. See also *Gastrectomy.*
subtotal, management of difficult stump, *1954:* April, **473–493**
gastroenterostomy for, *1952:* April, 577
mechanism of production, *1952:* April, 576
perforated, *1954:* Feb., 39, 83, 88
closure, postoperative care, *1954:* Oct., 1399
preoperative management, *1954:* Oct., 1395
closure, postoperative care, *1954:* Oct., 1399
in aged, *1954:* June, 748, 755
preoperative management, *1954:* Oct., 1395
recurrent, management, *1952:* Feb., **35–45**
subtotal gastrectomy for, management of difficult duodenal stump, *1954:* April, **473–493**
removal of ulcer in, *1952:* June, **817–827**
surgical treatment, *1954:* Feb., **87–94**
history of development, *1954:* Feb., **63–75**
indications, *1954:* Feb., **77–85**, 88
rationale and general principles, *1952:* April, 575
vagotomy for, *1952:* Feb., **29–34**, April, 580
phrenic nerve interruption with, *1952:* Feb., 49
Perianal abscess, *1953:* Oct., 1400
Periarteritis nodosa, diagnosis, muscle biopsy in, *1952:* Aug., **1225–1233**
Pericardium, foreign bodies in, *1954:* Aug., 958
injuries, *1954:* Aug., 957
Pericholecystic abscess, *1954:* Feb., 163
Perinatal mortality, from cesarean section, *1953:* Feb., 122
responsibility of obstetrician in, *1953:* Feb., **141–152**
Perineum, anal, trauma to, *1953:* Aug., 1202
wound, care of, *1953:* Oct., 1403
Peritendinitis, trochanteric, noninfectious, *1952:* Aug., **1217–1224**
Peritendinitis calcarea, *1952:* Aug., 1220
Peritoneum, adhesions, postoperative, prevention, *1952:* June, **903–908**
aspiration, in intestinal obstruction, *1952:* April, 635
surgical anatomy, *1952:* April, 565
Peritonitis, ACTH, cortisone and hydrocortisone in, *1954:* Oct., 1212
biliary, postoperative, *1954:* Feb., 174
Peritracheobronchial lymph nodes, *1953:* April, 403
Pes cavus, *1953:* Oct., 1383
Pfannenstiel classification of tumors of ovary, *1953:* Feb., 279
Phalanges, fractures, *1953:* Oct., 1305
Pharyngo-esophageal diverticula, *1953:* June, **813–826**
Pharynx, carcinoma, radical surgery for, *1953:* April, **329–350**
diverticulum, symptoms, *1952:* Dec., 1649
lesions, carcinomatous, *1952:* Dec., 1600
Phenolsulfonphthalein test in urinary tract obstruction in children, *1952:* Oct., 1377
Phenylindanedione, action and uses, *1952:* April, 378
Pheochromocytoma, diagnosis, *1952:* Aug., 1066
from laboratory standpoint, *1952:* Aug., **1065–1077**
surgical treatment, anesthesia for, *1952:* Aug., 1111
Phlebothrombosis, *1952:* Feb., 280; *1953:* Aug., 995
of lower extremities, vena cava ligation in, *1953:* Aug., 967
Phosphatase, alkaline, in bone metabolism, *1953:* Dec., 1749
Phosphorus, radioactive, in diagnosis of intracranial tumors, *1952:* April, 499
utilization, by living organisms, *1953:* Dec., 1747
Phosphorylase in bone metabolism, *1953:* Dec., 1749
Phrenic paralysis in tuberculosis, *1954:* Aug., 935
Phrenicectomy, cervical, *1953:* June, 929
Phrenicovagal interruption in peptic ulcer, *1952:* Feb., 49
Physical examination, in abdominal pain of female genital origin, *1952:* Dec., 1718
in neoplasms of bone, *1952:* Dec., 1747
of head and neck, *1952:* Dec., 1604
Physician, responsibility for prevention of stillbirths, *1954:* Dec., 1498
Physiology, hepatic, surgical patient and, *1952:* April, **599–615**

Pigeon breast, *1952:* Oct., 1398
Pilonidal infections, *1952:* Aug., **1247–1259**; *1953:* Oct., 1277
Pin fixation, internal, uses, *1953:* Dec., 1599
technique, *1953:* Dec., 1599
Pitocin, intravenous, in elective induction of labor, *1954:* Dec., 1548
Pituitary gland, anatomy, *1952:* Aug., **1115–1121**
anomalies, *1952:* Aug., 1121
surgery, in aged, *1954:* June, **635–641**
tumors, diagnosis and surgical treatment, *1952:* Aug., **1005–1016**
surgery in, anesthesia for, *1952:* Aug., 1113
Pituitrin in desultory labor, *1953:* Feb., 129
Placenta, accidents, late, *1952:* Dec., 1725
infarction, *1952:* Dec., 1726
separation of, accidental. See *Abruptio placentae.*
premature, *1952:* Dec., 1725
hemorrhage in late pregnancy due to, *1953:* Feb., 19
x-ray visualization, *1953:* Oct., **1457–1472**
technical considerations, *1953:* Oct., 1462
Placenta previa, *1954:* Dec., 1523
as cause of stillbirths, *1954:* Dec., 1501
cesarean section in, *1953:* Feb., 107
diagnosis, *1954:* Dec., 1525
etiology, *1954:* Dec., 1524
hemorrhage in late pregnancy due to, *1953:* Feb., 19
incidence, *1954:* Dec., 1524
maternal mortality, table, *1954:* Dec., 1526
prognosis, *1954:* Dec., 1526
symptoms, *1954:* Dec., 1525
treatment, *1954:* Dec., 1527
types, *1954:* Dec., 1524
Placenta previa cesaria, *1953:* Feb., 25
Plasma, expanders, in shock, *1953:* Aug., 1146
uses, *1954:* Oct., 1225
fractions, uses, *1954:* Oct., 1225
protein concentration, changes in, during pregnancy, *1954:* Dec., 1538
therapy, in shock, *1953:* Aug., 1145
uses, *1954:* Oct., 1224
Plasma-cell mastitis, *1952:* Aug., 1241
Plastic repair of congenital defects associated with spina bifida and cranium bifidum, *1952:* Oct., **1327–1345**
Platybasia, *1953:* June, **847–855**
Plexotomy, choroid, for nonobstructive hydrocephalus, *1952:* Oct., 1354
Plexus traction injuries, *1953:* April, 594
Pneumoencephalography in diagnosis of intracranial aneurysm, *1952:* Dec., 1577
Pneumography, pelvic, in sterility, *1953:* Feb., 180
Pneumonectomy, anesthesia for, *1954:* Aug., 1007
for carcinoma of lung, technique and end results, *1953:* April, **401–414**
general principles, *1952:* April, **505–514**
Pneumonia, chronic nonsuppurative, localized, resection in, indications, *1952:* April, 509
Pneumonolysis, phrenic, in tuberculosis, *1954:* Aug., 935
supraperiosteal, in tuberculosis, *1954:* Aug., 936
Pneumoperitoneum, artificial, in tuberculosis, *1954:* Aug., 935
Pneumothorax, artificial, in tuberculosis, *1954:* Aug., 935
tension, in chest injuries, *1954:* Aug., 954
Pneumoventriculography in diagnosis of intracranial aneurysm, *1952:* Dec., 1577
Poliomyelitis in differential diagnosis of hematogenous osteomyelitis, *1953:* Dec., 1670
Polyadenomes en nappe or polypeux, *1952:* Oct., 1512
Polycythemia vera, cerebral thrombosis in, *1953:* Aug., 1025
hepatic vein thrombosis in, *1953:* Aug., 1026
vascular complications, *1953:* Aug., **1023–1028**
Polymixin in surgical infections, *1952:* April, 392
Polymyxin B, in surgical infections, *1954:* Oct., 1309
use, in surgery of aged, *1954:* June, 614
Polyp(s), adenomatous, *1952:* Dec., 1799; *1953:* Oct., 1404
management *1952:* Dec., 1801
inflammatory *1952:* Dec., 1800
of stomach, *1954:* Feb., 193
Polyposis, adenomatous, of colon, total colectomy for, one-stage, *1954:* April, **509–522**
diffuse, true, *1952:* Dec., 1800
familial, *1952:* Dec., 1800, 1804
gastric, *1952:* June, **857–865**
multiple, *1952:* Dec., 1804
Polyvinylpyrrolidone (PVP) as plasma expander, *1954:* 1227
in shock, *1953:* Aug., 1147
Pontocaine, in cesarean section, *1954:* Dec., 1558
in premature labor, *1954:* Dec., 1557
Pontocaine hydrochloride in physical examination of head and neck, *1952:* Dec., 1605

Poor risk patients, anesthesia in, *1954:* Oct., **1249–1263**
surgical procedures on, symposium on, *1954:* June, **587–863**
Porro cesarean section, *1953:* Feb., 96
Portacaval shunt in portal hypertension, *1952:* April, 366, 367; *1953:* Aug., 982; *1954:* Feb., 119
Portal hypertension, surgery in, physiological basis, *1954:* Feb., **113–122**
Portwine stain of neck, *1953:* June, 801
Postcholecystectomy syndrome, *1954:* Feb., 148
Postgastrectomy syndrome, esophagoduodenostomy and, *1954:* April, **457–471**
Postoperative management, of elderly patient, *1954:* June, 625, Oct., **1473–1477**
of infants and children, Oct., **1463–1471**
symposium on, *1954:* Oct., **1199–1477**
Postphlebitic leg, patient with, *1953:* Oct., **1229–1244**
Postphlebitic syndrome, *1953:* Oct., 1239
massage in, *1953:* Oct., 1241
nerve block in, *1953:* Oct., 1241
sympathectomy, surgical, *1953:* Oct., 1241
treatment, *1953:* Aug., **1029–1038**
conservative, *1953:* Oct., 1240
vascular pack for, technique, *1953:* Oct., 1240
vein resection, *1953:* Oct., 1242
Postphlebitic ulcers, *1953:* Oct., 1235; *1954:* June, 824
excision, *1953:* Oct., 1238
sympathetic interruption, *1953:* Oct., 1239
treatment, presurgical, *1953:* Oct., 1237
Post-thrombotic syndrome, pathogenesis and early and late treatment, *1953:* Oct., **1229–1244**
Potassium, deficits, *1952:* Feb., 7, 24, April, 464
in gastrointestinal surgery, *1954:* Feb., 7, 15
metabolism, *1952:* Feb., 6
requirements, of elderly patients, *1954:* June, 590
Potassium chloride in cardiac arrest, *1954:* Oct., 1295
Potassium permanganate, in postphlebitic syndrome, *1953:* Oct., 1240
in postphlebitic ulcers, *1953:* Oct., 1237
Potts-Smith operation for tetralogy of Fallot, *1952:* Feb., 256
Pouch, granuloma, resistance to aggression and injury, *1953:* Oct., 1425
Pregnancy, abdominal masses complicating, *1952:* Dec., 1712
abdominal pain of genital origin in, *1952:* Dec., 1724
appendicitis in, diagnosis, *1952:* Dec., 1710
blood clotting complications in, *1954:* Dec., 1602
breech presentation in, *1953:* Feb., **77–85**
carcinoma of breast and, *1953:* April, 315
care in, comprehensive, *1953:* Feb., **153–169**
diet in, *1953:* Feb., 157
duration of, as criterion in elective induction of labor, *1954:* Dec., 1546
in congenital malformations, *1953:* Dec., 1627
ectopic, bleeding, *1954:* Feb., 50
diagnosis, colpotomy incision for, *1953:* Feb., 198
examination during, *1953:* Feb., 155, 156
examination preceding, *1953:* Feb., 154
exercises in, *1953:* Feb., 164
extrauterine, *1952:* Dec., 1724
fetal or genetic injury by x-ray study, *1953:* Oct., 1466
hemorrhage of, accidental. See *Abruptio placentae.*
hypertension and, *1953:* Feb., **27–33**
instructions to patient, *1953:* Feb., 157
intervals between, in congenital malformations, *1953:* Dec., 1627
late stage, hemorrhage in, *1953:* Feb., **17–26**
pyelitis in, diagnosis, *1952:* Dec., 1710
serous cystadenocarcinoma of ovary and, *1953:* April, 580
termination of, in hypertensive disease in pregnancy, *1953:* Feb., 33
toxemia of, anesthetic management, *1954:* Dec., 1557
as cause of stillbirths, *1954:* Dec., 1506
cesarean section in, *1953:* Feb., 106
tuberculosis and, *1953:* Feb., **35–40**
twin, regional anesthesia for delivery, *1953:* Feb., 56
uterine rupture in, *1954:* Dec., **1513–1522**. See also *Uterus, rupture of.*
varicose veins in, *1953:* Oct., 1258
weight changes during, relationship to body composition, *1954:* Dec., **1535–1544**
Pregnanediol determinations in threatened abortion, *1953:* Feb., 7, 11
Premarin in osteoporosis, *1953:* Dec., 1754
Prenatal care, comprehensive, *1953:* Feb., **153–169**

Preoperative and postoperative care, symposium on, *1954:* Oct., **1199–1477**
Preoperative preparation, in thyroid disease, *1954:* Oct., **1359–1362**
of elderly patient, *1954:* June, 620, 622, Oct., **1473–1477**
of infants and children, *1954:* Oct., **1463–1471**
Prepregnancy examination, *1953:* Feb., 154
Preputial orifice, contracture, in children, *1952:* Oct., 1372, 1380
Pressure dressings, in burns, *1952:* Feb., 336; *1954:* Oct., 1315
in Dupuytren's contracture, *1952:* Feb., 238
Procaine, in cardiac arrest, *1954:* Oct., 1295
in toxemia of pregnancy, *1954:* Dec., 1558
Procaine amide in cardiac arrest, *1954:* Oct., 1295
Procidentia, rectal, *1953:* Oct., 1406
Proctitis, peroxide, *1953:* Aug., 1201
radiation, *1953:* Aug., 1201
Proctology, office, biopsy in, *1953:* Oct., 1399
diagnosis in, *1953:* Oct., 1393
in premalignant and malignant disease, *1953:* Oct., 1395
limitations in, *1953:* Oct., **1393–1408**
treatment in, *1953:* Oct., 1399
Proctosigmoidectomy, abdominoperineal, for ulcerative colitis, *1954:* Feb., 206
Progesterone in threatened abortion, *1953:* Feb., 13
Prolapse, of cord, management, *1953:* Feb., 79
of gastric mucosa, *1954:* April, **495–508**
of pelvic organs, vaginal repair, *1953:* Feb., 204
of rectum, *1953:* Oct., 1406
Propylthiouracil, in hyperthyroidism, *1952:* Feb., 156, 158
preoperative, *1953:* June, 758; *1954:* Oct., 1360, 1361
Prostate, carcinoma, bone metastases in, *1954:* June, 860
hormones and castration in, *1954:* Oct., 1332
metastatic, management, *1954:* June, **815–821**
treatment, *1952:* Feb., 303
diseases, management, *1952:* Feb., **299–309**
obstruction, treatment, *1952:* Feb., 299
Prostatectomy, evaluation of methods, *1954:* Dec., **1719–1728**
in aged and poor risk patient, *1954:* June, **801–808**
perineal, *1954:* Dec., 1724
retropubic, *1954:* Dec., 1722
Prostatectomy, suprapubic, *1954:* Dec., 1720
technical considerations, *1952:* Feb., 299
transurethral, *1954:* Dec., 1725
Prostatitis, granulomatous, *1952:* Aug., 1241
Prostheses, blood vessel, *1952:* April, 538
Protein, concentration, plasma, changes in, during pregnancy, *1954:* Dec., 1538
dietary, in liver dysfunction, *1952:* April, 602
in wound healing, *1952:* April, 433
parenteral, in liver disease, *1952:* April, 603
role in nutrition, *1954:* Oct., 1239
Protein-bound blood iodine determination in diffuse goiter, *1952:* Dec., 1626
Pseudopolyposis, *1952:* Dec., 1800, 1805
of stomach, *1954:* Feb., 193
Psyche, effect of ACTH on, *1952:* April, 355
Psychosurgery, recent advances, *1952:* Feb., 228
Puberty, precocious, *1954:* Dec., 1620
Puerperium, management, in tuberculous patient, *1953:* Feb., 39
Pull-out pin fixation in treatment of fractures and orthopedic disorders, *1953:* Dec., **1597–1610**
Pulmonary. See also *Lung.*
artery and aorta, transposition of, congenital, *1952:* Oct., 1292
disease, fibrous and arteriosclerotic, as contraindication to mitral commissurotomy, *1952:* Dec., 1818
embolism, *1954:* Oct., **1271–1287**
roots, lymph nodes of, *1953:* April, 405
stenosis, diagnostic features, isolated, *1952:* Oct., 1288
surgical treatment and results, *1952:* Oct., 1290, 1291
with intact interventricular septum, *1952:* Oct., 1286
repair, anesthesia for, *1954:* Aug., 1017
surgical treatment, *1952:* Feb., 257
anesthesia in, *1952:* April, 662
with patent foramen ovale, surgical treatment, present status, *1954:* Aug., 907
Pulp space infection, *1953:* Oct., 1269
Punctures, nerve, *1953:* April, 600
Purpura, thrombocytopenic, idiopathic, cortisone in, *1954:* Feb., 130
splenectomy for, ACTH, cortisone and hydrocortisone with, *1954:* Oct., 1210
Pyelitis in pregnancy, diagnosis, *1952:* Dec., 1710

Pyelography, retrograde, in urological trauma, *1953:* Oct., 1492
Pyelonephritis, diagnosis, *1952:* Dec., 1703
Pyloric stenosis, hypertrophic, congenital, *1952:* Feb., 81
Pyrogenic reactions to blood transfusions, *1954:* Feb., 278

QUADRANT cervical biopsy, *1954:* Dec., **1653–1656**
Quadriceps, insufficiency, *1952:* Dec., 1770, 1775
Quervain's disease, *1953:* Oct., 1326, 1332
Quick's formula of clot formation, *1953:* Oct., 1231

RACHISCHISIS, *1952:* Oct., 1329
Radiation, distribution in cervical cancer, *1954:* Dec., 1673
in cervical cancer, dosage distribution and control, *1954:* Dec., 1674
proctitis, *1953:* Aug., 1201
Radioiodine, localization in diffuse goiter, *1952:* Dec., 1626
plasma albumin test of blood volume, *1952:* Dec., 1792
Radiophosphorus erythrocyte test of blood volume, *1952:* Dec., 1792
Radium treatment, of carcinoma, of bladder, *1953:* April, 505
of cervix, *1953:* Feb., 188, 262; *1954:* April, 304, 310, 312, 315
advances in control of, *1954:* Dec., **1671–1684**
tissue dosage, *1954:* Dec., 1678
of endometrium, *1954:* Dec., 1689
status, *1954:* June, 791
of uterine body, *1953:* Feb., 248, 265
of dysfunctional bleeding, *1953:* Feb., 191
surgery and, collaborative role in cancer, *1954:* Oct., **1337–1348**
Radius, carpal extremity, fracture, surgical pitfall, *1952:* June, 727
Raynaud's disease, sympathectomy in, *1954:* Aug., 1184
Rectosigmoid, adenomas, surgical management, *1954:* April, **561–565**
carcinoma, choice of operation, *1954:* Feb., 227
one-stage segmental resection with end-to-end anastomosis, *1953:* April, **453–460**
surgical treatment, *1952:* Oct., **1485–1497**
Rectum, adenoma, *1952:* Oct., 1512
surgical management, *1954:* April, **561–565**
carcinoids, *1954:* Feb., 187
carcinoma, *1952:* Oct., 1514; *1953:* April, **443–451**
abdominoperineal resection for, *1952:* Oct., 1487
Rectum, carcinoma, choice of operation, *1954:* Feb., 229
in elderly patients, *1954:* June, **721–727**
metastasis in, *1952:* Oct., 1517
operative procedures, *1953:* April, 448
polyps and, *1953:* April, 443
surgical treatment, *1952:* Oct., **1485–1497**
present trends, *1952:* Feb., 200
with preservation of sphincters, *1954:* Feb., **231–240**
examination, in urological trauma, *1953:* Oct., 1485
in uterine cancer, *1952:* Dec., 1733
foreign bodies in, *1953:* Aug., 1193
gunshot wounds, *1953:* Aug., 1196
injuries, chemical, *1953:* Aug., 1200
medical, *1953:* Aug., 1198
surgical, *1953:* Aug., 1201
treatment, *1953:* Aug., **1193–1206**
polyps, *1952:* June, **923–935**
removal in prophylaxis of cancer, *1953:* April, 443
symptomatology, *1952:* Dec., 1800
treatment, *1952:* June, 928, Dec., **1799–1806**
procidentia, *1953:* Oct., 1406
prolapse of, *1953:* Oct., 1406
stricture of, inflammatory, *1953:* Oct., 1406
surgery of, pre- and postoperative management, *1954:* Oct., 1419
Reflexes during anesthesia, *1952:* April, 652
Repletion therapy in small bowel obstruction, *1952:* Oct., 1452
Reproduction, frequency of, in congenital malformations, *1953:* Dec., 1628
Resection, abdominoperineal, for carcinoma of rectum, *1952:* Oct., 1487
with preservation of anal function in congenital megacolon, *1952:* June, 920, 921
segmental, of carcinoma of bladder, *1953:* April, 506
transurethral, in urinary tract obstruction in children, *1952:* Oct., 1381
Resistance, topical, acquired, due to changes at site of irritation, *1953:* Oct., 1425
effect of antiphlogistic corticoids, *1953:* Oct., 1440
effect of previous topical aggression, *1953:* Oct., 1440
role of fluid exudate in, *1953:* Oct., 1430
role of granuloma membrane in, *1953:* Oct., 1430
Respiratory obstruction after thyroid surgery, *1953:* June, 870
Respiratory system, palpation, *1952:* Dec., 1613

Reticulum cell sarcoma of bone, *1952:* Dec., 1753
Rheumatic fever, as contraindication to mitral commissurotomy, *1952:* Dec., 1816
in differential diagnosis of hematogenous osteomyelitis, *1953:* Dec., 1670
Rheumatic heart disease, poor risk in, *1954:* June, 599
Rhizotomy for visceral pain, *1954:* Feb., 274
Ribs, absence of, *1952:* Oct., 1398
cervical, *1952:* June, 705
fractures, *1953:* Aug., 1069; *1954:* Aug., 953
Rickets, low-phosphorus, *1953:* Dec., 1752
Riedel's struma, *1952:* Dec., 1633
Rib biopsy in diagnosis of uterine cancer, *1952:* Dec., 1736
Roentgen diagnosis, of anastomotic ulcer, *1952:* Feb., 36
of benign tumors of stomach, *1953:* April, 436
of carcinoma of lung, *1954:* Aug., 919
mass chest surveys in, *1954:* Aug., 924
of carcinoma of stomach, *1952:* April, 592, Oct., 1428
of hyperparathyroidism, *1952:* Aug., **1017–1030**
of intestinal obstruction, *1952:* April, 634, Oct., 1449; *1954:* Oct., 1412
of intracranial aneurysms, *1953:* Aug., 1006
of kidney injuries, *1953:* Aug., 1174
of neoplasms of bone, *1952:* Dec., **1745–1759**
of nonpenetrating injuries of abdomen, *1953:* Aug., 1182
of pituitary tumors, *1952:* Aug., 1008
of ruptured intervertebral disks, *1954:* Aug., 1097, 1102, 1104, 1106
of tumors of mediastinum, *1954:* Aug., 961
of urinary tract obstruction in children, *1952:* Oct., 1378
Roentgen examination, diagnostic, of acetabulum, *1953:* Dec., **1565–1569**
in cervical spine injuries, *1953:* Dec., 1572
in craniocerebral injuries, *1954:* Oct., 1352
in differential diagnosis of genitourinary conditions, *1952:* Dec., 1697
in hematogenous osteomyelitis, *1953:* Dec., 1673
of abdomen in urological trauma, *1953:* Oct., 1485
Roentgen examination, of colon, double contrast technique, *1952:* Oct., **1531–1537**
of placenta. See under *Placenta.*
of seriously injured patient, *1952:* April, 672
value in diagnosis of cancer of head and neck, *1952:* Dec., 1613
Roentgen study of function after modified Hofmeister resection, *1952:* June, **829–835**
Roentgenography, contrast, of intracranial aneurysm, *1952:* Dec., 1572
in diagnosis of mediastinal tumors, *1952:* Dec., 1674
in lung cancer, *1952:* Dec., 1658
in radium therapy of cervical cancer, *1954:* Dec., 1675
Roentgen treatment, of carcinoma, of bladder, *1953:* April, 505
of breast, *1953:* April, 318
of cervix, *1953:* Feb., 262
diagnosed after total hysterectomy, *1953:* April, 553
preoperative, *1953:* April, 590
of endometrium, status, *1954:* June, 791
of lung, *1954:* Aug., 926
of uterus, *1953:* Feb., 248
of intraoral cancer, *1954:* June, 671
of lymphatic leukemia, *1953:* June, 715
of lymphoid tumors of neck, *1953:* June, 712
of ovarian dysfunction, *1952:* Aug., **1101–1104**
of parotid tumors, *1952:* Feb., 189, 192
of serous cystadenocarcinoma of ovary, *1953:* April, 576
of tuberculous adenitis of neck, *1953:* June, 710
of tumors of carotid body, *1953:* June, 680
surgery and, collaborative role in cancer, *1954:* Oct., **1337–1348**
Root-end dental cysts, *1952:* Aug., 1164
Rotator cuff, ruptures of, *1953:* Oct., 1360
treatment, *1953:* Oct., 1361
Rupture, intraperitoneal, of tubo-ovarian abscess, *1952:* Dec., 1722
of anterior cruciate ligament, *1952:* Dec., 1776
of blood vessels, traumatic, treatment, *1953:* Aug., 1159
of corpus luteum, *1952:* Dec., 1720
of diaphragm, *1954:* Aug., 957
of intervertebral disks. See *Intervertebral disks.*
of rotator cuff. See under *Rotator cuff.*
of uterus. See under *Uterus.*

SADDLE block anesthesia. See under *Anesthesia.*

Safeguards in surgical diagnosis, symposium on, *1952:* Dec., **1563–1797**
Salivary glands, palpation, *1952:* Dec., 1612
tumors of, mixed, *1953:* June, **655–669**
recurrence and facial nerve injury, *1953:* June, 661
Salpingo-oophoritis, acute, *1952:* Dec., 1721
Salt restriction in liver disease, *1952:* April, 604
Sampson's tumor, *1953:* Feb., 290
Saphenous systems of lower extremity, *1952:* June, 964
Sarcoid of mediastinum, *1953:* June, 837
Sarcoma, *1953:* Oct., 1395
Ewing's, in differential diagnosis of hematogenous osteomyelitis, *1953:* Dec., 1671
metastatic, in cervical lymph nodes, *1953:* June, 608
of jaw, osteogenic, *1952:* Aug., 1174
of large bowel, *1952:* Oct., 1527
of mediastinum, *1953:* April, 427; *1954:* Aug., 974, 975
neurogenic, *1954:* Aug., 969
of ovary, *1953:* Feb., 281
of spinal cord, *1954:* Aug., 1114
of stomach, *1952:* Feb., **117–133**
osteogenic, roentgen diagnosis, *1952:* Dec., 1752
reticulum, of bone, *1952:* Dec., 1753
reticulum-cell, of neck, *1953:* June, 699
Scalp, injuries, treatment, *1954:* Aug., 1078, Oct., 1355
Scapulohumeral dislocation. See under *Dislocation.*
Scars, postoperative, in thyroid surgery, *1953:* June, 870
Schanz high osteotomy, *1953:* Dec., 1721
Schanz low subtrochanteric osteotomy, *1953:* Dec., 1719, 1720
Schiller test, in bleeding, abnormal, *1953:* Feb., 186
in uterine cancer, *1952:* Dec., 1740
Schwannoma of stomch, *1953:* April, 434
Sciences, basic, in surgical practice, symposium on, *1952:* April, **345–676**
Scintillation dosimeter, *1954:* Dec., 1678
Sclerosotherapy in varicose veins, *1953:* Oct., 1247
Scopolamine hydrobromide, in breech delivery, *1954:* Dec., 1554
in modern obstetrics, *1954:* Dec., 1553
Scrotum, lesions, diagnosis, *1952:* Dec., 1705
Secretin test in biliary-pancreatic cancer, *1953:* April, 468
Sedation, in elective induction of labor, *1954:* Dec., 1548
in hematogenous osteomyelitis, *1953:* Dec., 1672
Semen analysis, *1953:* Feb., 172
in sterility, *1954:* Dec., 1712
Seminoma of testis, *1952:* Aug., 1089
Serum amylase. See under *Amylase.*
Serum hepatitis, *1952:* April, 610
Serum lipase in biliary-pancreatic cancer, *1953:* April, 466
Serum sickness, ACTH, cortisone and hydrocortisone in, *1954:* Oct., 1212
Sesamoiditis, *1953:* Oct., 1519
Sheath, tendon, infection of, *1953:* Oct., 1270
Shock, ACTH, cortisone and hydrocortisone in, *1954:* Oct., 1212
burn, *1953:* Aug., 1127
treatment, *1954:* Oct., 1317
in nonpenetating injuries of abdomen, early treatment, *1953:* Aug., 1181
ireversible, liver and, *1952:* April, 612
physiology and treatment, recent advances, *1953:* Aug., **1135–1149**
plasma expanders in, *1953:* Aug., 1146
postoperative, differential diagnosis, *1954:* April, 338
in colonic and rectal surgery, treatment, *1953:* Oct., 1428
prevention, in multiple injuries, *1952:* April, 668
renal function in, *1952:* April, 621, 623, 624
treatment for urological trauma, *1953:* Oct., 1480
Shoulder, dislocations, recurrent, etiology, *1953:* Dec., 1703
pathology, *1953:* Dec., 1703
treatment, *1953:* Dec., **1703–1710**
surgical, *1952:* June, **721–726**
frozen, *1952:* Dec., 1768; *1953:* Dec., **1711–1718**
course, *1953:* Dec., 1715
manipulation, *1953:* Dec., 1717
onset of syndrome, *1953:* Dec., 1714
pain of, *1953:* Dec., 1715
pathogenesis, *1953:* Dec., 1714
pathology, *1953:* Dec., 1712
treatment, *1953:* Dec., 1716
functional mechanism, *1952:* Dec., 1761
injuries, acute, *1952:* Dec., 1768
lesions, acute, in ambulatory patient, *1953:* Oct., **1349–1362**
diagnosis, *1952:* Dec., **1761–1776**
region, anatomic and clinical features peculiar to, *1953:* Oct., 1355
Shunt operations, for hydrocephalus, *1954:* Aug., 1027
in vascular surgery, principles, *1952:* April, 541
Sialography in parotid tumors, *1952:* Feb., 183

Sigmoid, carcinoma, choice of operation, *1954:* Feb., 227
surgical treatment, *1954:* April, **537–549**
Sigmoidoscopy, *1953:* Oct., 1394
rectal injuries due to, *1953:* Aug., 1199
Silicates, granulomas due to, *1952:* Aug., 1238
Silicosis, histopathologic techniques in, limitations, *1952:* Aug., 1237, 1238
Silver operation for hallux valgus, *1952:* June, 736
Sinus, dural, venography, *1952:* April, 499
paranasal, pain in, *1952:* Dec., 1603
pilonidal, *1952:* Aug., 1251, 1253
thyroglossal, *1952:* Dec., 1634; *1953:* June, **633–644**
Sinusitis, chronic, surgical treatment, *1952:* Aug., **1149–1158**
Skeletal disease in primary hyperparathyroidism, *1953:* June, 724
Skin, carcinoma, surgery of, present trends, *1952:* Feb., 196
grafts, after excision of postphlebitic ulcers, *1953:* Oct., 1238
face, *1953:* Aug., 1098
in burns, *1954:* Oct., 1319
in Dupuytren's contracture, *1952:* Feb., 237
in radical head and neck surgery, *1953:* April, 341
in wounds, *1952:* April, 428
melanoma, malignant, treatment, *1953:* April, **517–523**
palpation, *1952:* Dec., 1610
transplants, in repair of inguinal hernia, *1952:* Feb., 151
Skull, fractures, treatment, *1954:* Aug., 1080, Oct., **1349–1358**
Smear, Papanicolaou. See *Papanicolaou smear.*
vaginal, in ovulation timing, *1953:* Feb., 173
positive, significance of, *1954:* June, **785–790**
Smoking as factor in recurrent peptic ulcer, *1952:* Feb., 56
Snail nail, *1953:* Oct., 1521
Sodium, deficiency, in gastrointestinal surgery, *1954:* Feb., 6, 13
postoperative, clinical approach, *1954:* April, **323–342**
Sodium chloride, deficiency, *1952:* Feb., 7, 23, April, 465
metabolism, *1952:* Feb., 5
requirements, in elderly patients, *1954:* June, 589, Oct., 1476
Sodium hydroxide burns of esophagus, *1954:* April, 344
Sodium pentothal in modern obstetrics, *1954:* Dec., 1559
Soft tissue, infections, treatment, *1952:* April, 440
Solvents for urinary tract calculi, *1952:* Feb., 308, 317
Souttar-Bailey operation for mitral stenosis, *1952:* Feb., 259
Speech training in cleft palate defects, *1952:* Feb., 173
Spherocytosis, hereditary, splenectomy in, *1954:* Feb., 126
Sphincter, anal, preservation, in operation for carcinoma of midrectum, *1954:* Feb., **231–240**
Spina bifida, congenital defects associated with, plastic repair, *1952:* Oct., **1327–1345**
problem of hydrocephalus in, *1952:* Oct., 1331
Spinal anesthesia. See under *Anesthesia.*
Spinal cord, cervical, operations on, anesthesia for, *1953:* June, 860
injuries, *1954:* Aug., **1131–1146**
digestive apparatus in, *1954:* Feb., **259–268**
management, immediate, *1954:* Oct., 1461
metabolic alterations, *1954:* Aug., 1140
nonoperative treatment, *1954:* Aug., 1141
operative treatment, *1954:* Aug., 1143
reflex action and, *1954:* Aug., 1138
tumors, *1954:* Aug., **1113–1130**
Spine, cervical, dislocations, *1953:* Dec., 1572
spontaneous, *1953:* Dec., 1577
extension injuries, *1953:* Dec., 1592
flexion injuries, *1953:* Dec., 1589
fractures without dislocation, *1953:* Dec., 1575
fracture-dislocations, *1953:* Dec., **1587–1595**
mechanism of, *1953:* Dec., 1587
treatment, *1953:* Dec., 1588
with cord involvement, *1953:* Dec., 1576
injuries, first aid for, *1953:* Dec., 1571
recognition and treatment, *1953:* Dec., **1571–1585**
roentgen examination, *1953:* Dec., 1572
subluxations, *1953:* Dec., 1579
Spinnbarkeit, *1953:* Feb., 174
Spleen, biopsy, operative, *1953:* Oct., 496
tumors, malignant, *1953:* April, **493–499**
Splenectomy, ACTH, cortisone and hydrocortisone with, *1954:* Oct., 1210
contraindications to, *1954:* Feb., 135
indications for, *1954:* Feb., **123–136**
Splenic artery, ligation in portal hypertension, *1953:* Aug., 985

Splenic flexure, carcinoma in region of, extension of operation in, *1954:* April, **523–535**
Splenorenal shunt in portal hypertension, *1953:* Aug., 984
Splints, in Dupuytren's contracture, *1952:* Feb., 240
in fractures, *1952:* April, 668
Sponge biopsy in uterine cancer, *1952:* Dec., 1740
Spot biopsy in uterine cancer, *1952:* Dec., 1736
Springwater cysts, *1954:* Aug., 971
Sputum, examination, in carcinoma of lung, *1954:* Aug., 922
Stanolone in carcinoma of breast, *1954:* Oct., 1331
Stasis disease, venous, treatment, *1952:* Feb., 280
Stein-Leventhal syndrome, *1953:* Feb., 281
Sterility, diagnosis and treatment, *1954:* Dec., **1711–1717**
investigation of, adequate, *1953:* Feb., **171–181**
Sterilization, tubal, through colpotomy incision, *1953:* Feb., 199
with cesarean section, *1953:* Feb., 98
Sternum, split or bifid, *1952:* Oct., 1397
Steroid metabolism, therapeutic alterations of, in management of advanced carcinoma, *1954:* Oct., **1321–1335**
Stillbirths, causes, classification of, *1954:* Dec., 1496
nonpreventable, *1954:* Dec., 1502
preventable, due to patient responsibility, *1954:* Dec., 1501
due to physician responsibility, *1954:* Dec., 1498
prevention, *1954:* Dec., **1495–1511**
materials and methods, *1954:* Dec., 1495
Stoma, malfunctioning, after gastroduodenal surgery, *1954:* Oct., 1400
Stomach, aberrant pancreatic tissue in, *1954:* Feb., 188
adenoma, *1953:* April, 433
antrum, role in interpretation of cholecystograms, *1952:* June, **847–850**
carcinoma, *1952:* Oct., **1425–1438**
diagnosis, *1952:* April, 591, Oct., 1427
roentgenographic, *1952:* Oct., 1428
experience at New York Hospital, *1952:* April, **587–598**
gastrectomy, total, esophagoduodenostomy after, *1954:* April, **441–456, 457–471**
in elderly patient, *1954:* June, **711–719**
primary, multiple, *1952:* Aug., **1197–1202**
Stomach, carcinoma, "second look" operation, *1952:* Oct., 1435
surgical treatment, *1952:* Oct., 1430
ulcer and, relationship, *1952:* Oct., 1430
with extension to lower exophagus, *1953:* April, 393
contents, aspiration, preanesthetic, in trauma, *1953:* Aug., 1208
cysts, *1953:* April, 434
leiomyoma, *1952:* Feb., 111; *1953:* April, 434, 435
lipomas, *1953:* April, 434
lymphosarcoma, *1952:* Feb., **117–133**
mucosa, prolapse of, *1954:* April, **495–508**
neurofibroma, *1953:* April, 434, 437
operations, complications, *1954:* Oct., 1399
pre- and postoperative management in, *1954:* Oct., **1391–1402**
polyposis, *1952:* June, **857–865**
polyps, *1953:* April, 433, 438, 439
resection, Billroth II-Polya-Hofmeister, modified, *1952:* Feb., 47
Hofmeister, modified, roentgen study of function after, *1952:* June, **829–835**
in anastomotic ulcer, *1952:* Feb., 39, 40
tumors, benign, *1953:* April, **433–442;** *1954:* Feb., 192
malignant potential, *1953:* April, 437
ulcer. See also *Peptic ulcer.*
carcinoma and, relationship, *1952:* Oct., 1430
surgical treatment, *1954:* Feb., **87–94**
vagotomy in, *1952:* Feb., 29
wall, aberrant pancreas in, *1952:* June, **867–875**
Stones. See *Calculi.*
Streptokinase-streptodornase in chronic infections of feet, in diabetic and arteriosclerotic patients, *1954:* April, **415–421**
involving bones and joints, *1952:* April, **405–417**
Streptomycin, in pelvic inflammatory conditions, *1953:* Feb., 275
in surgical infections, *1952:* April, 390; *1954:* Oct., 1306
prophylactic use, in surgery of aged, *1954:* June, 611
Stress, topical, inflammation as manifestation of, *1953:* Oct., 1418
Stroke, brain tumor simulating, *1954:* June, **643–654**
Struma, Hashimoto's, *1952:* Dec., 1633
Riedel's, *1952:* Dec., 1633
Struma lymphomatosa, *1952:* Dec., 1633; *1953:* June, 742
Struma ovarii, *1953:* Feb., 284, 299
Subarachnoid hemorrhage, management, *1954:* Aug., 1064

Subclavian artery, right, anomalous, surgery of, *1952:* Feb., 252
Subcuticular infection, *1953:* Oct., 1270
Subdural hematoma, treatment, *1954:* Aug., 1089
Sublingual glands, palpation, *1952:* Dec., 1612
Submaxillary gland, palpation, *1952:* Dec., 1612
tumors, *1953:* June, **671–675**
mixed, *1953:* June, 655
Subphrenic abscess following biliary tract surgery, *1954:* Oct., 1388
Subvalvular stenosis, *1952:* Dec., 1833
Suction, funnel tip, for removal of rectal adenomas, *1954:* April, 563
Sulfasuxidine in surgical infections, *1954:* Oct., 1301
Sulfathalidine in surgical infections, *1954:* Oct., 1301
Sulfonamides in surgical infections, *1952:* April, 388; *1954:* Oct., 1301
Surgery, ambulant, symposium on, *1953:* Oct., **1227–1416**
anticoagulant therapy in, role of, *1952:* April, **369–386**
cardiac arrest during, *1954:* Oct., **1289–1298**
gastrointestinal. See *Gastrointestinal Surgery.*
minor, infections in, treatment, *1953:* Oct., **1261–1278**
orthopedic, symposium on, *1953:* Dec., **1543–1774**
recent advances, symposium on, *1952:* Feb., **1–340**
vascular, nonsuture methods, *1952:* April, 536
Surgical patient, total care of, symposium on, *1954:* Oct., **1199–1477**
Suture lines, leakage, after gastroduodenal surgery, *1954:* Oct., 1399
Sutures, in vascular surgery, *1952:* April, 532
of wounds, *1952:* April, 427
Swenson's operation for aganglionic megacolon, *1952:* Aug., 1210
Sympathectomy, *1954:* Aug., **1173–1188**
in degenerative organic vascular disease, *1953:* Aug., 960
in painful states, *1954:* Aug., 1185
in peripheral vascular disease, *1952:* Feb., 267; *1954:* Aug., 1175
in postphlebitic ulcers, *1953:* Oct., 1239
in vasospastic functional disease, *1953:* Aug., 956; *1954:* Aug., 1184
in venous stasis disease, *1952:* Feb., 282
in visceral pain, *1954:* Feb., 274
limitations, *1954:* Aug., 1173
lumbar, anatomical pitfalls, *1952:* April, 552
Sympathectomy, lumbar, for arteriosclerotic occlusion of arteries, *1954:* April, 407
in postphlebitic syndrome, *1953:* Aug., 1035
types, *1954:* Aug., 1180
surgical, in postphlebitic syndrome, *1953:* Oct., 1241
Sympathetic block, cervicodorsal, in vasospastic functional disease, *1953:* Aug., 956
lumbar, in vasospastic functional disease, *1953:* Aug., 957
Syncurine in thyroidectomy, *1953:* June, 766
Syndactylism, *1953:* Oct., 1379
Synovitis, radiohumeral, anatomic findings, *1953:* Oct., 1363
as cause of persistent elbow pain, *1953:* Oct., **1363–1371**
diagnosis, *1953:* Oct., 1369
pathogenesis, *1953:* Oct., 1367
treatment, *1953:* Oct., 1369
transient, of hip, in differential diagnosis of hematogenous osteomyelitis, *1953:* Dec., 1670
Syphilis, of cervical lymph nodes, *1953:* June, 708
post-transfusion, *1954:* Feb., 283
Syringomyelocele, *1952:* Oct., 1329

Talc granuloma, *1952:* Aug., 1238
Tapazole, in hyperthyroidism, *1952:* Feb., 156
preoperative, *1954:* Oct., 1360, 1361
Tarsorrhaphy, lateral, permanent, *1952:* Feb., 190
Techniques, new, in surgery, rationale and methods, symposium on, *1954:* April, **291–579**
Temperatures, body, basal, in ovulation timing, *1953:* Feb., 173
Tendinitis, calcareous, *1952:* Dec., 1764
clinical features, *1952:* Dec., 1765
pathogenesis, *1952:* Dec., 1765
surgery of, ACTH, cortisone and hydrocortisone in, *1954:* Oct., 1210
Tendon(s), of gluteus medius and minimus, peritendinitis calcarea of, *1952:* Aug., 1221
repair, in hand injuries, *1953:* Aug., 1088
sheath, infection, *1953:* Oct., 1270
involved in stenosing tenovaginitis, *1953:* Oct., 1330
transplantation in treatment of paralytic valgus foot, *1953:* Dec., **1737–1743**
Tenosynovitis, bicipital, *1952:* Dec., 1762; *1953:* Dec., **1693–1702**
anatomical factors and, *1953:* Dec., 1695
anomalies and, *1953:* Dec., 1696
clinical features, *1952:* Dec., 1763; *1953:* Dec., 1697
course, *1953:* Dec., **1697**

Tenosynovitis, bicipital, degenerative processes, *1953:* Dec., 1696
etiology, *1953:* Dec., 1694
functional demands and, *1953:* Dec., 1695
incidence, *1953:* Dec., 1694
pathology, *1953:* Dec., 1694
treatment, *1953:* Dec., 1698
Tenovaginitis, stenosing, *1953:* Oct., **1317–1347**
anatomy, *1953:* Oct. 1319
anomalies in, *1953:* Oct., 1322
diagnosis, *1953:* Oct., 1326
differential diagnosis, *1953:* Oct., 1328
mechanics, *1953:* Oct., 1319
operation for, *1953:* Oct., 1337
pathology, *1953:* Oct., 1335
postoperative care, *1953:* Oct., 1340
signs and symptoms, *1953:* Oct., 1326
recovery without operation, *1953:* Oct., 1343
treatment, *1953:* Oct., 1336
types of involvement, *1953:* Oct., 1331
Teratoma, of mediastinum, *1953:* April, 422, June, 828; *1954:* Aug., 965
of neck, *1952:* Oct., **1389–1395**
of ovary, *1953:* Feb., 284
of testis, *1952:* Aug., 1089
Terramycin, in abortion, *1952:* Dec., 1724
in carbuncles, *1953:* Oct., 1275
in furuncles, *1953:* Oct., 1275
in intraperitoneal rupture of tubo-ovarian abscess, *1952:* Dec., 1722
in salpingo-oophoritis, *1952:* Dec., 1722
in surgical infections, *1952:* April, 392; *1954:* Oct., 1308
in urinary tract infections, *1952:* Feb., 313
preoperative, for mitral commissurotomy, *1952:* Dec., 1819
Testicle. See *Testis.*
Testis, carcinoma, collaboration of irradiation and surgery in, *1954:* Oct., 1347
tumors, treatment, *1952:* Aug., **1087–1091**
Testosterone, in carcinoma of breast, *1954:* Oct., 1330
in osteoporosis, *1953:* Dec., 1754
Tetanus, prevention, in wounds of hand, *1953:* Oct., 1293
Tetracycline in surgical infections, *1954:* Oct., 1308
Tetracyn in surgical infections, *1954:* Oct., 1308
Tetralogy of Fallot, *1952:* Oct., 1273
diagnostic features, *1952:* Oct., 1277
operative technique, *1952:* Feb., 255, Oct., 1279
Tetralogy of Fallot, surgical treatment, *1952:* Feb., 255
anesthesia in, *1952:* April, 659
present status, *1954:* Aug., 907
Thalamotomy, value, *1952:*Feb., 228
Theca cell tumor of ovary, *1953:* Feb., 289, 297
Thoraco-abdominal operations, combined, in treatment of surgical, abdominal lesions, *1954:* Feb., **95–112**
Thoracoplasty in tuberculosis, *1954:* Aug., 936
Thoracotomy, diagnostic, in tumors of mediastinum, *1954:* Aug., 962
exploratory, in lung cancer, *1952:* Dec., 1668; *1954:* Aug., 923
Thorax, examination, in carcinoma of lung, *1954:* Aug., 922
injuries, *1953:* Aug., **1069–1080**; *1954:* Aug., **951–958**
management, initial, *1954:* Oct., 1459
penetrating and nonpenetrating, *1953:* Aug., 1075; *1954:* Aug., 953, 955
surgery of, anesthesia in, *1954:* Aug., **1007–1018**
in aged and debilitated patient, *1954:* June, **681–686**
open, surgical principles, *1952:* April, **515–522**
symposium on, *1954:* Aug., **873–1018**
wall, deformities, *1952:* Oct., 1397
tumors, in children, *1952:* Oct., 1405
Thorn test, *1952:* April, 353
Thorotrast in roentgenography of intracranial aneurysm, *1952:* Dec., 1573
Thrombectomy, auricular, in mitral stenosis, *1954:* Aug., 887
Thrombitis. See *Thrombophlebitis.*
Thomboangiitis obliterans, *1953:* Aug., 957
sympathectomy in, *1954:* Aug., 1182
treatment, *1952:* Feb., 275
Thrombo-embolism, postoperative, in aged, *1954:* June, **839–845**
prevention and treatment, *1954:* Oct., 1279
Thrombo-endarterectomy, *1953:* Aug., 962; *1954:* April, 407
Thrombophlebitis, *1952:* Feb., 280; *1953:* Aug., 995
ACTH, cortisone and hydrocortisone in, *1954:* Oct., 1210
as complication of varicose veins, *1953:* Oct., 1253
chronic, leg ulcers with, *1954:* June, 824
in polycythemia vera, *1953:* Aug., 1023
of femoral or pelvic veins, vena cava ligation in, *1953:* Aug., 968

Thrombophlebitis, postoperative, prevention and treatment, *1953:* Aug., **993–1001**
Thrombosis, *1954:* Oct., **1271–1287**
arterial, acute, treatment, *1953:* Aug., 961
carotid, internal, in differential diagnosis of intracranial aneurysm, *1952:* Dec., 1577
cerebral, angiography in, *1952:* April, 498
in differential diagnosis of intracranial aneurysm, *1952:* Dec., 1579
in polycythemia vera, *1953:* Aug., 1025
hepatic vein, in polycythemia vera, *1953:* Aug., 1026
mesenteric, *1952:* Oct., 1462; *1954:* Feb., 49
in aged, *1954:* June, 758
nontraumatic, of internal carotid artery, report of 25 cases, *1952:* June, **781–785**
of terminal aorta, iliac and femoral arteries, surgical treatment, *1954:* April, **403–414**
physiology of, *1952:* April, 526; *1954:* Oct., 1276
traumatic, treatment, *1953:* Aug., 1158
Thumb, abduction after procedures in first web space, *1953:* Oct., 1307
Thymoma, *1954:* Aug., 970
Thymus, cyst, *1954:* Aug., 971
lesions, *1953:* June, 829
tumors, *1952:* Dec., 1678; *1953:* April, 423
Thyrocardiacs, surgical risk in, *1954:* June, 599
Thyroglossal cysts and sinuses, *1953:* June, **633–644**
Thyroid, aberrant, lateral, *1952:* Dec., 1628
disease, errors in exact preoperative differentiation, *1952:* Dec., 1623
gland, adenocarcinoma, *1953:* June, 745
surgical treatment, *1953:* April, 379, 380, 381
types, *1953:* April, **370–373**
adenoma, *1953:* June, 743, **749–755**
diagnosis, *1953:* June, 781
malignant, *1953:* April, 371, June, 752, 781
anatomy, *1952:* Aug., **1121–1129**
anomalies, *1952:* Aug., 1129
carcinoma, *1952:* Dec., 1626; *1953:* June, 745
bilateral, in young persons, *1953:* June, 790
management, *1953:* June, 786
classification, *1953:* April, 369
descending into superior mediastinum, management, *1953:* June, 787
Thyroid, gland, carcinoma, diagnosis, *1952:* Dec., 1630; *1953:* April, 375, 377
preoperative, *1953:* June, **781–792**
distant mestastases, *1953:* June, 790
esophageal or tracheal involvement, *1953:* June, 789
etiology, *1953:* April, 364
exogenous malignancy, *1952:* Dec., 1630
goiter types, *1952:* Dec., 1628
in adenomatous goiter, incidence and surgical treatment, *1953:* April, **351–360**
metastastic tendencies, *1953:* April, 374
neck dissection for, *1953:* June, **897–907**
pathology, *1952:* Dec., 1628; *1953:* April, 366
pulmonary metastases, *1953:* June, 792
recurrent nodules, *1952:* Dec., 1628
surgical treatment, *1953:* April, **361–387**
symptoms and signs, *1952:* Dec., 1630, 1631
diseases, classification, pathologic, *1953:* June, **739–748**
palpation, *1952:* Dec., 1612; *1953:* June, 752
recurrent nerve and, relations, *1952:* Aug., 1127
surgery of, postoperative complications, *1953:* June, **867–877**
surgical disorders, complete diagnosis, *1952:* Dec., **1617–1636**
tumors, *1953:* June, 743
intrathoracic, *1952:* Dec., 1685
lingual, *1952:* Aug., 1130, Dec., 1635
Thyroidectomy, anesthesia for, *1952:* Aug., 1112
for hyperthyroidism, *1952:* Feb., 162
preoperative preparation, *1954:* Oct., **1359–1362**
subtotal, technique, *1953:* June, **765–772**
total, for hyperthyroidism, preparation of patient, *1953:* June, **757–763**
vs. radical dissections of neck for carcinoma of thyroid, *1953:* June, 785
Thyroiditis, *1953:* June, 742
acute, *1952:* Dec, 1632
chronic, *1952:* Dec., 1633
granulomatous, *1952:* Aug., 1241
ligneous, *1952:* Dec., 1633
woody, *1952:* Dec., 1633
Thyrotoxicosis. See *Hyperthyroidism.*
Tibia, adamantinoma, *1952:* Dec., 1757
fractures, ununited, iliac grafts in, *1953:* Aug., **1165–1169**

Tic douloureux, *1952:* June, 765
Tinel's sign, *1953:* April, 604
Tissue(s), effects of adrenal activity on, *1952:* April, 353
injury, acute, induction of resistance to, *1953:* Oct., 1418
topical resistance to, induction of, *1953:* Oct., **1417–1446**
Tobacco in postphlebitic syndrome, *1953:* Oct., 1240
Toe, claw, *1953:* Oct., 1519
deformities, *1953:* Oct., 1379
great, disabilities and surgery of, *1953:* Oct., **1511–1521**
hammer, *1953:* Oct., 1389, 1518
Toenail, ingrown, *1953:* Oct., 1519
Tongue, carcinoma, pain of, *1952:* June, 768
present status, *1954:* June, **663–672**
roentgen examination, *1952:* Dec., 1614
Tonsils, carcinoma, radical surgery for, *1953:* **329–350**
Topectomy, value, *1952:* Feb., 228
Torkildsen's procedure in hydrocephalus, *1952:* Feb., 226; *1954:* Aug., 1025, 1026
Torus palatinus, *1952:* Aug., 1164
Toxemia, acute, as cause of stillbirths, *1954:* Dec., 1499
of pregnancy, anesthetic management, *1954:* Dec., 1557
as cause of stillbirths, *1954:* Dec., 1506
cesarean section in, *1953:* Feb., 106
Trachea, collapse, in thyroid surgery, *1953:* June, 872
Trachelectomy, in carcinoma in situ, *1954:* Dec., 1664
in diagnosis of uterine cancer, *1952:* Dec., 1737
Tracheostomy, prophylactic, in radical head and neck surgery, *1953:* April, 342
Tracheotomy, anesthesia for, *1953:* June, 861
emergency, *1953:* June **887–895**
in carcinoma of thyroid, indications, *1953:* June, 788
in thyroid surgery, *1953:* June, 873
Traction injuries of nerve plexuses, *1953:* April, 594
Transfusions, arterial, in abdominal surgery, *1954:* Feb., 23
complications, *1954:* Feb., **277–285**
hepatitis from, *1952:* April, 610
in burns, *1953:* Aug., 1145
in hematogenous osteomyelitis, *1953:* Dec., 1673
in liver disease, *1952:* April, 603
in postpartum hemorrhage, *1954:* Dec., 1599
in radical head and neck surgery, *1953:* April, 337
in shock, *1953:* Aug., 1144
in trauma, *1953:* Aug., 1207
Transfusions, indications, methods and hazards, *1954:* Oct., 1220
preoperative, in colonic and rectal surgery, *1954:* Oct., 1426
reactions to, ACTH, cortisone and hydrocortisone in, *1954:* Oct., 1212
Transposition of great arteries, congenital, *1952:* Oct., 1292
surgical treatment, *1952:* Oct., 1294
Transurethral methods in carcinoma of bladder, *1953:* April, 505
Transverse presentations, management, *1953:* Feb., 139
Trauma. See *Injuries.*
Trendelenburg operation in pulmonary embolism, *1954:* Oct., 1283
Trepanation, exploratory, *1954:* Oct., 1357
Trichterbrust, *1952:* Oct., 1398
Tricuspid stenosis, surgical treatment, *1952:* Feb., 256
Triethylene melamine in lymphoid tumors of neck, *1953:* June, 714
Trigger finger, *1953:* Oct., 1328
Trilene in modern obstetrics, *1954,* Dec., 1553
Tromexan, actions and uses, *1952:* April, 377
hemorrhage due to, management, *1952:* April, 380
Tryptar in abdominal surgery, *1954:* Feb., 25
T-tube, care, in biliary tract surgery, *1954:* Oct., 1386
Tubal patency test, *1953:* Feb., 176
Tubal sterilization through colpotomy incision, *1953:* Feb., 199
Tuberculoma of brain in childhood, *1952:* Oct., 1363
Tuberculosis, of duodenum, *1952:* June, 887
of urinary tract, *1952:* Feb., 308
pelvic, *1953:* Feb., 276
pulmonary, pregnancy and, *1953:* Feb., **35–40**
resection in, indications, *1952:* April, 508
surgical treatment, *1954:* Aug, **931–949**
Tumor(s), adenomatous, villous, papillary, *1953:* Oct., 1395
adnexal, in pregnancy, *1952:* Dec., 1727
argentaffin, of large bowel, *1952:* Oct., 1519
Brenner, *1953:* Feb., 291
carcinoid, of large bowel, *1952:* Oct., 1519
rectal, *1953:* Oct., 1395
characteristics in inoperable lung cancer, *1952:* Dec., 1670
emboli from, *1954:* Oct., 1275
Ewing's, *1952:* Dec., 1752
fibroid, complicating pregnancy, *1952:* Dec., 1712

Tumor(s), giant cell, of bone, *1952:* Dec., 1755
of jaws, *1952:* Aug., 1171
intracranial, diagnosis, new methods, *1952:* April, **491–503**
Krukenberg, *1953:* Feb., 290
neurogenic, *1952:* Dec., 1681
Sampson's, *1953:* Feb., 290
subcutaneous, surgery of, present trends, *1952:* Feb., 196
teratoid, *1952:* Dec., 1679
Twin pregnancy, regional anesthesia for delivery, *1953:* Feb., 56

ULCER, anastomotic, management, *1952:* Feb., **35–45**
arteriosclerotic, *1954:* June, 825
duodenal. See *Peptic ulcer.*
gastric. See *Peptic ulcer* and *Stomach, ulcer.*
gastrojejunal, management, *1952:* Feb., **35–45**
leg, chronic, in aged, *1954:* June, **823–827**
peptic. See *Peptic ulcer.*
postphlebitic. See *Postphlebitic ulcers.*
removal, in subtotal gastrectomy for duodenal ulcer, *1952:* June, **817–827**
varicose, as complication of varicose veins, *1953:* Oct., 1254
differential diagnosis, *1953:* Oct., 1254
in aged, *1954:* June, 823
management, *1953:* Oct., **1245–1260**
postphlebitic, *1954:* June, 824
Ulcerative colitis. See *Colitis, ulcerative.*
Ultrasonics in localization of brain tumor, *1952:* April, 501
Umbilical cord, prolapse of, as cause of stillbirths, *1954:* Dec., 1500, 1507
Urban operation for carcinoma of breast, *1953:* April, 324–326
Uremia, treatment, artificial kidney in, *1954:* April, **423–440**
Ureter, ectopic, with vaginal terminus, *1954:* Dec., 1624
injuries, surgical, *1954:* Oct., 1436
prevention, *1954:* Oct., 1436
meatotomy, *1952:* Oct., 1387
reimplantation of, in children, *1952:* Oct., 1387
repair, methods, *1954:* Oct., 1440
Ureterosigmoidostomy in bladder tumors, *1952:* Feb., 306
Ureterostomy, dermal, *1952:* Feb., 306
Urethra, diverticulum, in children, *1952:* Oct., 1372, 1380
meatotomy, *1952:* Oct., 1380
meatus, external, stenosis of, in children, *1952:* Oct., 1372, 1380
prolapsed, *1954:* Dec., 1618
stricture, congenital, *1952:* Oct., 1372, 1380
Urethra, upper, vesicovaginal fistulas involving, *1954:* April, **293–302**
Urethrocystography in urological trauma, *1953:* Oct., 1492
Urinary tract, calculi, solvents and aluminum gels in, *1952:* Feb., 308, 317
complications of surgery for gynecologic cancer, *1953:* April, 591
infections, diagnosis, *1952:* Dec., 1703
postoperative, *1954:* Oct., 1450
injuries, surgical, *1954:* Oct., 1435
traumatic, management, immediate, *1954:* Oct., 1460
obstruction, in children, diagnosis and management, *1952:* Oct., **1371–1388**
surgery of, complications following, *1954:* Oct., **1435–1454**
tuberculosis, *1952:* Feb., 308
Urination, drugs and other measures to aid, 1954: *Oct.*, 1449, 1450
Urine, residual, in urinary tract obstruction in children, *1952:* Oct., 1377
retention, postoperative, *1954:* Oct., 1448
Urography, excretory, in urological trauma, *1953:* Oct., 1487
intravenous, in differential diagnosis of genitourinary conditions, *1952:* Dec., 1697
Urologic surgery, recent advances, *1952:* Feb., **311–313**
Urological trauma, associated lesions and, *1953:* Oct., 1473
diagnosis, *1953:* Oct., **1473–1495**
management, simultaneous, *1953:* Oct., 1475
blood typing and cross matching, *1953:* Oct., 1480
catheterization in, *1953:* Oct., 1486, 1487, 1489, 1492, 1493
cystogram, retrograde, *1953:* Oct., 1489
cystoscopy in, *1953:* Oct., 1492
retrograde pyelography in, *1953:* Oct., 1492
shock treatment, *1953:* Oct., 1480
urethrocystography in, *1953:* Oct., 1492
urography in, *1953:* Oct., 1487
x-ray examination, *1953:* Oct., 1477, 1485
Urticaria, post-transfusion, *1954:* Feb., 282
Uterine forces, abnormal, *1953:* Feb., 125
Uterus, carcinoma, *1953:* Feb., **241–257**; *1954:* June, **791–799**
collaboration of surgery and irradiation in, *1954:* Oct., 1347
cytologic smear in, significance, *1954:* June, **785–790**
diagnosis, *1952:* Dec., **1729–1744**

Uterus, carcinoma, effect of previous treatment, *1952:* Dec., 1731
endometrial, *1953:* Feb., 264
management, *1952:* Dec., 1741; *1953:* Feb., 247, **259–268**
cervix. See *Cervix uteri.*
corpus, adenocarcinoma, *1953:* Feb., **241–257**
examination, in elderly persons, *1954:* Dec., 1634
carcinoma, *1954:* Dec., 1645
management, *1952:* Dec., 1742
fibroids, *1952:* Dec., 1723
causes of bleeding from, *1953:* Feb., 210
complicating pregnancy, *1952:* Dec., 1726
necrosis, *1952:* Dec., 1711
treatment, *1953:* Feb., 212
hypertonic action, *1954:* Dec., 1583
hypotonic action, *1954:* Dec., 1581
morcellation, intravaginal, *1953:* Feb., 203
myomas, *1952:* Dec., 1723
in pregnancy, *1952:* Dec., 1726
prolapse, vaginal repair, *1953:* Feb., 204
rupture, *1952:* Dec., 1726
in pregnancy, *1954:* Dec., **1513–1522**
age of patients, *1954:* Dec., 1514
classification, *1954:* Dec., 1513
diagnosis, *1954:* Dec., 1518
extrinsic manipulations, *1954:* Dec., 1517
fetal mortality, *1954:* Dec., 1521
incidence, *1954:* Dec., 1513
maternal mortality, *1954:* Dec., 1519
noncesarean, causes, *1954:* Dec., 1516
onset, *1954:* Dec., 1515
parity and, *1954:* Dec., 1515
postcesarean, factors in, *1954:* Dec., 1517
site of, *1954:* Dec., 1515
treatment, *1954:* Dec., 1518
tumors, benign, management, *1953:* Feb., **209–229**

VAGINA, absence of, congenital and acquired, surgical management, *1952:* June, **937–944**
atresia, *1954:* Dec., 1622
bleeding from, in obstetrical patients, *1952:* Dec., 1713
carcinoma, *1954:* Dec., 1648
cysts of, benign, *1954:* Dec., 1630
examination, in aged persons, *1954:* Dec., 1629
foreign body in, *1954:* Dec., 1617
inflammatory diseases, *1954:* Dec., 1629
neoplastic disease, *1954:* Dec., 1630
structural defects, *1954:* Dec., 1631
visualization in uterine cancer, *1952:* Dec., 1733
Vaginal approach in gynecologic surgery, *1953:* Feb., **193–207**
Vaginal smears, in ovulation timing, *1953:* Feb., 173
positive, significance of, *1954:* June, **785–790**
Vagotomy, for anastomotic ulcer, *1952:* Feb., 39
prophylactic, *1952:* Feb., 41
for duodenal ulcer, *1954:* Feb., 92
subtotal gastrectomy with, *1952:* June, 826
for peptic ulcer, *1952:* Feb., **29–34**
phrenic nerve interruption with, *1952:* Feb., 49
rationale and general principles, *1952:* April, 580
postoperative care, *1954:* Oct., 1398
Valgus deformity of foot, *1953:* Dec., 1740
Valgus foot, paralytic, tendon transplantation in treatment of, *1953:* Dec., **1737–1743**
Valvulitis, rheumatic, pathology, *1952:* Dec., 1810
Valvuloplasty, for mitral regurgitation, *1954:* Aug., 899
preoperative preparation, ACTH, cortisone and hydrocortisone in, *1954:* Oct., 1209
Varices, esophageal. See under *Esophagus.*
Varicose veins. See *Veins, varicose.*
Varicose ulcer. See *Ulcer, varicose.*
Varidase in chronic infections of feet, in diabetic and arteriosclerotic patients, *1954:* April, **415–421**
involving bones and joints, *1952:* April, **405–417**
Vasa previa, rupture of, fetal hemorrhage due to, *1953:* Feb., 25
Vascular anastomosis, *1952:* April, 532
Vascular complications, of brain tumor, *1954:* June, **643–654**
of polycythema vera, *1953:* Aug., **1023–1028**
Vascular disease, occlusive, of brain, angiography in, *1954:* Aug., 1054
peripheral, sympathectomy in, *1954:* Aug., 1175
treatment, modern concepts, *1952:* Feb., **263–285**
Vascular rings, operation for, anesthesia in, *1952:* April, 663
Vascular surgery, general principles, *1952:* April, **523–543**
symposium on, *1953:* Aug., **943–1055**
Vascular trauma, surgical treatment, *1953:* Aug., **1151–1164**
Vascular tumors of stomach, *1953:* April, 434
Vasectomy, bilateral, with prostatectomy, *1952:* Feb., 301
Vasospasm, treatment, *1953:* Aug., 1156

Vasospastic conditions, sympathectomy in, *1954:* Aug., 1184
Vasospastic disease, functional, *1953:* Aug., 954
organic, *1953:* Aug., 957
Vein(s), enlarged, *1953:* Oct., 1229
excisions and strippings, multiple, for postphlebitic syndrome, *1953:* Aug., 1036
grafting, indications and techniques, *1953:* Aug., **1039–1048**
injuries, surgical treatment, *1953:* Aug., **1151–1164**
ligation, for prevention and treatment of thromboembolic disease, *1954:* Oct., 1280
in stasis disease, *1952:* Feb., 283
of abdominal wall, *1952:* April, 565
portal, hemodynamics of, *1952:* April, 609
resection, in postphlebitic syndrome, *1953:* Oct., 1242
saphenous, ligation and stripping, *1952:* Feb., 290, June, 966
varicose, *1953:* Oct., 1229
classification, *1953:* Oct., 1246
complications, *1953:* Oct., 1253
in pregnancy, *1953:* Oct., 1258
management, *1953:* Oct., **1245–1260**
multiple or segmental division and ligation, *1953:* Oct., 1250
recurrent, *1953:* Oct., 1258
sclerosotherapy, *1953:* Oct., 1247
sex and, *1953:* Oct., 1230
stripping operation, *1953:* Oct., 1251
treatment, *1953:* Aug., **1029–1038**
surgical, *1953:* Oct., 1249
Vena cava, inferior, ligation of, indications and techniques, *1953:* Aug., **967–974**
ligation, in thromboembolic disease, *1954:* Oct., 1281, 1282
Venography, dural sinus, *1952:* April, 499
portal, *1952:* April, 610
Venous clotting, pathologic, *1953:* Oct., 1230
Venous stasis disease, treatment, *1952:* Feb., 280
Ventilation in open thoracic surgery, *1952:* April, 515
Ventriculo-cisternostomy for obstructive hydrocephalus, *1952:* Oct., 1352
Ventriculography in intracranial aneurysm, *1953:* Aug., 1010
Ventriculo-mastoidostomy for hydrocephalus, *1954:* Aug., 1027
Ventriculo-peritoneal shunt for hydrocephalus, *1954:* Aug., 1027
Ventriculo-peritoneostomy for obstructive hydrocephalus, *1952:* Oct., 1351
Ventriculo-pleural shunt for hydrocephalus, *1954:* Aug., 1027
Ventriculostomy, third, for hydrocephalus, *1954:* Aug., 1025
for obstructive hydrocephalus, *1952:* Oct., 1351
Ventriculo-ureterostomy for hydrocephalus, *1954:* Aug., 1027, 1028
Verruca of cervix, *1953:* Feb., 227
Version, external, *1953:* Feb., 77
Vertebrae. See also *Spine.*
cervical, operations on, anesthesia for, *1953:* June, 860
Vertebral artery, aneurysms, *1953:* Aug., 1018
Vertex, deflexion attitudes, management in labor, *1954:* Dec., 1588
presentation as criterion in elective induction of labor, *1954:* Dec., 1547
Vesicovaginal fistulas, involving bladder neck and upper urethra, surgical management, *1954:* April, **293–302**
postoperative, *1954:* Oct., 1444
Vitamin(s), dosages in severe depletion, *1954:* Oct., 1244
role in nutrition, *1954:* Oct., 1242
Vitamin C in wound healing, *1952:* April, 433
Vitamin D, deficiency, *1953:* Dec., 1749
in osteoporosis, *1953:* Dec., 1755
role in bone, *1953:* Dec., 1748
Vitamin E, clotting and, *1952:* April, 382
Vitamin K in liver disease, *1952:* April, 603
Voice changes in carcinoma of thyroid, *1953:* June, 784
Volkman's ischemic contracture in suprachondylar fracture of humerus in children, *1952:* June, 758
Volvulus, in acute obstruction of colon, *1954:* April, 552
of colon in aged, *1954:* June, 752, 757
of small intestine, *1952:* Oct., 1461
Vulva, carcinoma, *1954:* Dec., 1648
surgery of, present trends, *1952:* Feb., 200
cysts of, benign, *1954:* Dec., 1630
examination, in aged persons, *1954:* Dec., 1629
inflammatory diseases, *1954:* Dec., 1629
neoplastic diseases, *1954:* Dec., 1630
structural defects, *1954:* Dec., 1631
Vulvitis, leukoplakic, *1954:* Dec., 1630
Vulvovaginitis associated with bleeding, *1954:* Dec., 1618

WALKING in water in postphlebitic syndrome, *1953:* Oct., 1240
Wallerian degeneration, *1954:* Aug., 1149
Ward care in abdominal injuries, nonpenetrating, *1953:* Oct., 1502
Wasserhelle hyperplasia of parathyroids, *1952:* Aug., 1036

Water, body, total, changes in, during pregnancy, *1954:* Dec., 1538
requirements, in elderly patients, *1954:* June, 589
walking in, in postphlebitic syndrome, *1953:* Oct., 1240
Water intoxication, postoperative, *1954:* April, 337
Water balance in surgery, *1952:* Feb., **3–28,** April, **445–469**
Wedge biopsy in uterine cancer, *1952:* Dec., 1736
Weight, changes during pregnancy, relationship to body composition, *1954:* Dec., **1535–1544**
loss, as symptom of lung cancer, *1952:* Dec., 1665
preoperative, in patients with intrathoracic carcinoma, *1952:* Dec., 1794
reduction in postphlebitic syndrome, *1953:* Oct., 1240
Wertheim hysterectomy. See under *Hysterectomy.*
Wharton's duct, obstruction, *1953:* June, 671
Wheeze as symptom of lung cancer, *1952:* Dec., 1666
Whip-lash injury of neck, *1953:* Dec., 1580
Wilms' tumor, treatment, *1952:* Feb., 315
Wiring of aneurysms of great vessels, *1953:* Aug., **1049–1055**
Wookey two-stage operation for reconstruction of cervical esophagus, *1954:* Aug., 980
Wound(s), abdominal, *1954:* Feb., 28
drainage, in radical head and neck surgery, *1953:* April, 342
healing of, principles, *1952:* April, **419–444**
surgical techniques which promote, *1952:* April, 426
infections, secondary, *1953:* Oct., 1274
of blood vessels, closure, *1952:* April, 531, 532
of hand. See under *Hand.*
of heart, closure of, principles, *1952:* April, 538
perineal, care of, *1953:* Oct., 1403
sepsis, in biliary tract surgery, *1954:* Feb., 176
skin grafting in, *1952:* April, 428
suture of, *1952:* April, 427
Wrisberg's nerve, role in facial pain, *1954:* June, **847–851**

X FACTOR in bicipital tenosynovitis, *1953:* Dec., 1698
X-rays. See *Roentgen.*

ZINC proxide, in radical surgery of head and neck, *1953:* April, 344
in wounds, *1952:* April, 436